

CONTRACT FOR
COMMERCE WAY DRAINAGE IMPROVEMENT PROJECT

2023-28

The Town of Miami Lakes Council:

Mayor Manny Cid
Vice Mayor Carlos O. Alvarez
Councilmember Luis E. Collazo
Councilmember Josh Dieguez
Councilmember Tony Fernandez
Councilmember Ray Garcia
Councilmember Marilyn Ruano

Edward Pidermann, Town Manager
The Town of Miami Lakes
6601 Main Street
Miami Lakes, Florida 33014

1.05-3 EXTENSION OF TIME	20
1.05-4 EXCUSABLE DELAY, NON-COMPENSABLE	21
1.05-5 CLAIMS.....	21
1.05-6 CONTINUING THE WORK	22
1.05-7 FRAUD AND MISREPRESENTATION.....	22
1.05-8 STOP WORK ORDER	22
1.05-9 MATERIALITY AND WAIVER OF BREACH	23
1.05-10 TIME IN WHICH TO BRING ACTION AGAINST THE TOWN.....	23
1.05-11 CONTRACT EXTENSION	23
1.06 EARLY TERMINATION & DEFAULT	23
1.06-1 SET-OFFS, WITHOLDING, AND DEDUCTIONS	23
1.06-2 CONTRACTOR DEFAULT	24
1.06-3 TERMINATION FOR CONVENIENCE.....	24
1.06-4 REMEDIES AVAILABLE TO THE TOWN.....	25
1.06-5 FUNDS AVAILABILITY	25
1.07 PAYMENT PROCESS	25
1.07-1 COMPENSATION	25
1.07-2 ESTIMATED QUANTITIES.....	26
1.07-3 LINE-ITEM PRICING	26
1.07-4 LINE-ITEM QUANTITIES.....	26
1.07-5 ADDITIONAL LINE-ITEM PRICING	26
1.07-6 REIMBURSIBLE EXPENSES	26
SECTION 2. SPECIAL TERMS & CONDITIONS	28
2.01 OVERVIEW.....	28
2.02 SCOPE OF WORK.....	28
2.03 PROJECT LOCATION	28
2.04 CONTRACT TERM.....	28
2.05 BOND REQUIREMENTS	28
2.05-1 PERFORMANCE/PAYMENT BOND.....	28
2.05-2 SURETY QUALIFICATIONS	29
2.06 PRELIMINARY STEPS	29
2.06-1 CONTRACTOR'S PRE-START REPRESENTATION.....	29
2.06-2 PRE-CONSTRUCTION CONFERENCE	29
2.06-3 PROJECT SCHEDULE	30
2.06-4 SCHEDULE OF VALUES	30
2.06-5 CONSTRUCTION PHOTOGRAPHS	30
2.06-6 STAGING SITE.....	31
2.06-7 PROJECT SIGNAGE	31
2.06-8 COORDINATION WITH TOWN RESIDENTS	31
2.07 INSPECTION OF THE WORK.....	31
2.08 UNCOVERING FINISHED WORK.....	32
2.09 SITE ISSUES.....	32
2.09-1 SITE INVESTIGATION AND REPRESENTATION	32

2.09-2 METHOD OF PERFORMING THE WORK	33
2.09-3 DIFFERING SITE CONDITIONS.....	34
2.09-4 PROTECTION OF PROPERTY, UTILITIES, AND THE PUBLIC	34
2.09-5 CONTRACTOR’S RESPONSIBILITY FOR UTILITY PROPERTIES AND SERVICE.....	34
2.09-6 ACCESS TO WATER AND UTILITIES.....	35
2.09-7 COORDINATION OF THE WORK	35
2.09-8 ACCESS TO THE PROJECT SITE(S)	36
2.09-9 CLEANING UP; TOWN’S RIGHT TO CLEAN UP	36
2.09-10 SANITARY PROVISIONS	36
2.09-11 MAINTENANCE OF TRAFFIC.....	36
2.09-12 WORK IN STREET, HIGHWAY, & OTHER RIGHTS-OF-WAY	37
2.09-13 HURRICANE PREPAREDNESS.....	37
2.10 SAFETY ISSUES	37
2.10-1 SAFETY PRECAUTIONS	37
2.10-2 TRENCH SAFETY ACT	38
2.10-3 MATERIAL SAFETY DATA SHEETS	38
2.11 PLANS, DOCUMENTS, & RECORDS	38
2.11-1 CONTRACTOR TO CHECK PLANS, SPECIFICATIONS, & DATA.....	38
2.11-2 SHOP DRAWINGS AND SUBMITTALS	39
2.11-3 TOWN FURNISHED DRAWINGS, SUPPLEMENTAL DRAWINGS, & INSTRUCTIONS	39
2.11-4 AS-BUILT DRAWINGS	39
2.11-5 RECORD SET	40
2.12 CONTRACTOR RESPONSIBILITIES.....	41
2.12-1 LABOR & MATERIALS	41
2.12-2 SUPERVISIONS OF THE WORK.....	41
2.12-3 RELEASE OF LIENS/SUBCONTRACTOR’S STATEMENT OF SATISFACTION.....	41
2.12-4 PROGRESS PAYMENTS	42
2.12-5 RETAINAGE & RELEASE	43
2.12-6 OWNERSHIP OF THE WORK.....	43
2.13 LIQUIDATED DAMAGES.....	43
2.14 REQUESTS FOR INFORMATION	43
2.15 WARRANTY	43
2.16 SUBSTANTIAL COMPLETION, PUNCHLIST & FINAL COMPLETION	44
2.17 ACCEPTANCE AND FINAL PAYMENT	45
2.18 NDPES REQUIREMENTS	45
<i>CONTRACT EXECUTION FORM</i>	<i>46</i>
<i>CORPORATE RESOLUTION.....</i>	<i>47</i>
<i>FORM OF PERFORMANCE BOND (Page 1of 2).....</i>	<i>48</i>
<i>WITNESSES: _____.....</i>	<i>49</i>
<i>IN THE PRESENCE OF: INSURANCE COMPANY:.....</i>	<i>49</i>
<i>Contractor</i>	<i>51</i>

ATTEST: _____ 51

EXHIBIT A. PLANS AND SPECIFICATIONS 52

EXHIBIT B. CONTRACTOR'S PROPOSAL..... 53

SECTION 1. GENERAL TERMS & CONDITIONS

1.01 DEFINITIONS

1. **Award** means that the Town Manager or Town Council, as applicable, has approved the award of a contract.
2. **Bid/Proposal/Submittal** means any offer, documents the Submittal tendered by a Bidder in response to this solicitation, which includes the price, authorized signature and all other information or documentation required by the Request for Proposal (“RFP”) at the time of submittal.
3. **Bid Form** means the form that contains the goods or services to be purchased and that must be completed and submitted with the Bid.
4. **Bidder** means any person, firm or corporation, or its duly authorized representative tendering a Submittal in response to this solicitation.
5. **Change Order** means a written document ordering a change in the Contract price or Contract time or a material change in the Work.
6. **Completed Projects** means that the applicable regulatory authority has issued a Certificate of Completion.
7. **Completion Time** means the number of calendar days specified for Final Completion of the Project.
8. **Cone of Silence** means the time period and method of communications as required by Section 2-11.1 of the Miami-Dade County Code, which state that the Cone of Silence shall be in effect from the date the RFP is issued until the Town Manager issues a written recommendation.
9. **Construction Change Directive** means a written directive to effect changes to the Work issued by the Consultant or the Project Manager that may affect the Contract price or time.
10. **Construction Schedule** means a schedule, as defined, and required by the Contract Documents.
11. **Consultant** means a firm that has entered into a separate agreement with the Town for the provision of professional services.
12. **Contract** means the RFP, the addendum, and the Bid documents that have been executed by the Bidder and the Town subsequent to approval of award by the Town.
13. **Contract Documents** means the Contract as may be amended from time to time, and plans, specifications, addendum, clarifications, directives, Change Orders, payments, and other such documents issued under or relating to the Contract.
14. **Contractor** means the Successful Bidder who is issued a Purchase Order, Contract, Blanket Purchase Order agreement, or Term Contract to provide goods or services to the Town and who will be responsible for the acceptable performance of any Work and for the payment of all legal debts pertaining to the Work under the Contract.
15. **Cure** means the action taken by the Contractor promptly, after receipt of written notice from the Town of a breach of the Contract Documents, which must be performed at no cost to the Town, to repair, replace, correct, or remedy all material, equipment, or other elements of the Work or the Contract Documents affected by such breach, or to otherwise make good and eliminate such breach.
16. **Cure Period** means the period of time in which the Contractor is required to remedy deficiencies in the Work or compliance with the Contract Documents after receipt of a written Notice to Cure from the Town identifying the deficiencies and the time to Cure.

17. **Days** mean calendar days unless otherwise specifically stated in the Contract Documents.
18. **Defective Work** means (a) Work that is unsatisfactory, deficient, or damaged, does not conform to the Contract Documents, or does not meet the requirements of any inspection, test, or approval, or (b) Work associated with punch list items that the Contractor fails to complete within a reasonable time after issuance of the punch list by the Project Manager.
19. **Design Documents, Plans or Sketch** means any construction plans and specifications, or graphic representation included as part of the Contract.
20. **Field Directive** means a written directive to effect changes to the Work, issued by the Project Manager, Consultant or the Town Department Director that may affect the RFP Contract price or time.
21. **Final Completion** means the date the Contractor has completed all the Work and submitted all documentation required by the Contract Documents.
22. **Inspector** means an authorized representative of the Town assigned to make necessary inspections of materials furnished by Design-Build Firm and of the Work performed by the Contractor. The Town, at its sole discretion, may hire a professional consultant to perform the inspections.
23. **Materials** mean goods or equipment incorporated into the Work or used or consumed in the performance of the Work.
24. **Notice of Award** means any correspondence from the Town that informs the successful bidder of a contract award for this RFP.
25. **Notice to Proceed** means a written letter or directive issued by the Town Manager or designee acknowledging that all conditions precedent to award have been met and directing that the Contractor may begin Work.
26. **Project** means a task or series of tasks that the Contractor must complete in accordance with the Contract Documents.
27. **Project Manager** means the individual assigned by the Town Manager or designee to manage a Project.
28. **Request for Information (RFI)** means a request from the Contractor seeking an interpretation or clarification relative to the Contract Documents. The RFI, which must be clearly marked RFI, must clearly and concisely set forth the issue(s) or item(s) requiring clarification or interpretation and why the response is required. The RFI must set forth the Contractor's interpretation or understanding of the document(s) in question, along with the reason for such understanding.
29. **Subcontractor** means a person, firm or corporation having a direct contract with Contractor, including one who furnishes material, equipment, or services necessary to perform the Work.
30. **Submittal** means the documents prepared and submitted by the Bidder in response to this RFP.
31. **Substantial Completion** means that point at which the Project is at a level of completion in substantial compliance with the Contract Documents and is fit for use in its intended purpose. Substantial Compliance will not be deemed to have occurred until any and all governmental entities, with regulatory authority or which have jurisdiction over the Work, have conducted all final inspections, and approved the Work. Beneficial use or occupancy will not be the sole factor in determining whether Substantial Completion has been achieved unless a temporary certificate of completion has been issued.
32. **Town** means the Town Council of the Town of Miami Lakes or the Town Manager, as applicable.

33. **Town Manager** means the duly appointed chief administrative officer of the Town of Miami Lakes or designee.
34. **Work** as used herein refers to all reasonably necessary and inferable labor, material, equipment, and services, whether or not specifically stated, to be provided by the Contractor to fulfill its obligations under the Contract Documents.

1.02 GENERAL REQUIREMENTS

1.02-1 GENERALLY

The employee(s) of the Contractor will be considered to be at all times its employee(s), and not employee(s) or agent(s) of the Town or any of its departments.

The Contractor agrees that the Contractor will at all times employ, maintain and assign to the performance of the Contract a sufficient number of competent and qualified professionals and other personnel to meet the requirements of the Work to be performed.

The Contractor agrees to adjust staffing levels or to replace any staff personnel if so requested by the Town Manager or designee, should the Town Manager or designee make a determination that said staffing is unacceptable or that any individual is not performing in a manner consistent with the requirements for such a position.

The Contractor represents that its staff personnel have the proper skills, training, background, knowledge, experience, rights, authorizations, integrity, character, and licenses necessary to perform the Work, in a competent and professional manner.

The Contractor must at all times cooperate with the Town, or the Consultant (if any) and coordinate its respective Work efforts to most effectively and efficiently progress the performance of the Work.

The Town, the Consultant (if any) and other agencies authorized by the Town, must have full access to the Project site at all times.

The apparent silence of the Contract Documents as to any detail, or the apparent omission from them of a detailed description concerning any Work to be done and materials to be furnished, will be regarded as meaning that only best practices are to prevail and only materials and workmanship of the best quality are to be used in the performance of the Work.

1.02-2 RULES AND REGULATIONS

The Contractor must comply with all laws and regulations applicable to provision of services specified in the Contract Documents. The Contractor must be familiar with all federal, state, and local laws, rules, regulations, codes, and ordinances that affect the Work.

Where portions of the Work traverse or cross federal, state, county or local highways, roads, streets, or waterways, and the agency in control of such property has established standard specifications, rules or regulations governing items of Work that differ from these specifications, the most stringent specifications, rules, and regulations will apply.

1.02-3 HOURS FOR PERFORMING WORK

All Work must be performed in accordance with the Town's Noise Ordinance No. 04-50 unless specifically stated otherwise herein or in a Work Order. Work to be performed outside these hours will require the prior written approval of the Project Manager.

1.02-4 SUBCONTRACTORS

Contractor is solely responsible for all acts and omissions of its Subcontractors. Nothing in the Contract Documents creates any contractual relationship between any Subcontractor and the Town. Contractor is responsible for the timely payment of its Subcontractors and suppliers as

required by Florida Statute Chapter 218.735. Failure to comply with these payment requirements will place the Contractor in default of the Contract.

Contractor must not employ any subcontractor against whom Town may have a reasonable objection.

Contractor must utilize the Subcontractors identified in their Proposal submission. The replacement, addition, or deletion of any Subcontractor(s) will be subject to the prior written approval of the Project Manager.

Bidders that will be using a temporary labor company to provide staffing for the Project must complete the Leased Employees Affidavit Form and include it with their Bid. Failure to include this form may result in the Bid being rejected as non-responsive.

1.02-5 CONSULTANT SERVICES

The Town, at its sole discretion, may hire a Consultant who may serve as the Town's representative for the Contract. Where a Consultant has been identified, the Consultant and the Project Manager will both have authority to act on behalf of the Town to the extent provided for in the Contract Documents, and where such authority has been delegated in writing by the Town Manager.

1.02-6 AUTHORITY OF THE PROJECT MANAGER

The Town Manager hereby authorizes the Project Manager to determine, all questions of any nature whatsoever arising out of, under or in connection with, or in any way relating to or on account of the Work, and questions as to the interpretation of the Work to be performed under the Contract Documents. The Project Manager may delegate some of the authority contained in this Article to a designee.

The Contractor is bound by all determinations or orders of the Project Manager and must promptly respond to requests of the Project Manager, including the withdrawal or modification of any previous order, and regardless of whether the Contractor agrees with the Project Manager's determination or requests. Where requests are made orally, the Project Manager will follow up in writing, as soon thereafter as is practicable.

The Project Manager and/or designee shall have authority to act on behalf of the Town to the extent provided for by the Contract Documents, unless otherwise modified in writing by the Town. All instructions to the Contractor will be issued in writing through the Town Manager, Project Manager, or designee.

The Project Manager will not be responsible for the means, methods, techniques, sequences, or procedures employed, or for safety precautions and programs in connection with the Work and will not be responsible for the Contractor's failure to carry out the Work in accordance with the Contract Documents.

All interpretations and recommendations of the Project Manager and Consultant will be consistent with the intent of the Contract Documents.

Interpretation of the Contract terms and conditions will be issued by the Town's Procurement Manager.

The Project Manager and/or designee will have authority to reject Work that does not conform to the Contract Documents. Whenever, in their opinion, it is considered necessary or advisable to ensure the proper completion of the Work the Project Manager or Consultant have authority to require special inspections or testing of the Work, whether or not such Work is fabricated, installed or completed.

The Project Manager's authority to act under this paragraph, or any decision made in good faith either to exercise or not to exercise such authority, shall not give rise to any duty or responsibility of the Project Manager owed to the Contractor, any subcontractor, supplier or any of their agents, employees, or any other person performing any of the Work.

The Project Manager is not responsible for the acts or omissions of the Contractor, any Subcontractor, or any of their agents or employees, or any other persons performing any of the Work.

1.02-7 INDEPENDENT CONTRACTOR

The Contractor is engaged as an independent business and agrees to perform Work as an independent contractor. In accordance with the status of an independent contractor, the Contractor covenants and agrees that the Contractor will conduct business in a manner consistent with that status, that the Contractor will not claim to be an officer or employee of the Town for any right or privilege applicable to an officer or employee of the Town, including, but not limited to worker's compensation coverage; unemployment insurance benefits; social security coverage; retirement membership, or credit.

1.02-8 THIRD-PARTY BENEFICIARIES

Neither Contractor nor Town intends to directly or substantially benefit a third party by this Contract. Therefore, the parties agree that there are no third-party beneficiaries to this Contract and that no third party will be entitled to assert a claim against either of them based upon this Contract.

1.02-9 ASSIGNMENT OR SALE OF CONTRACT

The performance of this Contract will not be transferred pledged, sold, delegated, or assigned, in whole or in part, by the Contractor without the prior written consent of the Town. It is understood that a sale of the majority of the stock or partnership shares of the Contractor, a merger or bulk sale, an assignment for the benefit of creditors will each be deemed transactions that would constitute an assignment or sale hereunder. The Town may request any information it deems necessary to review any request for assignment or sale of the Contract.

The Contractor must notify the Project Manager prior to any Assignment of the Contract, which must be approved by the Town for the transfer of the Contract. The Town may, at its sole discretion, elect not to approve the transfer of the Contract, which will result in the Contract being terminated in accordance with the Termination for Convenience provision of the Contract. Any transfer without Town approval will be cause for the Town to terminate this Contract for default and the Contractor will have no recourse from such termination.

Nothing herein will either restrict the right of the Contractor to assign monies due to, or to become due or be construed to hinder, prevent, or affect any assignment by the Contractor for the benefit of its creditors, made pursuant to applicable law.

1.02-10 TIME FOR COMPLETION

Time is of the essence with regard to completion of the Work to be performed under the Contract. Delays and extensions of time may be allowed only in accordance with the provisions of the Contract. The time allowed for completion is provided for in the Special Terms & Conditions.

1.02-11 APPLICABLE LAW AND VENUE OF LITIGATION

This Contract will be enforceable in Miami-Dade County, Florida, and if legal action is necessary by either party with respect to the enforcement of any or all of the terms or conditions the sole venue will be Miami-Dade County, Florida.

1.02-12 NON-EXCLUSIVE CONTRACT

This Contract shall not be deemed to create an exclusive relationship between the Town and the Contractor(s). The Town, in its sole discretion, reserves the right to perform, solicit or employ other parties or its own staff to perform Work or Services comparable to those covered herein.

1.02-13 SEVERABILITY

In the event any provision of the Contract Documents is determined by a Court of competent jurisdiction to be illegal or unenforceable, then such unenforceable or unlawful provision will be excised from this Contract, and the remainder of the Contract Documents will continue in full force and effect. Notwithstanding the foregoing, if the result of the deletion of such provision will materially and adversely affect the rights of either party, such party may elect, at its option, to terminate the Contract in its entirety. An election to terminate the Contract based upon this provision must be made within seven (7) calendar days after the finding by the Court becomes final.

1.02-14 CONTRACT DOCUMENTS CONTAIN ALL TERMS

The Contract Documents and all documents incorporated herein by reference contain all the terms and conditions agreed upon by the parties hereto, and no other agreement, oral or otherwise, regarding the subject matter of the Contract Documents will be deemed to exist or to bind any of the parties hereto, or to vary any of the terms contained herein.

1.02-15 ENTIRE AGREEMENT

The Contract Documents, as they may be amended from time to time, represent the entire and integrated Contract between the Town and the Contractor and supersede all prior negotiations, representations or agreements, written or oral. This Contract may not be amended, changed, modified, or otherwise altered in any respect, at any time after the execution hereof, except by a written document executed with the same formality and equal dignity herewith. Waiver by either party of a breach of any provision of the Contract Documents will not be deemed to be a waiver of any other breach of any provision of the Contract Documents.

1.02-16 INTENTION OF THE TOWN

It is the intent of the Town to describe in the RFP the Work to be completed in accordance with all codes and regulations governing all the Work to be performed under this Contract. Any work, labor, materials and/or equipment that may reasonably be inferred from the Contract as being required to produce the intended results must be supplied by Contractor whether or not specifically called for in the Contract Documents. Where words, which have well-known technical or trade meanings are used to describe Work, materials or equipment, such words will be interpreted in accordance with that meaning. Reference to standard specifications, manuals, or codes of any technical society, organization, or association, or to the laws or regulations of any governmental authority, whether such reference be specific or by implication, will mean the latest standard specification, manual, code or laws or regulations in effect at the time of opening of Bids and Contractor must comply therewith. Town will have no duties other than those duties and obligations expressly set forth within the Contract Documents.

1.02-17 PRIORITY OF PROVISIONS

If there is a conflict or inconsistency between any term, statement requirement, or provision of any exhibit attached hereto, any document or events referred to herein, or any document incorporated into the Contract Documents by reference and a term, statement, requirement, the specifications or any plans, or provision of the Contract Documents the following order of precedence will apply:

1. In the event of conflicts in the Contract Documents the priorities stated below will govern;

2. Revisions and Change Orders to the Contract will govern over the Contract;
3. The Contract Documents will govern over the Contract;
4. The Special Conditions will govern over the General Conditions of the Contract; and
5. Addendum to an RFP will govern over the RFP.

In the event that Drawings and specifications are provided with the Contract the priorities stated below will govern:

1. Scope of Work and Specifications will govern over Plans and Drawings;
2. Schedules, when identified as such will govern over all other portions of the Plans;
3. Specific notes will govern over all other notes, and all other portions of the Plans, unless specifically stated otherwise;
4. Larger scale drawings will govern over smaller scale drawings;
5. Figured or numerical dimensions will govern over dimensions obtained by scaling; and
6. Where provisions of codes, manufacturer's specifications or industry standards are in conflict, the more restrictive, strict, or higher quality will govern.

1.02-18 ROYALTIES AND PATENTS

All fees, royalties, and claims for any invention, or pretended inventions, or patent of any article, material, arrangement, appliance, or method that may be used upon or in any manner be connected with the Work or appurtenances, are hereby included in the prices stipulated in the Contract for said Work.

1.02-19 PURCHASE AND DELIVERY, STORAGE, AND INSTALLATION

All materials must be F.O.B. delivered and included in the cost of the Work. The Contractor is solely responsible for the purchase, delivery, off-loading and installation of all equipment and material(s). Contractor must make all arrangement for delivery. Contractor is liable for replacing and damaged equipment or material(s) and filing any and all claims with suppliers. All transportation must comply with all federal, FDOT, Miami-Dade County, and Town rules and regulations.

No materials will be stored on site without the prior written approval, using the appropriate Town form, by the Project Manager. The Town's Forms are available on the Town's website.

1.02-20 VEHICLES & EQUIPMENT

Contractor must have on hand at all times clean and in good working order such vehicles, machinery, tools, accessories, and other items necessary to perform the Work under this Contract. The Town may require the repair or replacement of equipment as reasonably necessary.

1.02-21 SUBSTITUTIONS

Substitution of any specified material or equipment requires the prior written acceptance of the Project Manager. It is the sole responsibility of the Contractor to provide sufficient information and documentation to the Project Manager to allow for a thorough review and determination on the acceptability of the substitution. Approval of a substitution does not waive or mitigate the Contractor's sole responsibility to meet the requirements of the Contract Documents. The Town may require an adjustment in price based on any proposed substitution.

The Contractor may request the Town to approve substitution where the specified materials are not available. Such requests must be submitted in writing to the Project Manager in advance with sufficient information to evaluate the substitution. The Contractor must provide the substitute materials plant designation, type, grade, quality, and size. Acceptance of substitutions will be at the sole discretion of the Town. The Town may require an adjustment in price based on any proposed substitution.

1.02-22 OWNERSHIP OF THE WORK

The Contractor is solely responsible for all Work, until Final Completion of the Work. Contractor is liable for all damage, theft, maintenance, and safety until such time as the Town issues a notice of Final Completion of the Work.

1.02-23 TOWN LICENSES, PERMITS AND FEES

In accordance with the Public Bid Disclosure Act, 218.80, Florida Statutes, each license, permit, or fee the Contractor will have to pay the Town before or during the Work or the percentage method or unit method of all licenses, permits and fees required by the Town and payable to the Town by virtue of the Work as part of the Contract are as follows:

1. Contractor must have and maintain during the term of this Contract all appropriate Town licenses. Fees for which must be paid in full in accordance with the Town's Fee structure for such licenses. THERE WILL NOT BE ANY PERCENTAGE REDUCTION OR WAIVING OF TOWN LICENSE FEES.
2. During the performance of this Contract there may be times when the Contractor will be required to obtain a Town permit for such Work. It is the responsibility of the Contractor to insure that he has the appropriate Town permits to perform such work as may become necessary during the performance of the Work. Any fees related to Town required permits in connection with this Contract will be the responsibility of the Contractor and will be reimbursed by the Town.

Licenses, permits, and fees that may be required by County, State or Federal entities are not included in the above list.

1.02-24 TAXES

Contractor must pay all applicable sales, consumer, use, and other taxes required by law. Contractor is responsible for reviewing the pertinent state statutes involving state taxes and complying with all requirements.

Contractor shall include all sales and other taxes for which it is liable in its Bid price.

1.02-25 REMOVAL OF UNSATISFACTORY PERSONNEL

Contractor must at all times enforce strict discipline and good order among its employees and subcontractors at the Project(s) site(s) and must not employ on any Work any unfit person or anyone not skilled in the Work to which they are assigned.

The Town may make written request to the Contractor for the prompt removal and replacement of any personnel employed or retained by the Contractor, or any or Subcontractor engaged by the Contractor to provide and perform services or Work pursuant to the requirements of the Contract Documents. The Contractor must respond to the Town within five (5) calendar days of receipt of such request with either the removal and replacement of such personnel or written justification as to why that may not occur. The Town will make the final determination as to the removal of unsatisfactory personnel from the Work. The Contractor agrees that the removal of any of such individual(s) does not require the termination or demotion of said individual(s).

1.02-26 DEFECTIVE OR NON-COMPLIANT WORK

The Project Manager has the authority to reject or disapprove Work that is found to be defective or not in compliance with the requirements of the Contract. If required, the Contractor will promptly either correct all defective or non-compliant Work or remove such defective Work and replace it with non-defective/non-compliant Work. Contractor will bear all direct, indirect, and consequential costs of such removal or corrections.

Re-examination of any of the Work may be ordered by the Project Manager and if so ordered, the Work must be uncovered by Contractor. If such Work is found to be in accordance with the Contract Documents, the Town will pay the cost of reexamination and replacement by means of a Change Order. If such Work is not in accordance with the Contract Documents, Contractor will pay such cost.

Should Contractor fail or refuse to remove or correct any defective or non-compliant Work or to make any necessary repairs in accordance with the requirements of the Contract Documents within the time indicated in writing by the Project Manager, the Project Manager has the authority to cause the defective/non-compliant Work to be removed or corrected or make such repairs or corrections as may be necessary at Contractor's expense. Any expense incurred by the Town in making such removals, corrections, or repairs, will be paid for out of any monies due or which may become due the Contractor. In the event of failure of the Contractor to make all necessary repairs promptly and fully, the Town Manager or designee may declare the Contractor in default.

If, within the warranty period required by the Contract Documents, or by any specific provision of the Contract, any of the Work is found to be defective or not in accordance with the Contract Documents, Contractor, after receipt of written notice from Town, must promptly correct such defective or nonconforming Work within the time specified by Town, without cost to Town. Should the Contractor fail to take such action the Town may take any necessary and appropriate action and hold the Contractor liable and responsible for all costs. The Town may take any action allowed under this Contract or in law to recover all such costs. Nothing contained herein will be construed to establish a period of limitation with respect to any other obligation which Contractor might have under the Contract Documents, including but not limited to, any claim regarding latent defects.

Failure to reject any defective Work or material does not, in any way, prevent later rejection when such defect is discovered, or obligate the Town to accept the defective Work.

1.02-27 COMPLIANCE WITH APPLICABLE LAWS

The Contractor must comply with the most recent editions and requirements of all applicable laws, rule, regulations, codes, and ordinances of the Federal government, the State of Florida, Miami-Dade County, and the Town.

1.02-28 NONDISCRIMINATION, EQUAL EMPLOYMENT OPPORTUNITY, & ADA

Contractor will not unlawfully discriminate against any person, will provide equal opportunities for employment, and comply with all applicable provisions of the Americans with Disabilities Act in its performance of the Work under the Contract. Contractor will comply with all applicable federal, State of Florida, Miami-Dade County, and Town rules regulations, laws, and ordinance as applicable.

1.02-29 NOTICES

Whenever either party desires to give written notice to the other relating to the Contract, such must be addressed to the party for whom it is intended at the place specified below; and the place for giving the notice will remain until it has been changed by written notice in compliance with the provisions of this Article. Notice will be deemed given on the date received or within 3 days of mailing, if mailed through the United States Postal Service. Notice will be deemed given on the date sent via e-mail or facsimile. Notice will be deemed given via courier/delivery service upon the initial delivery date by the courier/delivery service. For the present, the parties designate the following as the respective places for giving of notice:

For Town:

Mr. Edward Pidermann

Lorenzo Cobiella

Town Manager
Town of Miami Lakes
6601 Main Street
Miami Lakes, Florida 33014
pidermanne@miamilakes-fl.gov

Deputy Town Attorney
Town of Miami Lakes
6601 Main Street
Miami Lakes, Florida 33014
cobiellal@miamilakes-fl.gov

For Contractor:

Felix Acosta
President
Acosta Tractors, Inc.
11986 NW 97th Avenue
Hialeah Gardens, FL 33018
facosta@acostatractors.com

Frank Acosta
Vice President
Acosta Tractors, Inc.
11986 NW 97th Avenue
Hialeah Gardens, FL 33018
fpacosta@acostatractors.com

Space intentionally left blank

During the Work the Contractor must maintain continuing communications with designated Town representative(s). The Contractor must keep the Town fully informed as to the progress of the Work under the Contract.

1.03 INDEMNITY & INSURANCE

1.03-1 INDEMNIFICATION

The Contractor must indemnify and hold harmless the Town, its officers, agents and employees from and against all liability, claims, damages, losses and expenses, including reasonable attorney's fees and costs at both trial and appellate levels arising out of or resulting from the performance of the Work under this Contract, caused by negligence, recklessness, intentional misconduct, or any act or omission of the Contractor or anyone directly or indirectly employed by Contractor or anyone for whose acts Contractor may be liable. The Contractor expressly understands and agrees that any insurance protection required by this Contract or otherwise provided by Contractor will in no way limit the responsibility to indemnify, keep and save harmless and defend the Town or its officers, employees, agents, and instrumentalities as herein provided.

The Contractor agrees and recognizes that the Town will not be held liable or responsible for any claims which may result from any actions or omissions of the Contractor in which the Town participated either through review or concurrence of the Contractor's actions. In reviewing, approving, or rejecting any submissions by the Contractor or other acts of the Contractor, the Town in no way assumes or shares any responsibility or liability of the Contractor or Subcontractor, under this Contract. The Contractor will defend the Town or provide for such defense at its own expense, at the Town's option.

This indemnification obligation will survive the expiration or termination of this Contract.

The Town has provided specific consideration for the indemnification of \$10.00 from the sums due to the Contractor under this Contract.

1.03-2 CONTRACTOR'S RESPONSIBILITY FOR DAMAGES TO THE WORK

Contractor accepts full responsibility for Work against all losses or damages of whatever nature sustained until acceptance by Town Manager or designee, and must promptly repair or replace,

at no additional cost to the Town any Work, materials, equipment, or supplies damaged, lost, stolen, or destroyed from any cause whatsoever.

Contractor is full responsible for Work against all losses or damages of whatever nature sustained until acceptance by Town, and must promptly repair or replace, at no additional cost to the Town any Work, materials, equipment, or supplies damaged, lost, stolen, or destroyed from any cause whatsoever.

1.03-3 DEFENSE OF CLAIMS

Should any claim be made, or any legal action brought in any way relating to the Work under the Contract, the Contractor will diligently render to the Town all assistance which the Town may require of the Contractor.

1.03-4 INSURANCE

Without limiting any of the other obligations or liabilities of Contractor, the Contractor must secure and maintain throughout the duration of this Contract, insurance of such type and in such amounts necessary to protect its interest and the interest of the Town against hazards or risks of loss as specified below. The underwriter of such insurance must be qualified to do business in the State of Florida, be rated "B" as to management and "Class V" as to strength or better as rated by the latest edition of Best's Insurance Guide, published by A.M. Best Company, Oldwick, New Jersey, or its equivalent, The insurance carrier must have agents upon whom service of process may be made in the State of Florida. The insurance coverage will be primary insurance with respect to the Town, its officials, employees, agents, and volunteers. Any insurance maintained by the Town will be in excess of the Contractor's insurance and will not contribute to the Contractor's insurance. The insurance coverages must include a minimum of:

a. Worker's Compensation and Employer's Liability Insurance:

Coverage to apply for all employees for statutory limits as required by the State of Florida's Statutory Workers' Compensation Law and all applicable Federal laws. The policy(ies) must include Employer's Liability with minimum limits of \$500,000 for each accident and a waiver of subrogation.

b. Comprehensive Business Automobile and Vehicle Liability Insurance:

This insurance must be written in comprehensive form and must protect the Contractor and the Town against claims for injuries to members of the public and/or damages to property of others arising from the Contractor's use of motor vehicles or any other equipment and must cover operation with respect to onsite and offsite operations and insurance coverage must extend to any motor vehicles or other equipment irrespective of whether the same is owned, non-owned, or hired. The limit of liability must not be less than \$500,000 per occurrence, combined single limit for Bodily Injury Liability and Property Damage Liability. Coverage must be afforded on a form no more restrictive than the latest edition of the Business Automobile Liability Policy, without restrictive endorsement, as filed by the Insurance Services Office.

c. Commercial General Liability ("CGL"):

This insurance must be written in comprehensive form and must protect the Contractor and the Town against claims arising from injuries to members of the public or damage to property of others arising out of any act or omission to act of the Contractor or any of its agents, employees, or subcontractors. The limit of liability must not be less than \$1,000,000 per occurrence, combined single limit for Bodily Injury Liability and Property Damage Liability. Coverage must be afforded on a primary and non-contributory basis and with a coverage form no more restrictive than the latest edition of the Commercial

General Liability Policy, without restrictive endorsements, as filed by the Insurance Services Office, and must include: (1) Premises and/or Operations; (2) Independent contractors and Products and/or completed Operations; (3) Broad Form Property Damage, Personal Injury and a Contractual Liability Endorsement, including any hold harmless and/or indemnification agreement.

(i) Products and/or Completed Operations for contracts with an Aggregate Limit of **One Million Dollars (\$1,000,000)** per project. Contractor must maintain in force until at least three years after completion of all Work required under the Contract, coverage for Products and Completed Operations, including Broad Form Property Damage.

(ii) Personal and Advertising Injury with an aggregate limit of **One Million Dollars (\$1,000,000)**.

(iii) CGL Required Endorsements:

(1st) Employees included as insured

(2nd) Contingent Liability/Independent Contractors Coverage

(3rd) Contractual Liability

(4th) Waiver of Subrogation

(5th) Premises and/or Operations

(6th) Explosion, Collapse and Underground Hazards (if not specifically covered under the policy)

(7th) Loading and Unloading

(8th) Mobile Equipment (Contractor's Equipment) whether owned, leased, borrowed, or rented by Contractor or employees of the Contractor.

d. Certificate of Insurance

Contractor must provide the Town Manager or designee with Certificates of Insurance for all required policies within fifteen (15) days of notification of a conditional award by the Town. The Certificates of Insurance must not only name the types of policy(ies) provided, but also must specifically cite this Contract and must state that such insurance is as required by this Contract. The Town reserves the right to require the Contractor to provide a certified copy of such policies, upon written request by the Town. Each policy certificate must be endorsed with a provision that not less than thirty (30) calendar days' written notice must be provided to the Town before any policy or coverage is cancelled, restricted, or a material change is made. Acceptance of the Certificate(s) is subject to approval of the Town Manager or designee.

e. Additional Insured

The Town is to be specifically included as an Additional Insured for the liability of the Town resulting from operations performed by or on behalf of Contractor in performance of this Contract. The Town must be named as additional insured under the CGL, business automobile insurance and umbrella policies. Town must be named as an additional insured under Contractor's insurance, including that applicable to the Town as an Additional Insured, must apply on a primary basis and any other insurance maintained by the Town will be in excess of and will not contribute to Contractor's insurance. Contractor's insurance must contain a severability of interest provision providing that, except with respect to the total limits of liability, the insurance must apply to each Insured or Additional Insured in the same manner as if separate policies had been issued to each.

All deductibles or self-insured retentions must be declared to and be approved by the Town Manager. The Contractor will be responsible for the payment of any deductible or self-insured retention in the event of any claim.

1.04 PUBLIC RECORDS

1.04-1 ACCESS, REVIEW AND RELEASE OF RECORDS

Town will have the right to inspect and copy, at Town's expense, the books, records, and accounts of Contractor which relate in any way to the Contract. The Contractor agrees to maintain an accounting system that provides for accounting records that are supported with adequate documentation and adequate procedures for determining allowable costs.

f. Public Records

Bidder affirms, by virtue of bidding, that its Bid is a public record, and the public will have access to all documents and information pertaining to the bid and the solicitation, subject to the provisions of Chapter 119, Florida Statutes. Bidder acknowledges that the Town may provide public access to or provide copies of all documents subject to disclosure under applicable law. If the Project is funded by grants, either partially or fully, records will be made available to the granting agency in accordance with that agency's requirements, when necessary.

Bidder is responsible for claiming applicable exemptions to disclosure as provided by Chapter 119, Florida Statutes, in its Bid by identifying the materials to be protected and providing a reason for why such exclusion from public disclosure is necessary and legal.

g. Retention and Transfer of Public Records

Upon termination by the Town or final completion of the Contract the Contractor must, in accordance with Section 119.0701 of the Florida Statutes, transfer to the Town, at no cost, all public records in possession of the Contractor and destroy any duplicate public records that are exempt or confidential and exempt from public records disclosure requirements. All public record stored electronically must be provided in .pdf format or another format acceptable to the Town. Any payments due the Contractor will not be made until the Town receives the public records. Failure to return such documents will result in the documents being subject Chapter 119 of the Florida Statutes

The Contractor must comply with the applicable provisions of Chapter 119, Florida Statutes, and Town will have the right to immediately terminate this Contract for the refusal by the Contractor to comply with Chapter 119, Florida Statutes. The Contractor must retain all other records associated with this Contract for a period of five (5) years from the date of termination.

Should the Contractor have any questions related to the application of Chapter 119, Florida Statutes, to the Contractor's duty to provide public records relating to this Contract, contact the Town's custodian of public records at the Office of the Town Clerk 6601 Main Street, Miami Lakes, Florida 33014 either in writing to by telephone at (305) 364-6100 or clerk@miamilakes-fl.gov.

1.05 CONTRACT MODIFICATION AND DISPUTE PROCESS

1.05-1 CHANGE ORDERS

Without invalidating the Contract Documents, and without notice to any Surety, the Town reserves the right to make increases, decreases or other changes in the character or quantity of the Work under the Contract Documents as may be considered necessary or desirable to

complete the Work in a manner satisfactory to the Town. The Town reserves the right to order changes which may result in additions to or reductions from the amount, type or value of the Work shown in the Contract, and which are within the general scope of the Contract Documents, and all such changes will be authorized only by a Change Order approved in advance and issued in accordance with provisions of the Town.

The Contractor is required to provide the Project Manager with a detailed Change Proposal Request ("CPR") or Request for Change Order ("RCO"), utilizing the Town's standard form, which must include requested revisions to the Contract, including but not limited to adjustments in this Contract Price and Contract Time. The Contractor is required to provide sufficient data in support of the cost proposal demonstrating its reasonableness. In furtherance of this obligation, the Town may require that the Contractor submit any or all of the following: a cost breakdown of material costs, labor costs, labor rates by trade, and Work classification and overhead rates in support of Contractor's CPR/RCO. The Contractor's CPR/RCO must include any schedule revisions and an explanation of the cost and schedule impact of the proposed change on the Project. If the Contractor fails to notify the Project Manager of any schedule changes associated with the proposed change, it will be deemed to be an acknowledgment by Contractor that the proposed work will not have any scheduling consequences.

Any changes to the Contract must be contained in a written Change order, using the Town's Change Order Form, executed by both parties. However, under circumstances determined necessary by the Town, a Change Order may be issued unilaterally by Town.

In the event a satisfactory adjustment cannot be reached, and a Change Order has not been issued or time is of the essence, the Town reserves the right, at its sole option to direct the Contractor to proceed on a time and materials basis or make such arrangements as may be deemed necessary to complete the proposed additional Work.

Where the Town directs the Contractor to proceed on a time and materials basis, Contractor must maintain detailed records of all labor and material costs for review by the Town.

For all Change Orders the Contractor will be entitled to a combined profit and overhead rate for Change Orders that will not be in excess of ten (10%) percent inclusive of all direct/indirect costs including labor, material, and equipment costs, unless the Procurement Manager determines that the complexity and risk of the Change Order work is such that an additional factor is appropriate.

The final amount to be paid to the Contractor for Change Order Work is subject to negotiation between the Town and the Contractor.

Failure by the Contractor to proceed with Change Order Work when so directed by the Town Manager or designee may result in the Contractor being found in default of the Contract.

Contractor must utilize the Town's standard requests for change orders and change order forms unless otherwise specifically approved by the Town's Procurement Manager. The Town's Forms are available on the Town's website.

1.05-2 FORCE MAJEURE

Should any failure to perform on the part of Contractor be due to a condition of Force Majeure as that term is interpreted under Florida law, then, the Town may allow an extension of time reasonably commensurate with the cause of such failure to perform or cure.

If the Contractor is delayed in performing any obligation under the Contract Documents due to a force majeure condition, the Contractor must request a time extension from the Town within two (2) working days of said Force Majeure occurrence. Any time extension will be subject to mutual agreement and will not be cause for any claim by the Contractor for extra compensation unless additional services are required by the Town. A Force Majeure event **does not include** inclement

weather except for significant weather events that adversely impact the critical path of the Project Schedule, if required, or completion of the work, and **does not include** the acts or omissions of Subcontractors or suppliers.

1.05-3 EXTENSION OF TIME

Any reference in this Article to the Contractor will be deemed to include suppliers, and permitted Subcontractors, whether or not in privity of contract with the Contractor for the purpose of this Article.

If the Contractor is delayed at any time during the progress of the Work beyond the time frame or date provided for Final Completion by the neglect or failure of the Town or by a Force Majeure, then the Contract Time set forth in the Contract will be extended by the Town subject to the following conditions:

1. The cause of the delay arises after issuance of the NTP and could not have been anticipated by the Contractor by reasonable investigation before proceeding with the Work;
2. The Contractor demonstrates that the completion of the Work will be actually and necessarily delayed;
3. The effect of such cause cannot be avoided or mitigated by the exercise of all reasonable precautions, efforts, and measures whether before or after the occurrence of the cause of delay.

A delay meeting all the conditions of the above will be deemed an Excusable Delay.

The Town reserves the right to rescind or shorten any extension previously granted if subsequently, the Project Manager determines that any information provided by the Contractor in support of a request for an extension of time was erroneous; provided however, that such information or facts, if known, would have resulted in a denial of the request for an Excusable Delay. Notwithstanding the above, the Project Manager will not rescind or shorten any extension previously granted if the Contractor acted in reliance upon the granting of such extension and such extension was based on information which, although later found to have been erroneous, was submitted in good faith by the Contractor.

The request for an Excusable Delay must be made within five (5) calendar days after the time when the Contractor knows or should have known of any cause for a specific event, for which it may claim an extension of time and must provide any actual or potential basis for an extension of time, identifying such causes and describing, as fully as practicable at that time, the nature and expected duration of the delay and its effect on the completion of that part of the Work identified in the request. The Project Manager may require the Contractor to furnish such additional information or documentation, as the Project Manager will reasonably deem necessary or helpful in considering the requested extension.

The Contractor will not be entitled to an extension of time unless the Contractor affirmatively demonstrates that it is entitled to such extension.

The Project Manager will endeavor to review and respond to the Contractor's request for Excusable Delays in a reasonable period of time; however, the Contractor is obligated to continue to perform the Work required regardless of whether the Project Manager has issued a decision or whether the Contractor agrees or disagrees with that decision.

With regard to an injunction, strike or interference of public origin which may delay the Project, the Contractor must promptly give the Project Manager a copy of the injunction or other orders and copies of the papers upon which the same was granted. The Town must be afforded the right to intervene and become a party to any suit or proceeding in which any such injunction has been obtained and move to dissolve the same or otherwise, as the Town may deem proper.

Where the Contractor is delayed for any period of time by two or more of the causes mentioned in Article 1.05-4, Excusable Delay, Non-Compensable, the Contractor will not be entitled to a separate extension for each one of the causes, only one period of extension will be granted for the delay.

Any extension of time granted by the Town will be processed through the Change Order provisions of the Contract.

The permitting of the Contractor to proceed with the Work subsequent to the date specified in the Contract (as such date may have been extended by a change order), the making of any payment to the Contractor, the issuance of any Change Order, will not waive the Town's rights under the Contract, including but not limited to the assessment of liquidated damages or declaring Contractor in default.

1.05-4 EXCUSABLE DELAY, NON-COMPENSABLE

Excusable Delay is delay caused by either of the following: (i) circumstances that could not be foreseen and are beyond the reasonable control of Contractor, its subcontractors, or suppliers; or (ii) joint or concurrent action by Contractor, its subcontractors, suppliers or vendors and the Town. Then Contractor will be entitled only to a time extension and no compensation for the delay.

Contractor is entitled to a time extension of the Contract time for each day the Work is delayed due to Excusable Delay. Contractor must document its claim for any time extension as provided in Article 1.05-3.

Failure of Contractor to comply with Article 1.05-3, as to any particular event of delay will be deemed conclusively to constitute a waiver, abandonment or relinquishment of any and all claims resulting from that particular event of delay.

1.05-5 CLAIMS

Contractor will only be entitled to submit a claim after submitting its request for additional compensation or time in accordance with Articles 1.05-3 and 1.05-4 of the Contract and the request(s) have been denied or the Contractor does not agree with the decision of the Town.

Any claim for a change in the Contract time for completion of any Work, the Contract Term, or Contract price must be made by written notice by Contractor to the Town representatives identified in Article 1.02-29 within the timeframe established in Article 1.05-4, effective with the commencement of the event giving rise to the claim stating the general nature and cause of the claim. Thereafter, within twenty (20) calendar days of the termination of the event giving rise to the claim, written notice of the extent of the claim with supporting information and documentation must be provided unless the Procurement Manager allows an additional period of time to ascertain more accurate data in support of the claim. The written notice must be accompanied by Contractor's written notarized statement that the adjustment(s) claimed is the entire adjustment to which the Contractor has reason to believe it is entitled as a result of the occurrence of said event. All claims and disputes will be determined in accordance with the Contract. It is expressly and specifically agreed that any and all claims for changes to the Contract will be waived if not submitted in strict accordance with the requirements of this Article.

The Town may require the Contractor to submit its claim utilizing a specific format or forms to facilitate the Town's evaluation of the claim. The Town at its sole discretion may require that additional documentation or information be provided by the Contractor to assist in its review and evaluation of the claim.

The Contract time will be extended in an amount equal to time lost on critical Work items due to delays beyond the control of and through no fault or negligence of Contractor if a claim is made

as provided in this Article. Such delays include, but are not limited to, acts or neglect by any separate contractor employed by Town, fires, floods, labor disputes beyond the control of the Contractor, epidemics, abnormal weather conditions (if applicable), or acts of God.

The Contractor will not be entitled to an increase in the Contract price or payment or compensation of any kind from the Town for direct, indirect, consequential, impact or other costs, expenses or damages, including but not limited to costs of acceleration or inefficiency, arising because of delay, disruption, interference or hindrance from any cause whatsoever, whether such delay, disruption, interference or hindrance be it reasonable or unreasonable, foreseeable or unforeseeable, avoidable or unavoidable. Contractor will only be entitled to an extension of the Contract Time for completion of the Work, as the sole and exclusive remedy for such resulting excusable delay.

The Contractor agrees to make no claim for damages for delay of any kind in the performance of the Contract Documents whether occasioned by any act or omission of the Town or any of its representatives and the Contractor agrees that any such claim will be compensated solely by an extension of time to complete performance of the Work due to an Excusable Delay as defined in Articles 1.05-3, and Article 1.05-4. The Contractor alone specifically assumes the risk of such delays, including, without limitation: delays in processing or approving any submittals to the Town or by the Town, or the failure to render determinations, approvals, replies, inspections, in a timely manner. Contractor will not receive monetary compensation for Town delay(s).

Failure of Contractor to comply with this Article as to any particular event of claim will be deemed conclusively to constitute a waiver of any and all claims resulting from that particular event.

1.05-6 CONTINUING THE WORK

Contractor must continue to perform all Work under the Contract Documents during all disputes or disagreements with Town, including disputes or disagreements concerning a request for a Change Order and no Work must not be delayed or postponed pending resolution of any disputes or disagreements.

1.05-7 FRAUD AND MISREPRESENTATION

The Town may terminate this Contract or any other contracts with the Town with any person, individual, corporation, entity, or affiliate that attempts to meet its contractual obligations with the Town through fraud, misrepresentation, or material misstatement. Such person, individual, corporation, entity, or affiliate will be responsible for all direct or indirect costs associated with termination or cancellation.

1.05-8 STOP WORK ORDER

The Town may, at any time, by written order to the Contractor, require the Contractor to stop all, or any part, of the Work for a period of up to ninety (90) days (or any lesser period), commencing no sooner than the date the order is delivered to the Contractor, and for any further period to which the parties may agree. Any such order will be specifically identified as a "Stop Work Order" issued pursuant to this paragraph. Within the period of ninety (90) days (or the lesser period specified) after a Stop Work Order is delivered to the Contractor, or within any extension to which the parties have agreed the Town will either:

1. Cancel the Stop Work Order; or
2. Terminate the Work covered by such order as provided in Article 1.06-3, Termination for Convenience.

If a Stop Work Order issued under this Article is canceled or the period of the order or any extension thereof expires, the Contractor must resume the Work without compensation to the Contractor for such suspension other than extending the time to complete any Work under the

Contract or extending the Contract Term to the extent that, in the opinion of the Project Manager, the Contractor may have been delayed by such suspension. In the event the Project Manger determines that the suspension of Work was necessary due to Contractor's defective or incorrect Work, unsafe Work conditions caused by the Contractor, or any other reason caused by Contractor's fault or omission, the Contractor will not be entitled to an extension of time or Contract Term or (Time) as a result of the issuance of a Stop Work Order.

Suspension of the Work caused by a threatened or actual storm event, regardless of whether the Town has directed such suspension, will entitle the Contractor to additional Contract time as non-compensable, Excusable Delay, and will not give rise to a claim for compensable delay.

1.05-9 MATERIALITY AND WAIVER OF BREACH

Town and Contractor agree that each requirement, duty, and obligation set forth in the Contract Documents is substantial and important to the formation of the Contract Documents and, therefore, is a material term hereof. The Town's failure to enforce any provision of the Contract Documents will not be deemed a waiver of such provision or modification of the Contract Documents. A waiver of any breach of a provision of the Contract Documents will not be deemed a waiver of any subsequent breach and will not be construed to be a modification of the terms of the Contract Documents.

1.05-10 TIME IN WHICH TO BRING ACTION AGAINST THE TOWN

In the event the Contractor may be deemed to have a cause of action against the Town, no action will lie or be maintained by the Contractor against the Town upon any claim arising out of or based upon the Contract Documents by reason of any act or omission or requirement of the Town or its agents, unless such action is commenced within six (6) months after the date of issuance of a final payment under the Contract, or if the Contract is terminated under the provisions of the Contract, unless such action is commenced within six (6) months after the date of such termination by the Town.

1.05-11 CONTRACT EXTENSION

The Town reserves the right to extend the Contract for up to ninety (90) calendar days beyond the original Contract period, inclusive of any Options to Renew exercised by the Town. In such event, the Town will notify the Contractor in writing of such extensions.

1.06 EARLY TERMINATION & DEFAULT

1.06-1 SET-OFFS, WITHHOLDING, AND DEDUCTIONS

The Town may set-off, deduct or withhold from any payment due the Contractor, such sums as may be specifically allowed in the Contract or by applicable law including, without limitation, the following:

1. Any amount of any claim by a third party;
2. Any Liquidated Damages, and/or;
3. Any unpaid legally enforceable debt owed by the Contractor to the Town.

The Town will notify the Contractor in writing of any such withholdings.

Any withholding, which is ultimately held to have been wrongful, will be paid to the Contractor in accordance with the Local Government Prompt Payment Act

1.06-2 CONTRACTOR DEFAULT

a. *Event of Default*

An event of default means a breach of the Contract by the Contractor. Without limiting the generality of the foregoing and in addition to those instances referred to herein as a breach, an Event of Default, includes but is not limited to, the following:

1. The Contractor has not performed the Work in a timely manner;
2. The Contractor has refused or failed to supply properly skilled staff or provided sufficient quantities of staff to perform the Work;
3. The Contractor has failed to make prompt payment to Subcontractors or suppliers for any services, materials, or supplies provided to Contractor;
4. The Contractor has become insolvent or has assigned the proceeds received for the benefit of the Contractor's creditors, or the Contractor has taken advantage of any insolvency statute or debtor/creditor law or if the Contractor's affairs have been put in the hands of a receiver;
5. The Contractor has failed to obtain the approval of the Town where required by the Contract Documents;
6. The Contractor has failed in the representation of any warranties stated herein;
7. When, in the opinion of the Town, reasonable grounds for uncertainty exist with respect to the Contractor's ability to perform the Work.

b. *Notice of Default – Opportunity to Cure*

Where an Event of Default ("Default") occurs under the Contract, the Town may at its sole discretion notify the Contractor, specifying the basis for such Default, and advising the Contractor that such Default must be cured within a time frame specified by the Town; or, the Contract with the Town may be terminated. The Town is under no obligation to issue such notification. The Town may grant an extension to the cure period if the Town deems it appropriate and in the best interest of the Town, without waiver of any of the Town's rights hereunder. The Town, at its sole discretion, may have a default corrected by its own forces or another contractor and any such costs incurred will be deducted from any sums due the Contractor under any contract with the Town.

The Town Manager or designee may also suspend any payment or part thereof or order a Work stoppage until such time as the issue(s) concerning compliance are resolved.

c. *Termination for Default*

Where a Default is not cured within the time specified to cure the Default, the Town Manager in addition to all remedies available by law, may immediately, upon written notice to Contractor, terminate this Contract. Contractor understands and agrees that termination of this Contract under this Article will not release Contractor from any obligation accruing prior to the effective date of termination.

In the event of termination by the Town Manager or designee, the Town Manager or designee may immediately take possession of all applicable documentation and data, material, equipment, and supplies to which it is entitled to under the Contract or by law.

Where the Town erroneously terminates the Contract for default, the terminations will be converted to a Termination for Convenience, and the Contractor will have no further recourse of any nature for wrongful termination.

1.06-3 TERMINATION FOR CONVENIENCE

In addition to cancellation or termination as otherwise provided for in the Contract, the Town may at any time, in its sole discretion, with or without cause, terminate the Contract by written

notice to the Contractor. Such Written Notice will state the date upon which Contractor must cease all Work under the Contract, and if applicable vacate the Project(s) site(s).

Upon receipt of such notice, unless otherwise directed by the Town, the Contractor must Stop all Work on the date specified in the notice (“the Effective Date”);

1. Take such action as may be necessary for the protection and preservation of the Town’s materials and property;
2. Cancel all cancelable orders for materials and equipment;
3. Remove all materials, supplies or equipment that may be used by the Contractor on other work;
4. Assign to the Town and deliver to the Town, at a site(s) specified by the Town, any non-cancelable orders for materials and equipment that can not otherwise be used by the Contractor on other work;
5. Take no action that will increase the amounts payable by the Town under the Contract Documents; and take reasonable measures to mitigate the Town’s liability under the Contract Documents; and
6. All documents, including electronic documents, related to Work authorized under the Contract, whether finished or not, must be turned over to the Town. Failure to timely deliver the documentation will be cause to withhold any payments due without recourse by Contractor until all documentation is delivered to the Town.

In the event that the Town exercises its right to terminate the Contract pursuant to the Contract Documents, the Town will pay the Contractor for the actual cost, or the fair and reasonable value, as substantiated by invoice documentation, of any non-cancelable material(s) and equipment that cannot be used elsewhere by the Contractor in the performance of its work.

In no event, will any payments under this Paragraph exceed the maximum cost set forth in the Contract and the amount due hereunder may be offset by payments made to the Contractor or any claims made against the Contractor. Contractor will not be entitled to lost profits, overhead or consequential damages as a result of a Termination for Convenience.

1.06-4 REMEDIES AVAILABLE TO THE TOWN

The Town may avail itself of each and every remedy stated in the Contract Documents or existing at law or in equity. The exercise or the beginning of the exercise of one remedy will not be deemed a waiver of the right to exercise, at the same time or thereafter, of any other remedy.

1.06-5 FUNDS AVAILABILITY

Funding for this Contract is contingent on the availability of funds and the Contract is subject to amendment or termination due to lack of funds, reduction of funds and/or change in regulations, upon thirty (30) days’ notice.

1.07 PAYMENT PROCESS

1.07-1 COMPENSATION

Contractor can submit an invoice for payment for Work performed once per month for work completed and acceptance by the Project Manager. Contractor may not invoice more than once per month.

Contractor must use the Town’s Contractor Payment Application (“Invoice”) for all payment requests. Failure to use the Invoice form and full completion of the required information will delay payment. Payments will not be made based on statements of accounts.

The Invoice Form is available on the Town’s website at http://www.miamilakes-fl.gov/index.php?option=com_content&view=article&id=149&itemid=358.

The Town will take action to pay, reject or make partial payment on an Invoice in accordance with the Florida Local Government Prompt Payment Act. No payments will be due or payable for Work not performed or materials not furnished or where the Work has not been accepted by the Town. If there is a dispute with regard to an invoice, the Town will pay the amount not in dispute and reject the remainder that is in dispute. Contractor is responsible for paying its Subcontractors and suppliers in accordance with the Florida Local Government Prompt Payment Act.

The Contractor will be compensated based on actual Work performed at the prices specified in the Contract.

The acceptance of final payment for a Project constitutes a waiver of all claims by Contractor related to that Project, except those previously made in strict accordance with the provisions of the Contract and identified by Contractor as unsettled at the time of the application for payment.

1.07-2 ESTIMATED QUANTITIES

The stated quantities do not reflect the actual quantities to be ordered and the Town has not established any minimum quantities and no guarantee is expressed or implied as to the total quantity of Work to be issued to a Contractor. The Town reserves the right, at its sole discretion, to make adjustment to the number and/or location of the Bid items. The failure of the Town to order any minimum quantities does not form any basis for a claim by the Contractor for lost work or profits.

1.07-3 LINE-ITEM PRICING

Line-item pricing must include all costs, both direct and indirect, to perform the Work except for those costs specifically identified as reimbursable costs as stated in Article 1.07-6. This includes any incidental costs associated with the Work not specifically stated, i.e., the installation of drainage may require backfill and patching, whether permanent or temporary.

The Bid Form contains line-item prices, and the Bidder is required to Bid on all line items. Where a Bidder fails to provide line-item prices for all line items the Bid will be rejected as non-responsive.

1.07-4 LINE-ITEM QUANTITIES

The estimated quantities will be used solely for bid comparison purposes for the Town to determine the lowest responsive and responsible. No guarantee is expressed or implied as to the total quantity of Work to be issued to a Contractor.

1.07-5 ADDITIONAL LINE-ITEM PRICING

The Town reserves the right to request price quotes for additional items not contained in the initial award. Should the Town add any additional line items the Town will do so through the Change Order process.

1.07-6 REIMBURSIBLE EXPENSES

Certain Project expenses may or will not be known at the time of award of a Project. The Town will reimburse the Contractor for such costs, which includes:

1. Permits
2. Police Officer costs when not provided by the Town
3. WASD fees
4. DERM fees

Where a permit or the Town requires the Contractor to use a police officer(s) during the performance of the Work the Town will make every effort to furnish police officers at no cost to the Contractor. Where the Town is not able to provide the required police officers the Town will reimburse the Contractor based on the actual cost to the Contractor and the cost is not include in

the unit price per item. To be reimbursed the Contractor must submit a copy of documentation substantiating both the cost as well as proof of payment.

Contractor will only be reimbursed for the actual direct cost, without any mark-up.

END OF SECTION

SECTION 2. SPECIAL TERMS & CONDITIONS

2.01 OVERVIEW

The Stormwater Master Plan identified Commerce Way as a priority for stormwater improvements. The Project consists of constructing approximately 1,900 linear feet of drainage pipe and 4,850 linear feet of exfiltration trenches (French Drains), connecting to a proposed outfall located northwest of Commerce Way and NW 80th Avenue. The Project will also consist of performing restoration and asphalt resurfacing of the existing roadway surfaces impacted by the drainage improvements to increase drainage capacity, reduce localized flooding, improve stormwater runoff, and mitigate local mosquito populations. See Section 2.03 for Project Location.

The Town is seeking a qualified, experienced, and licensed contractor to perform the Work identified in Section 2.02 below, in accordance with the plans, specifications, and Contract included as part of this RFP.

The selected contractor shall have the right combination of price, qualifications, and experience to help ensure that the Projects are completed on time, within budget, and according to the plans and specifications herein, with a minimum number of issues and change orders.

2.02 SCOPE OF WORK

The Scope of Work consists of furnishing all labor, materials, machinery, tools, means of transportation, supplies, equipment, and services necessary for road and drainage improvements in the Royal Oaks area, which includes, but is not limited to, drainage system installation, milling and resurfacing, thermoplastic pavement markings, and site restoration [including landscaping swale, concrete curb and gutter, driveways (asphalt, paver, or concrete) mailbox, street signs, etc.] as detailed in the plans and specifications attached hereto as Exhibit A.

2.03 PROJECT LOCATION

The Project is located along Commerce Way between NW 82nd Avenue and NW 80th Avenue within the Town's Graham Dairy Basin. See Exhibit A for further details.

2.04 CONTRACT TERM

This Agreement will be effective upon execution by both parties and will continue until the expiration of the warranties.

The Contractor shall obtain Substantial Completion of the Work within two hundred forty (240) days of the Notice to Proceed being issued by the Town. Final Completion must obtain Final Completion within thirty (30) days after obtaining Substantial Completion. The Contract shall remain in effect until the expiration of the Warranty period(s).

2.05 BOND REQUIREMENTS

2.05-1 PERFORMANCE/PAYMENT BOND

Contractor must, within fourteen (14) calendar days of being notified of award, furnish a Performance/Payment containing all the provisions of the attached Performance/Payment forms.

The Performance and Payment Bonds ("Bonds") must be in the amount of one hundred percent (100%) of the Contract value guaranteeing to Town the completion and performance of the Work covered in the Contract as well as full payment of all suppliers, laborers, or subcontractors employed pursuant to this Project(s).

Each Bond must continue in effect for one year after Final Completion and acceptance of the Work with liability equal to one hundred percent (100%) of the Contract value, or an additional bond must be conditioned that Contractor will, upon notification by Town, correct any defective or faulty work or materials which appear within one year after Final Completion of the Project.

The Town must be listed as an Obligee.

Pursuant to the requirements of Section 255.05(1)(a), Florida Statutes, as may be amended from time to time, Contractor must ensure that the bond(s) referenced above must be recorded in the public records and provide Town with evidence of such recording.

Alternate Form of Security:

In lieu of the Bonds, Contractor may furnish alternate forms of security, which may be in the form of cash, money order, certified check, cashier's check, or an unconditional letter of credit. Such alternate forms of security will be subject to the prior approval of Town and for same purpose and will be subject to the same conditions as those applicable above and will be held by Town for one year after completion and acceptance of the Work.

2.05-2 SURETY QUALIFICATIONS

Each required Bond must be executed by a surety company of recognized standing, authorized to do business in the State of Florida as surety, having a resident agent in the State of Florida and having been in business with a record of successful continuous operation for at least five (5) years.

The Surety must hold a current certificate of authority as acceptable surety on federal bonds in accordance with United States Department of Treasury Circular 570, Current Revisions. If the amount of the Bond exceeds the underwriting limitation set forth in the circular, in order to qualify, the net retention of the Surety must not exceed the underwriting limitation in the circular, and the excess risks must be protected by coinsurance, reinsurance, or other methods in accordance with Treasury Circular 297, revised September 1, 1978 (31 DFR Section 223.10, Section 223.111). Further, the Surety must provide Town with evidence satisfactory to Town, that such excess risk has been protected in an acceptable manner.

The Town will accept a surety bond from a company with a rating of "B+" or better and a Financial Size Category of "Class II", provided, however, that if any surety company appears on the watch list that is published quarterly by Intercom of the Office of the Florida Insurance Commissioner, the Town will review and either accept or reject the surety company based on the financial information available to the Town. A surety company that is rejected by the Town may be substituted by the Bidder with a surety company acceptable to the Town, only if the Bid amount does not increase.

2.06 PRELIMINARY STEPS

2.06-1 CONTRACTOR'S PRE-START REPRESENTATION

Contractor represents that it has familiarized itself with and assumes full responsibility for having familiarized itself with the nature and extent of the Contract Documents, Work, location of the Work, all local conditions, and any federal, state, county, and local laws, ordinances, rules, and regulations that may, in any manner, affect performance of the Work, and represents that it has combined its inspections and observations with the requirements of the Contract Documents. Contractor further represents that it has studied all surveys, document, and reports of including those of any subsurface and latent physical conditions referred to in the specifications and made such additional inspections and investigations as it deems necessary for the performance of the Work and that he has coordinated the results of all such data, inspections, and investigations with the requirements of the Contract Documents.

2.06-2 PRE-CONSTRUCTION CONFERENCE

Within fourteen (14) calendar days after Contractor execution of the Contract by the Town, and before any Work is performed at the Project site, a pre-construction conference will be held. Prior to this meeting the Contractor should have submitted its Project Schedule and Schedule of Values, so they and other details of the project can be discussed.

2.06-3 PROJECT SCHEDULE

Contractor must submit a proposed Project schedule as follows:

1. Schedule identifying the schedule for each location. The proposed Project schedule must be submitted within ten (10) calendar days of the Notice of Award and such submittal will be subject to the Project Manager's review. Subsequent to such review of said schedule the Contractor will establish said schedule as the baseline schedule.
2. All updates of schedules must be tracked against the baseline schedule and must be at a minimum submitted with each pay application. An updated schedule against the baseline must also be submitted upon execution of each change order that impacts the Contract Documents Time for completion. Failure to submit such schedules will result in the rejection of any submitted payment application.
3. All Project Schedules must be prepared in Microsoft Project 2007 or earlier unless otherwise approved by the Project Manager. At the time of submission of schedules, Contractor must submit a hard copy as well as an electronic version. Electronic versions must not be submitted in a .pdf format.

In addition to the Project Schedule the Contractor must provide a two (2) week look-ahead schedule that reflects the Work to be performed during the two (2) week period. The look-ahead schedule must be provided to the Project Manager and Consultant every other Thursday prior to the start of the two-week period. This schedule will, at a minimum, include the area(s) where Work is to be performed and the Work to be performed in the area(s).

2.06-4 SCHEDULE OF VALUES

The Contractor must submit two copies of a Schedule of Values, which must be submitted within ten (10) calendar days of the issuance of the Notice of Award. The Schedule of Values shall indicate a complete breakdown of labor and material of all categories of Work on the Project. Contractor's overhead and profit should be listed as separate line items. Each line item must be identified with the number and title of the major specification section or major components of the items. The Project Manager may require further breakdown after review of the Contractor's submittal. The Town reserves the right to require such information from the Contractor as may be necessary to determine the accuracy of the Schedule of Values. The combined total value for mobilization under the Schedule of Values shall not exceed 5% of the value of the Contract.

The accepted Schedule of Values must be incorporated into the Contractor's payment application form.

2.06-5 CONSTRUCTION PHOTOGRAPHS

Prior to commencement of the Work the Contractor must take digital photographs and color audio-video recording to document existing conditions and submit copies in an acceptable format to the Town prior to commencement of the Work. Contractor must submit with each application for payment photographs that accurately reflect the progress of all aspects of the Work. The number of photographs to be taken will be based on the magnitude of the Work being performed. Contractor must submit one copy of each photograph in print and digitally. The photographs must be printed on 8" X 10" high resolution glossy commercial grade and weight color photographic print paper or in a format acceptable to the Town. Each photograph must be imprinted on its face with the title of the Project, the date, and time the picture was taken. Digital photographs must be taken using .jpeg format and will be submitted on a CD-ROM or flash drive clearly identifying the name of the Project, the name of the Contractor, and the timeframe in which the pictures were taken. Initial set up prints will be submitted in a three-ring binder with each picture protected by a clear plastic sleeve. Subsequent prints are to be submitted in clear plastic sleeves

that can be added to the binder. The three-ring binder must be of such size to be able to hold all print pictures.

2.06-6 STAGING SITE

The Contractor is solely responsible for making all arrangements for any staging site(s) that may be necessary for the performance of the Work and the Contractor is responsible for all site security, including any fencing of the site, and any loss, damage or theft to its equipment and materials. Any fencing of the Staging Site is subject to the prior written approval of the Project Manager.

The Town at its sole discretion may make a staging site available for use by the Contractor. If such site is made available by the Town, the Town assumes no responsibility or liability, and the Contractor will be responsible for any loss, damage or theft to its equipment and materials. The Contractor is also responsible for restoring the site to its pre-existing condition prior to the Contractor's use of the site.

The Contractor may be required to provide or may choose to use an office trailer for the duration of the Project. The Project Manager will authorize the use of any office trailer and the placement location for the office trailer. The Contractor must obtain all required permits from the appropriate regulatory agencies.

No parking is permitted in the Staging Site without the prior written approval of the Project Manager.

2.06-7 PROJECT SIGNAGE

Contractor must furnish and install two (2) Project sign at the Project Site in accordance with the requirements provided by the Project Manager.

2.06-8 COORDINATION WITH TOWN RESIDENTS

Contractor will, be responsible to provide written notification to the Town residents impacted by the Work at least seven (7) days prior to the commencement of the Work. Notification shall be made using a flyer, in a format acceptable to the Project Manager, and must be delivered by mail or by personal delivery. Contractor must maintain a record of the date(s) of notification and provide such information to the Project Manager. Contractor must not commence Work until notification to residents is provided in a manner acceptable to the Town. Contractor must also coordinate with the residents all Work that impacts residents' driveway approaches. Additionally, the Contractor may be required to attend resident informational meetings.

2.07 INSPECTION OF THE WORK

The Project Manager, other Town representatives, and inspectors representing the Town and other public entities having jurisdiction over the Work must at all times have access to the Work

Should the Contract Documents, or any laws, ordinances, or any public authority require any of the Work to be tested, Contractor must provide timely notice of readiness of the Work for testing and timely notice must be given of the date fixed for such testing so that the appropriate representatives of the Town, DERM, or other entities can be present for such testing. Contractor will be responsible for making arrangements for all tests and for all associated costs for all required testing. The original copies of all testing reports are to be sent directly to the Project Manager by the testing firm, with a copy to the Contractor.

The Town, at its sole discretion may conduct testing in addition to the required testing. In such instances the Town will pay all testing costs unless the tests determine that the material, Work, or equipment is not compliant with the requirements of the Contract Documents. In such instances the Contractor must reimburse the Town for all incurred testing costs and the Contractor will be responsible for any costs associated with re-testing to ensure compliance.

Inspectors have no authority to permit deviations from, or to relax any of the provisions of the Contract Documents or to delay the Work by failure to inspect the materials and Work with reasonable promptness without the written permission or instruction of Project Manager

2.08 UNCOVERING FINISHED WORK

The Project Manager's right to make inspections includes the right to order the Contractor to uncover or take down portions of finished Work. The Project Manager will notify the Contractor in writing concerning all uncovered finished Work. Should the Work prove to be in accordance with the Contract, the uncovering or taking down and the replacing and the restoration of the parts removed will be treated as additional Work for the purpose of computing additional compensation and an extension of time. Should the Work examined prove unsatisfactory, such uncovering, taking down, replacing and restoration will be at the expense of the Contractor. Such expenses will also include repayment to the Town for any and all expenses or costs incurred by it, including employee salaries or related cost, in connection with such uncovering, taking down, replacing and restoration at the Project site.

2.09 SITE ISSUES

2.09-1 SITE INVESTIGATION AND REPRESENTATION

It is the responsibility of the Contractor to satisfy itself as to the nature and location(s) of the Work prior to commencement of Work on the site, the general and local conditions, particularly those bearing upon availability of installation, transportation, disposal, handling and storage of materials, and all other matters which can in any way affect the Work or the cost thereof under the Contract Documents.

Work site(s) may have existing utilities, such as, but not limited to, irrigation, phone, water, and sewer, CATV, traffic signals, electrical, and storm sewer. Known utilities and structures adjacent to or encountered in the Work will be shown on the Drawings. The locations shown are taken from existing records and the best information available from existing plans and utility investigations; however, it is expected that there may be some discrepancies and omissions in the locations and quantities of utilities and structures shown. Those shown are for the convenience of the Contractor only, and no responsibility is assumed by the Town for their accuracy or completeness. No request for additional compensation or Contract time resulting from encountering utilities not shown will be considered.

It is the responsibility of the Contractor to verify the location of all such utilities, structures, etc., by hand excavation or other appropriate measures before performing any Work. The Contractor must call Sunshine State One Call of Florida, Inc., and other appropriate agencies, as applicable, prior to the commencement of any excavation or digging to determine the locations of existing utilities prior to the commencement of any Work. The Contractor is responsible for any and all claims resulting from the damage caused to any utilities, identified or not.

Should the Contractor identify any utilities, structures, etc., which will or may be encountered during the performance of the Work, the Town must be consulted immediately in order for a decision to be made on the potential relocation or other action(s) to be taken as it relates to the work.

Should the Town direct the Contractor to relocate any utilities that would be impacted by any Work then the Town will compensate the Contractor for such relocation in accordance with the Change Order provisions of the Contract.

The Contractor will not purposefully disrupt or disconnect any type of utility whatsoever without first obtaining the prior written approval of the Town or applicable utility owner. Requests for any disconnection, including those required of other utilities, must be in writing and received by the Town at least seventy-two (72) hours prior to the time of the requested interruption. The Town

may require that the Contractor notify, in writing, any property owners to be impacted by service interruptions to their utilities.

Any failure by the Contractor to familiarize itself with any utilities that may impact the performance of the Work will not relieve Contractor from responsibility for properly estimating the difficulty or cost of performing the Work and will not entitle the Contractor to any additional compensation.

2.09-2 METHOD OF PERFORMING THE WORK

The apparent silence of the Contract Documents as to any detail, or the apparent omission from them of a detailed description concerning any Work to be done and materials to be furnished, will be regarded as meaning that only the best general practice is to prevail and that only material and workmanship of the best quality is to be used, and interpretation of the Contract Documents will be made upon that basis.

The Contractor must comply with the manufacturer's requirements for the handling, delivery and storage of all equipment and materials. Contractor must inspect all equipment and materials immediately prior to installation and must not install any damaged or defective items.

Contractor must comply with the manufacturer's applicable instructions and recommendations for the performance of the Work, to the extent that these instructions and recommendations are more explicit or more stringent than requirements indicated in the Contract Documents.

The Contractor must familiarize itself with normal Town operations where the Work is to be performed so that it can conduct the Work in the best possible manner to the complete satisfaction of the Project Manager.

The Work to be performed must be done in such a manner so as not to interfere with the normal Town operations. The manner in which the Work is performed will be subject to the approval of the Project Manager, whom, if necessary, will have the authority to require changes in the manner in which the Work is performed. There must be no obstruction of Town services without the prior written approval of the Project Manager. All requests for such interruption or obstruction must be given in writing to the Project Manager twenty-four (24) hours in advance of the interruption of Town operations.

If the Project Manager or Consultant reasonably determines the rate of progress of the Work is not such as to ensure its completion within the designated completion time, or if, in the opinion of the Project Manager, the Contractor is not proceeding with the Work diligently or expeditiously or is not performing all or any part of the Work according to the Project schedule accepted by or determined by the Project Manager, the Project Manager will have the right to order the Contractor to do either or both of the following: (1) improve its work force; and/or (2) improve its performance in accordance with the schedule to ensure completion of the Project within the specified time. The Contractor must immediately comply with such orders at no additional cost to the Town. (3) The Town at its sole option may also have Work performed by a third-party contractor and deduct such cost from any monies due the Contractor.

Where materials are transported in the performance of the Work, vehicles must not be loaded beyond the capacity recommended by the vehicle manufacturer or permitted by Federal, State, or local law(s). When it is necessary to cross curbing or sidewalks, protection against damage must be provided by the Contractor and any damaged curbing, drainage, grass areas, sidewalks or other areas must be repaired at the expense of the Contractor to the satisfaction of the Project Manager.

Contractor is responsible for controlling dust and preventing it from becoming a public nuisance or causing off-site damage. Contractor must take all necessary and prudent measure to control dust.

Depending on the nature of the Work the Project Manager may require a staging plan be submitted to and approved by the Project Manager prior to the start of construction and issuance of the Notice to Proceed. Such staging plan must be revised and resubmitted as necessary during construction.

2.09-3 DIFFERING SITE CONDITIONS

In the event that during the course of the Work on a Project the Contractor encounters subsurface or concealed conditions at the Project site which differ materially from those shown in the Contract Documents, and from those ordinarily encountered and generally recognized as inherent in work of the character called for in the Contract Documents, Contractor, without disturbing the conditions and before performing any Work affected by such conditions, must, within twenty-four (24) hours of its discovery, notify the Project Manager and/or Consultant in writing of the existence of the aforesaid conditions. Project Manager or the Consultant must, within two (2) business days after receipt of Contractor's written notice, investigate the site conditions identified by Contractor. If, in the sole opinion of Project Manager or the Consultant, the conditions do materially so differ and cause an increase or decrease in Contractor's cost of, or the time required for, the performance of any part of the Work, whether or not charged as a result of the conditions, Project Manager or Consultant will recommend an equitable adjustment to cost of the Work or the time to complete the Work, or both. If the Project Manager and Contractor cannot agree on an adjustment in the Contract Price and/or Contract Time, the adjustment will be referred to the Town's Procurement Manager for determination. Should the Town's Procurement Manager determine that the conditions of the Project site are not so materially different to justify a change in the terms of the Contract Documents, the Procurement Manager will so notify the Project Manager, Consultant, and Contractor in writing, stating the reasons, and such determination will be final and binding upon the parties hereto.

No request by Contractor for an equitable adjustment to the Contract Documents under this provision will be allowed unless Contractor has given written notice in strict accordance with the provisions of this Article. No request for an equitable adjustment or change to the Contract Price or Contract Time for differing site conditions will be allowed if made after the date certified by Consultant or Project Manager as the date of substantial completion.

2.09-4 PROTECTION OF PROPERTY, UTILITIES, AND THE PUBLIC

The Contractor must continuously maintain adequate protection of all its Work from all losses or damage and must protect public and private property, and utilities from injury or loss arising in connection with the Work, and take all necessary precautions to prevent accidents, injuries, or damage to persons or property on or near the Work.

Contractor is solely responsible to restore all areas impacted by the Work, including but not limited to swale areas, existing structures, driveways and approaches, landscaping, drainage, and lighting to pre-existing conditions to the satisfaction of the Project Manager.

2.09-5 CONTRACTOR'S RESPONSIBILITY FOR UTILITY PROPERTIES AND SERVICE

Where the Contractor's operations could cause damage or inconvenience to telephone, fiber optic, television, electrical power, oil, gas, water, sewer, or irrigation systems, the Contractor must make all arrangements necessary for the protection of these utilities and services or any other known utilities.

Notify all utility companies that are affected by the construction operation at least forty-eight (48) hours in advance. Under no circumstance will Contractor expose any utility without first obtaining permission from the appropriate agency. Once permission has been granted, locate, expose, and provide temporary support for all existing underground utilities and utility poles where necessary.

The Contractor and its Subcontractors will be solely and directly responsible to the owner and operators of such properties for any damage, injury, expense, loss, inconvenience, delay, suits, actions, or claims of any character brought because of any injuries or damage which may result from the construction operations under the Contract Documents.

Neither the Town nor its officers or agents will be responsible to the Contractor for damages as a result of the Contractor's failure to protect property encountered in the Work.

In the event of interruption to domestic water, sewer, storm drain, or other utility services as a result of accidental breakage due to construction operations, Contractor must promptly notify the owner, any required regulatory authority, and the Project Manager. Cooperate with said authority in restoration of service as promptly as possible and bear all costs of repair and any required interim measures to ensure safety. In no event will interruption of any utility service be allowed unless granted by the owner of the utility.

In the event water service lines that interfere with trenching are encountered, the Contractor may, by obtaining prior approval of the water utility, cut the service, dig through, and restore the service with similar and equal materials at the Contractor's expense and as approved by the Project Manager.

Replace, with material approved by the Project Manager or Consultant, at Contractor's expense, any and all other laterals, existing utilities or structures removed or damaged during construction, unless otherwise provided for in the Contract Documents and as approved by the Project Manager or Consultant.

Replace with material approved by the Project Manager or Consultant, at Contractor's expense, any existing utilities damaged during the Work.

2.09-6 ACCESS TO WATER AND UTILITIES

The Contractor is responsible for providing all water and power required for the performance of the Work, including the use of a generator. The use of a generator may be subject to the prior approval of the Town's representative should the Work be in a primarily residential neighborhood. Electrical power required during construction shall be installed by a qualified electrical contractor approved by the Project Manager.

The Town may at its sole discretion provide access to Town utilities or water should such be available at the Work site. However, the Contractor is responsible to ascertain the location and accessibility of any utilities and potable water sources necessary to perform the Work.

2.09-7 COORDINATION OF THE WORK

Prior to the commencement of the Work, the Project Manager will make every effort, based on available information, to notify the Contractor of any ongoing or scheduled project(s) that will be ongoing or commence during the Work on a Project that may require coordination. The Contractor will be solely responsible for coordinating the Work with any other project(s) to minimize any potential adverse impact. Contractor will not be entitled to any days of delay for failure to properly coordinate the Work. The Project Manager may assist the Contractor in coordinating the Work. However, any such assistance, or lack thereof will not form the basis for any claim for delay or increased cost.

If any part of Contractor's Work depends for proper execution or results upon the work of any other persons, Contractor must inspect and promptly report to Project Manager any defects in such work that render it unsuitable for such proper execution and results. Contractor's failure to so inspect and report will constitute an acceptance of the other person's work as fit and proper for the reception of Contractor's Work, except as to defects which may develop in other contractor's work after the execution of Contractor's Work.

Contractor must conduct its operations and take all reasonable steps to coordinate the prosecution of the Work so as to create no interference or impact on any other contractor on the site. Should such interference or impact occur, Contractor will be liable to the affected contractor for the cost of such interference or impact.

To ensure the proper execution of subsequent Work, Contractor must inspect the Work already in place and must at once report to Project Manager any discrepancy between the executed Work and the requirements of the Contract Documents.

2.09-8 ACCESS TO THE PROJECT SITE(S)

Town will provide the lands upon which the Work is to be performed, rights-of-way and easements for access thereto and such other lands as are designated by Town for the use of Contractor.

Contractor must provide, at Contractor's own expense and without liability to the Town, any additional land and access thereto that may be required for temporary construction facilities, or for storage of materials. Contractor must furnish to the Town copies of written permission obtained by Contractor from the owners of such facilities.

2.09-9 CLEANING UP; TOWN'S RIGHT TO CLEAN UP

Contractor must at all times keep the Work site(s) free from accumulation of excess materials, waste materials or rubbish caused by its operations. At the completion of Work at a work site(s), Contractor must remove all its excess materials, waste materials and rubbish from and about the Project(s) as well as any tools, equipment, machinery and surplus materials or supplies. If Contractor fails to clean up during the performance of the Work or at the completion of the Work, Town may do so, and the cost incurred will be charged to the Contractor. Any combustible waste materials must be removed from the work site(s) at the end of each day.

Should the Contractor leave any open trenches at any time that Work is not being performed, the Town may have the open trenches covered and deduct any cost incurred from any outstanding payments due or to become due to the Contractor. The Town may also invoice the Contractor for all costs incurred in mitigating any open trenches.

2.09-10 SANITARY PROVISIONS

The Contractor must provide on-site all necessary toilet conveniences, secluded from public observation, for use of all personnel on the Work, whether or not in its employ. Contractor must be kept in a clean and sanitary condition and must comply with the requirements and regulations of the public authorities having jurisdiction. Contractor must commit no public nuisance. Sanitary facilities must be removed by the Contractor at its own expense upon completion of the Work, and the premises must be left clean.

2.09-11 MAINTENANCE OF TRAFFIC

Maintenance of Traffic ("MOT") must be performed in accordance with the applicable FDOT Index Numbers (600 Series) and as further stated herein. The manual on Uniform Traffic Control Devices for Streets and Highways (U.S. Department of Transportation, FHWA), must be followed in the design, application, installation, maintenance and removal of all traffic control devices, warning devices and barriers necessary to protect the public and workmen from hazards with the Project limits. Pedestrian and vehicular traffic must be maintained and protected at all times.

Prior to commencement of the Work Contractor must provide the Project Manager with the proposed MOT plan for review. The Project Manager may require revisions to the proposed MOT plan. The MOT plan must be updated by the Contractor every two weeks.

Failure by the Contractor to comply with the Maintenance of Traffic requirements will result in the Town issuing a stop work order until corrective action is taken. The Contractor will not be entitled to any additional time resulting in any delays due to issuance of a stop work order.

2.09-12 WORK IN STREET, HIGHWAY, & OTHER RIGHTS-OF-WAY

Excavation, grading, fill, storm drainage, paving and any other construction or installations in rights-of-way of streets, highways, public carrier lines, utility lines either aerial, surface, or subsurface, etc., must be done in accordance with requirements of the Contract Documents or, if not mentioned, must be restored to their original condition or better. All Work performed is subject to the approval of the Project Manager.

2.09-13 HURRICANE PREPAREDNESS

During such periods of time as are designated by the United States Weather Bureau or Miami Dade County as being a severe weather event, including a hurricane watch or warning, the Contractor, at no cost to the Town, must take all precautions necessary to secure any Work in response to all threatened storm events, regardless of whether the Contractor has given notice of same, in accordance with the Miami-Dade County Code.

Compliance with any specific severe weather event or alert precautions will not constitute additional work.

Suspension of the Work caused by a threatened or actual storm event, regardless of whether the Town has directed such suspension, will entitle the Contractor to additional Contract time as non-compensable, Excusable Delay, and will not give rise to a claim for compensable delay.

2.10 SAFETY ISSUES

2.10-1 SAFETY PRECAUTIONS

Contractor is solely responsible for initiating, maintaining, and supervising all safety precautions and programs in connection with the Work. Contractor must take all necessary precautions for the safety of, and must provide the necessary protection to prevent damage, injury, or loss to:

1. All employees on the Project site and other persons who may be affected thereby;
2. All the Work and all materials or equipment to be incorporated therein, whether in storage on or off the Project site; and
3. Other property at the Project site or adjacent thereto, including trees, shrubs, lawns, walks, pavements, roadways, structures, and utilities not designated for removal, relocation, or replacement in the course of construction.

The Contractor must take all necessary precautions for the safety of employees in the performance of the Work on, about or adjacent to the premises, and must comply with all applicable provisions of Federal, State, and local laws, including, but not limited to the requirements of the Occupational Safety and Health Act of 1970, and amendments thereto, to prevent accidents or injury to persons on, about or adjacent to the premises where the Work is being performed. Contractor must notify owners of adjacent property and utilities when prosecution of the Work may affect them.

The Contractor must comply with the OSHA "Federal Right to Know" Regulation, 29 CFR 1910, 1915, 1917, 1918, and 1926, regarding informing employees of toxic substances in the workplace, providing training, and emergency procedures.

Contractor must adhere to applicable environmental protection guidelines for the duration of the Work. The Contractor must comply with all codes, ordinances, rules, orders, and other legal requirements of public authorities (including OSHA, EPA, DERM, the Town, Miami-Dade County, State of Florida), which bear on the performance of the Work

All open trenches or holes must be properly marked and barricaded to assure the safety of both vehicular and pedestrian traffic. No open trenches or holes are to be left open during night-time or non-working hours without the prior written approval of the Project Manager.

The Contractor must provide such equipment and facilities as are necessary or required, in the case of accidents, for first aid service to person who may be injured during the Project(s) duration.

Contractor's duties and responsibilities for the safety and protection of the Work must continue until such time as all the completion of the Contract.

2.10-2 TRENCH SAFETY ACT

Pursuant to Chapter 90-96 (CS/SB 2626), Laws of Florida, "Trench Safety Act", any person submitting a Bid is required to comply with the requirements of the FLORIDA TRENCH SAFETY ACT (90-96, LAWS OF FLORIDA), Where a Project requires trenching the Contractor must complete the Trench Safety Act Form ("Form") and return the Form to the Project Manager before commencing any Work. Failure to submit said Form will result in the Contractor not being able to proceed with the Work and potentially be in default of its Contract.

Any costs identified on the Form are not a pay item. The purpose of this form is to gather information on the costs associated with trench safety measures and to insure that the Bidder has considered these costs and included them in its Bid prices. Failure to complete this form may result in the Bid being declared non-responsive.

2.10-3 MATERIAL SAFETY DATA SHEETS

In compliance with Chapter 442, Florida Statutes, any toxic substance listed in Section 38F-41.03 of the Florida Administrative Code delivered as a part of the Project must be accompanied by a Material Safety Data Sheet (MSDS) which must be obtained from the manufacturer. The MSDS must include the following information:

1. The chemical name and the common name of the substance.
2. The hazards or other risks in the use of the substance, including:
 - a. The potential for fire, explosion, corrosion, and reaction;
 - b. The known acute and chronic health effects of risks from exposure, including the medical conditions which are generally recognized as being aggravated by exposure to the substance; and
 - c. The primary routes of entry and symptoms of overexposure.
3. The proper precautions, handling practices, necessary personal protective equipment, and other safety precautions in the use of or exposure to the substances, including appropriate emergency treatment in case of overexposure.
4. The emergency procedure for spills, fire, disposal, and first aid.
5. A description in lay terms of the known specific potential health risks posed by the substance intended to alert any person reading this information.

The year and month, if available, that the information was compiled and the name, address, and emergency telephone number of the manufacturer responsible for preparing the information.

2.11 PLANS, DOCUMENTS, & RECORDS

2.11-1 CONTRACTOR TO CHECK PLANS, SPECIFICATIONS, & DATA

Contractor must verify all dimensions, quantities and details shown on any plans, specifications or other data received from Project Manager and must notify the Project Manager of all errors, omissions and discrepancies found therein within three (3) calendar days of discovery. Contractor will not be allowed to take advantage of any error, omission or discrepancy, as full instructions

will be furnished to the Project Manager. Contractor will not be liable for damages resulting from errors, omissions, or discrepancies in the Contract Documents unless Contractor recognized such error, omission or discrepancy and knowingly failed to report it to Project Manager.

2.11-2 SHOP DRAWINGS AND SUBMITTALS

Contractor is required to submit shop drawings, sketches, samples, or product data as required by the Contract Documents.

Contractor is responsible to submit such documents or samples in a timely manner for review by the Project Manager or Consultant. Shop Drawings are to be complete in every detail and clearly identify any deviation from what is required by the Contract Documents. It is the responsibility of the Contractor to submit sufficient information to allow the Project Manager and/or Consultant to properly evaluate and accept the submittal or shop drawing. Receipt of the shop drawings or submittals does not constitute acceptance

Incomplete or partial submittals will not be reviewed. All shop drawings for components of a system must be submitted together for them to be reviewed.

Where professional calculations or certification of performance criteria of materials, systems, and or equipment are required, the Project Manager or Consultant are entitled to rely upon the accuracy and completeness of such calculations and certifications submitted by the Contractor. Calculations, when required, must be submitted in a neat clear and easy format to follow.

Contractor is solely responsible for the accuracy of all shop drawings and submittals and any approval by Project Manager will in no way relieve the Contractor from said responsibility for full compliance with the Contract Documents.

2.11-3 TOWN FURNISHED DRAWINGS, SUPPLEMENTAL DRAWINGS, & INSTRUCTIONS

The Town, in its sole discretion, may furnish design drawings. It is the sole responsibility of the Contractor to bring to the immediate attention of the Project Manager any discrepancies between the drawings and existing conditions, excluding hidden or unforeseen conditions, discovered prior to commencing and during the Work. The Contractor is solely responsible for verifying the accuracy of the drawings prior to commencing the Work and is responsible for any errors or revisions of the Work, which might have been avoided by notifying the Town prior to commencement. This also applies to any revisions or omissions identified by the Contractor. The Contractor must submit all requests for information entitled Request for Information (RFI).

During the performance of the Work, should any errors, omissions, conflicts, ambiguities, or discrepancies be found in the drawings and/or specifications, the Project Manager or the Consultant will clarify in writing the intent of the drawings and the Contractor agrees to abide by the Project Manager's interpretation and perform the Work in accordance with the decision of the Project Manager. In such event, the Contractor will be held to have included in its Contract Price the best materials suitable for the purpose and methods of construction.

The Contractor will have no basis for any claim for additional costs resulting from their failure to identify any required revisions, omissions, or errors, not identified in writing to the Project Manager prior to commencing the Work.

The Project Manager and Consultant has the right to approve and issue supplemental drawings and instructions setting forth written orders, instructions, or interpretations, provided such Supplemental drawings or instructions involve no change in the Contract price or this Contract time, unless a Change Order is issued in accordance with the Contract Documents.

2.11-4 AS-BUILT DRAWINGS

During the Work, Contractor must maintain records of all deviations from the Drawings as approved by the Project Manager or Consultant and prepare two copies of As-Built Record

Drawings showing correctly and accurately all changes and deviations made during construction to reflect the Work as it was actually constructed. It is the responsibility of the Contractor to check the As-Built Drawings for errors and omissions prior to submittal to the Town and to certify in writing that the As-Built Record Drawings are correct and accurate, including the actual location of all internal piping, electrical/signal conduits in or below the concrete floor. Indicate the size, depth, and voltage in each conduit.

To record actual construction, Contractor must legibly mark on-site structures and site Work as follows:

1. Depths of various elements of foundation in relation to finish first floor datum.
2. All underground piping and ductwork with elevations and dimensions and locations of valves, pull boxes, etc. Changes in location. Horizontal and vertical locations of underground utilities and appurtenances are referenced to permanent surface improvements. Actual installed pipe material, class, etc.
3. Location of internal utilities and appurtenances concealed in the construction, referenced to visible and accessible features of the structure. Air conditioning ducts with locations of dampers, access doors, fans and other items needing periodic maintenance.
4. Field changes in dimensions and details.
5. Changes made by Project Manager's or Consultant's written instructions or by Change Order.
6. Details not on original Contract Drawings.
7. Equipment, conduit, electrical panel locations.
8. Project Manager's or Consultant's schedule changes according to Contractor's records and shop drawings.

Specifications and Addenda: Legibly mark each section to record:

1. Manufacturer, trade name, catalog number and Supplier of each product and item of equipment actually installed.
2. Changes made by Project Manager's or Consultant's written instructions or by Change Order.

Approved Shop Drawings: Provide record copies for each process, equipment, piping, electrical system, and instrumentation system.

As-built documents must be updated monthly as a condition precedent to payment. A final survey signed and sealed by a surveyor must be provided to the Town at no additional cost, including digital I (CAD and PDF) versions.

For construction of new building, or building additions, field improvements, and or roadway improvements as-built drawings must be signed and sealed by a Florida Licensed Registered Land Surveyor.

2.11-5 RECORD SET

Contractor must maintain in a safe place one record copy and one permit set of the Contract Documents, including, but not limited to, all Drawings, Specifications, amendments, Change Orders, RFIs, and Field Directives, as well as all written interpretations and clarifications issued by the Project Manager, in good order and annotated to show all changes made during construction. The record documents must be continuously updated by Contractor throughout the prosecution of the Work to accurately reflect all field changes that are made to adapt the Work to field conditions, changes resulting from Change Orders, Construction Change Directives, and Field Directives as well as all written interpretations and clarifications, and all concealed and buried installations of piping, conduit, and utility services. Contractor must certify the accuracy of the updated record documents. The record documents must be clean, and all changes, corrections

and dimensions must be given in a neat and legible manner in red. Upon Final Completion and as a condition precedent to Contractor's entitlement to final payment, the Record Set must be delivered to the Project Manager by the Contractor. The Record Set of Drawing must be submitted in both hard copy and as electronic plot files.

2.12 CONTRACTOR RESPONSIBILITIES

2.12-1 LABOR & MATERIALS

Unless otherwise provided herein, Contractor must provide and pay for all materials, labor, water, tools, equipment, light, power, transportation and other facilities and services necessary for the proper execution and completion of the Work. All materials must be new unless otherwise specified in the Contract Documents.

The Contractor will provide competent, suitably qualified personnel to lay out the work and perform construction as required by the Contract Documents. Contractor will at all times maintain good discipline and order at the site.

Minimal Disturbance

All Work done by the Contractor, or any Subcontractor must be done with minimal disturbance to the residents of the Town. The noise level must be kept at reasonable levels. All Contractor personnel and Subcontractors must demonstrate and maintain a courteous and responsible demeanor toward all persons while conducting business in the Town. The Town reserves the right to require the Contractor to permanently remove personnel from Work under the Contract that fail to comply with the requirements of this section.

2.12-2 SUPERVISIONS OF THE WORK

Contractor is responsible for all Project management, including any and all subcontracts necessary to ensure that the Work is performed in accordance with the Contract. Project Management includes, but is not limited to: obtaining bids from subcontractors and suppliers; coordinating the securing of all permits; obtaining licenses and inspections; ensuring that subcontractors comply with the requirements of the Contract; performing the Work in accordance with the Contract to the satisfaction of the Project Manager; paying all subcontractors; obtaining release of liens/claims fees; and obtaining temporary and final Certificates of Occupancy or Completion, as applicable.

Contractor must have a competent English-speaking supervisor ("Supervisor") who will represent the Contractor in the field and all directions given to the Supervisor will be as binding as if given to Contractor. Contractor will provide properly licensed personnel where such personnel are required by any rule, regulations, or law. Contractor and the Supervisor will give efficient and sufficient supervision to the Work, using their best skill and attention to ensure the Work is performed in accordance with the Contract Documents.

The Project Manager and the Contractor as necessary during the course of the Work to review and agree upon the Work performed and outstanding issues. The Contractor must publish, keep, and distribute minutes and any comments thereto of each such meeting.

2.12-3 RELEASE OF LIENS/SUBCONTRACTOR'S STATEMENT OF SATISFACTION

The Contractor warrants and guarantees that title to all Work, materials and equipment covered by an Invoice, whether incorporated in the Project or not, will pass to the Town upon the receipt of payment by the Contractor, free and clear of all liens, claims, security interests or encumbrances and that no Work, materials or equipment will have been acquired by the Contractor or by any other person performing Work at the site or furnishing materials and equipment for the Project, subject to an agreement under which an interest therein or an

encumbrance thereon is retained by the seller or otherwise imposed by the Contractor by a Subcontractor or supplier or any other interested party.

The Contractor must, starting with the second (2nd) Invoice, provide the Project Manager with completed Partial or Final Releases of Lien/Subcontractor's Statement of Satisfaction Form for the Project. As an option the Contractor may also submit a Consent of Surety if a payment bond has been provided, authorizing the release of payment by the Surety. Failure to submit such documentation will result in rejection of the Invoice. The Contractor must use the Town's forms, which are available at the hyperlink provided in Article 1.07.

Conditional Release of Liens are not accepted by the Town.

2.12-4 PROGRESS PAYMENTS

Contractor may make application for payment for Work completed during the Project at intervals of not more than one invoice per month or upon completion and Final Acceptance of the Work. Contractor will be paid based on the line-item breakdown, contained in the Bid Form, with payments based on actual Work performed. All applications shall be submitted in triplicate and the Contractor shall only use the Town's Contractor Payment Application Form or an invoice format approved by the Town. Supporting evidence to be included with any application for payment shall include, but is not limited to, an updated Project Schedule as required by Article 2.06-3 and a partial or final release of liens or consent of Surety relative to the Work, which is the subject of the application for payment and any other information required by the Project Manager. Each application for payment shall be submitted in duplicate for approval.

Five percent (5%) of all monies earned by Contractor shall be retained by Town until Final Acceptance by the Town. Any interest earned on retainage shall accrue to the benefit of Town. All requests for retainage reduction shall be in writing in a separate stand-alone document.

The Town shall not pay more than five (5%) of the Total Contract price as mobilization should a schedule of values be required of the contractor

Town may withhold, in whole or in part, payment to such extent as may be necessary to protect itself from loss on account of:

1. Defective Work not remedied.
2. Claims filed or reasonable evidence indicating probable filing of claims by other parties against Contractor or Town because of Contractor's performance.
3. Failure of Contractor to make payments properly to Subcontractors or for material or labor.
4. Damage to another contractor not remedied.
5. Liquidated damages and costs incurred by Town and/or Consultant for extended construction administration.
6. Failure of Contractor to provide any and all documents required by the Contract Documents.

Contractor may be paid for materials or equipment purchased and stored at the Project(s) Site(s) or another location, subject to the sole discretion and approval of the Project Manager. Where a payment request is made for materials or equipment not incorporated in the Project but delivered and suitably stored at the site or at some other location agreed upon in writing, the written documentation must be submitted at the time of request for payment. Payment shall be conditioned upon submission by the Contractor of paid invoices and an executed Material Purchased/Stored On-Premises form to establish the Town's title to such materials or equipment, or otherwise protect the Town's interest, including applicable insurance in the name of Town and transportation to the Project site.

Contractor retains sole liability to replace such stored materials or equipment as a result of damage or loss for any reason.

2.12-5 RETAINAGE & RELEASE

Subsequent to Final Completion of the Project the Contractor may submit a separate invoice for the release of the retainage. The Town may withhold payment or any portion thereof to offset any fees or costs owed to the Town

2.12-6 OWNERSHIP OF THE WORK

The Contractor is solely responsible for all Work, until Final Completion of the Work. Contractor is liable for all damage, theft, maintenance, and safety until such time as the Town issues a notice of Final Completion.

2.13 LIQUIDATED DAMAGES

The Contractor is obligated and guarantees to obtain Substantial and Final Completions of the Project within the timeframes established in the Contract or any approved extension of time the Contractor may be granted by the Town. In the event of a delay in completion beyond the date established in the Contract, the Contractor must pay to the Town for each and every calendar day of unexcused delay, the sum of one thousand dollars (\$1,000), which is hereby agreed upon not as a penalty but as liquidated damages. The Contractor will be notified of any exceptions. The total amount of liquidated damages will not exceed the value of the Contract.

The Town has the right to deduct liquidated damages assessments from any payment due or which may thereafter become due to the Contractor under any contract the Contractor has with the Town. In case the amount available under contracts the Contractor has with the Town is less than the amount of liquidated damages due the Town, the Contractor must pay the difference upon demand by the Town. Should the Contractor fail to compensate the Town for any liquidated damages, the Town will consider this as a form of indebtedness and may deny any future Work under the Contract or any other Town contract until such indebtedness is paid in full to the Town.

The Town will notify the Contractor in writing that it is incurring liquidated damages.

2.14 REQUESTS FOR INFORMATION

The Contractor must submit a Request for Information ("RFI") where the Contractor believes that the Contract Document's specifications are unclear or conflict. All requests must be submitted in a manner that clearly identifies the specification section or drawing detail, if furnished, where clarification or interpretation is being requested. As part of the RFI, Contractor must include its recommendation for resolution. The Town must respond in writing.

The RFI process is not intended to be used to correct defective Work performed by the Contractor. Solutions to correct defective Work, including means and methods are the sole responsibility of the Contractor. Should the RFI process be utilized to correct defective Work, the Contractor may be required to reimburse the Town for any costs incurred by the Town in responding to the RFI. Such reimbursements will be taken as a deduction against any payments due the Contractor.

2.15 WARRANTY

Contractor warrants to the Town that all materials and equipment furnished under the Contract will be new unless otherwise specified and that all of the Work will be of good quality, free from faults and defects and in conformance with the Contract Documents. All Work not conforming to these requirements, including substitutions not properly approved and authorized, may be considered defective. If required by the Project Manager, the Contractor must furnish satisfactory evidence as to the kind and quality of materials and equipment. This warranty is not limited by any other provisions within the Contract Documents.

All Work must have a one (1) year warranty on labor from the date of acceptance of the Work by the Town. Contractor must provide a minimum written warranty of one (1) year on all equipment, parts, or material unless the manufacturer provides a longer warranty. Where the manufacturer of the equipment, parts, or material provides a warranty greater than one (1) year, or the time frame stipulated, then the manufacturer's warranty term will take precedence. Contractor will be required to provide the Project Manager with a copy of the manufacturer's warranty prior to the Town issuing final payment. Manufacturer's warranties will become effective upon Final Completion of the Project.

All material and equipment furnished must be fully guaranteed by the Contractor against factory defects and workmanship. At no expense to the Town, the Contractor will correct any and all apparent and latent defects that may occur within the manufacturer's standard warranty. The Contract Documents may supersede the manufacturer's standard warranty. Manufacturer's warranties will become effective upon Final Completion of the Project.

Should the Contractor fail to perform any required warranty work the Town, at its sole discretion, may have the work performed by others, and deduct such costs from any monies due to the Contractor from the Town. Where such funds are not available, the Town will bill the Contractor and Contractor will reimburse the Town within thirty (30) calendar days. The Town may take any necessary and appropriate action provided under this Contract or with law to collect such payment due the Town.

2.16 SUBSTANTIAL COMPLETION, PUNCHLIST & FINAL COMPLETION

The Work will be substantially complete when the Project Manager, in the reasonable exercise of his/her discretion determines that the Work is complete and there are no material or substantial variations from the Contract and the Work is fit for its intended purpose. Upon Substantial Completion, the Project Manager and the Contractor will sign the Substantial Completion Inspection Form. The signing of this form does not relieve the Contractor from its obligation to complete the Project.

When the Contractor believes that the Work is substantially complete, the Contractor must request in writing that the Project Manager or Consultant inspect the Work to determine if Substantial Completion has been achieved. Where the Work requires the Contractor to obtain a Certificate of Completion no request for Substantial Completion inspection is to be submitted until the Contractor has obtained the Certificate(s) of Completion. The Project Manager or Consultant will schedule the date and time for any inspection and notify the Contractor and any other parties deemed necessary. During this inspection, the Project Substantial Completion Inspection Form will be completed as necessary. Any remaining Construction Work must be identified on this form, and it will be known as Punch List Work. The Punch List must be signed by the Project Manager and the Contractor confirming that the Punch List contains the item(s) necessary to complete the Work. The failure or refusal of the Contractor to sign the Project Substantial Completion Inspection Form or Punch List will not relieve the Contractor from complying with the findings of the Project Substantial Completion Inspection and completing the Project to the satisfaction of the Town.

The Project Manager or Consultant, and the Contractor will agree on the time reasonably required to complete all remaining Work included in the Punch List.

Upon Substantial Completion and the receipt and acceptance of any required documentation, including warranty documents, the Project Manager will determine that a Project has achieved Final Completion and authorize final payment.

The acceptance of final payment will constitute a waiver of all claims by Contractor, except those previously made in strict accordance with the provisions of the Contract and identified by Contractor as unsettled at the time of the application for final payment.

2.17 ACCEPTANCE AND FINAL PAYMENT

Upon receipt of written notice from Contractor that the Work is ready for final inspection and acceptance, Project Manager will, within ten (10) calendar days, make an inspection thereof. If Project Manager find the Work acceptable, the requisite documents have been submitted and the requirements of the Contract fully satisfied, and all conditions of the permits and regulatory agencies have been met, a Final Certificate for Payment will be issued by Project Manager, stating that the requirements of the Contract have been performed and the Work is ready for acceptance under the terms and conditions thereof.

Before issuance of the Final Certificate for Payment, Contractor must deliver to the Project Manager a final release of all liens arising out of the Contract, receipts in full in lieu thereof; an affidavit certifying that all suppliers and subcontractors have been paid in full and that all other indebtedness connected with the Work has been paid, and a consent of the surety to final payment; the final corrected as-built drawings; operations and maintenance data, and the final bill of materials, if required, and payment application. Contractor must deliver the written Contractor's and all Manufacturer's warranties prior to issuance of the final invoice.

If, after the Work has been substantially completed, full completion thereof is materially delayed through no fault of Contractor, and Project Manager so certifies, Town will, upon such certification of Consultant, and without terminating the Contract, make payment of the balance due for that portion of the Work fully completed and accepted. Such payment will be made under the terms and conditions governing final payment, except that it will not constitute a waiver of claims.

The acceptance of final payment will constitute a waiver of all claims by Contractor, except those previously made in strict accordance with the provisions of the Contract and identified by Contractor as unsettled at the time of the application for final payment.

2.18 NPDES REQUIREMENTS

Contractor must comply with the State of Florida rules and regulations for the National Pollutant Discharge Elimination System (NPDES) including but not limited to all permitting, Notices of Intent, and the Storm Water Pollution Prevention Plan (SWPPP). All costs for NPDES and SWPPP must be included in the Bid price. For further information on compliance requirements for NPDES and SWPPP visit the State of Florida website at <http://www.dep.state.fl.us/water/stormwater/npdes/>. Contractor is responsible for obtaining, completing, and paying for any required NPDES application or permits that may be required.

END OF SECTION

SIGNATURE PAGE FOLLOWS

CONTRACT EXECUTION FORM


This Contract 2023-28 made this 31st day of August in the year 2023 in the amount of \$2,834,437.68 by and between the Town of Miami Lakes, Florida, hereinafter called the "Town," and Acosta Tractors, Inc.


IN WITNESS WHEREOF, the parties have executed this Agreement as of the day and year first above written.

Attest:

TOWN OF MIAMI LAKES

By: 
Gina M. Inguanzo, Town Clerk


By: 
Edward Pidermann, Town Manager


By: 
Lorenzo Cobiella, Deputy Town Attorney


Signed, sealed, and witnessed in the presence of:

AS TO CONTRACTOR:

Acosta Tractors, Inc.
Contractor's Name

By: 
Jessica A. Vigoa, Secretary

By: 
Name: Felix Acosta
Title: President



CORPORATE RESOLUTION

WHEREAS, Acosta Tractors, Inc., Inc. desires to enter into a contract with the Town of Miami Lakes for the purpose of performing the work described in the contract to which this resolution is attached; and

WHEREAS, the Board of Directors at a duly held corporate meeting has considered the matter in accordance with the By-Laws of the corporation;

Now, THEREFORE, BE IT RESOLVED BY THE BOARD OF DIRECTORS that the President,
(type title of officer)

Felix Acosta, is hereby authorized
(type name of officer)

and instructed to enter into a contract, in the name and on behalf of this corporation, with the Town of Miami Lakes upon the terms contained in the proposed contract to which this resolution is attached and to execute the corresponding performance bond.

DATED this 7th day of September, 2023.

Jessica A. Vega
Corporate Secretary

(Corporate Seal)



EXHIBIT A. PLANS AND SPECIFICATIONS

MATCHLINE SEE SHEET C200.1 FOR CONTINUATION


NORTH

MATCHLINE SEE SHEET C200.6 FOR CONTINUATION

N.W. 79TH COURT

OAK LANE

KEY MAP



LEGEND

NOTES

MATCHLINE SEE UPPER RIGHT FOR CONTINUATION

N.W. 149TH STREET

NORTH

OAK LANE

MATCHLINE SEE SHEET C200.3 FOR CONTINUATION

MATCHLINE SEE BOTTOM LEFT FOR CONTINUATION

BEFORE YOU DIG

COMMERCE WAY
 DRAINAGE IMPROVEMENTS
PREPARED FOR
 TOWN OF MIAMI LAKES

DEMOLITION &
 EROSION CONTROL
 PLAN

MATCHLINE SEE SHEET
C200.8 FOR CONTINUATION

MATCHLINE SEE SHEET C200.3 FOR CONTINUATION
N.W. 146TH STREET

NORTH

MATCHLINE SEE UPPER RIGHT FOR CONTINUATION


COMMERCE WAY

NORTH

COMMERCE WAY

MATCHLINE SEE BOTTOM LEFT FOR CONTINUATION

KEY MAP



LEGEND

NOTES

MATCHLINE SEE SHEET C200.5 FOR CONTINUATION

BEFORE YOU DIG

COMMERCE WAY
DRAINAGE IMPROVEMENTS
PREPARED FOR
TOWN OF MIAMI LAKES

DEMOLITION &
EROSION CONTROL
PLAN

C200.4

MATCHLINE SEE UPPER RIGHT FOR CONTINUATION

MATCHLINE SEE SHEET C200.4 FOR CONTINUATION

NORTH

N.W. 146TH STREET

N.W. 78TH AVENUE

1

NORTH

N.W. 146TH STREET


N.W. 77TH COURT

NOTES

LEGEND

KEY MAP

MATCHLINE SEE BOTTOM LEFT FOR CONTINUATION



BEFORE YOU DIG

COMMERCE WAY
 DRAINAGE IMPROVEMENTS
PREPARED FOR
 TOWN OF MIAMI LAKES

DEMOLITION &
 EROSION CONTROL
 PLAN

C200.9

MATCHLINE SEE SHEET C300.2 FOR CONTINUATION

MATCHLINE SEE SHEET C300.12 FOR CONTINUATION


N.W. 79TH COURT

OAK LANE

MATCHLINE SEE SHEET C300.4 FOR CONTINUATION

NORTH

KEY MAP



LEGEND

NOTES

BEFORE YOU DIG

COMMERCE WAY
DRAINAGE IMPROVEMENTS
PREPARED FOR
TOWN OF MIAMI LAKES
PAVING, GRADING,
& DRAINAGE PLAN

C300.3

MATCHLINE SEE SHEET C300.5 CONTINUATION


OAK LANE

NORTH

MATCHLINE SEE SHEET C300.17 FOR CONTINUATION

MATCHLINE SEE SHEET C300.7 FOR CONTINUATION

KEY MAP



LEGEND

NOTES

BEFORE YOU DIG

COMMERCE WAY DRAINAGE IMPROVEMENTS PAVING, GRADING, & DRAINAGE PLAN PREPARED FOR TOWN OF MIAMI LAKES

C300.6

MATCHLINE SEE SHEET
C300.16 FOR CONTINUATION

MATCHLINE SEE SHEET C300.6 FOR CONTINUATION


N.W. 149th STREET

7

COMMERCE WAY

MATCHLINE SEE SHEET C300.8 FOR CONTINUATION
NORTH

KEY MAP



LEGEND

NOTES

BEFORE YOU DIG

COMMERCE WAY
DRAINAGE IMPROVEMENTS
PREPARED FOR
TOWN OF MIAMI LAKES
PAVING, GRADING,
& DRAINAGE PLAN

C300.7


MATCHLINE SEE SHEET C300.7 FOR CONTINUATION

COMMERCE WAY

NORTH

MATCHLINE SEE SHEET C300.9 FOR CONTINUATION

KEY MAP



LEGEND

NOTES

BEFORE YOU DIG

COMMERCE WAY DRAINAGE IMPROVEMENTS PAVING, GRADING, & DRAINAGE PLAN PREPARED FOR TOWN OF MIAMI LAKES

MATCHLINE SEE SHEET C300.9 FOR CONTINUATION

1


COMMERCE WAY

N.W. 80th AVENUE

NORTH

MATCHLINE SEE SHEET C300.11 FOR CONTINUATION

KEY MAP



LEGEND

NOTES

BEFORE YOU DIG

COMMERCE WAY
DRAINAGE IMPROVEMENTS
PREPARED FOR
TOWN OF MIAMI LAKES
PAVING, GRADING,
& DRAINAGE PLAN

C300.10

MATCHLINE SEE SHEET C300.3 FOR CONTINUATION

N.W. 79TH COURT

N.W. 79TH COURT


NORTH

MATCHLINE SEE SHEET C300.13 FOR CONTINUATION

NOTES

LEGEND

KEY MAP



BEFORE YOU DIG

COMMERCE WAY
 DRAINAGE IMPROVEMENTS
 PREPARED FOR
 TOWN OF MIAMI LAKES

PAVING, GRADING,
 & DRAINAGE PLAN

C300.12

EXHIBIT B. CONTRACTOR'S PROPOSAL



The Respondent further certifies as follows:

1. This Company Profile and Declaration is submitted as part of the Respondent's submittal ("Submittal") in response to the above stated RFP issued by the Town of Miami Lakes;
2. Respondent has carefully examined all the documents contained in the RFP and understands all instructions, requirements, specifications, terms and conditions, and hereby offers and proposes to furnish the products and/or services described herein at the prices, fees and/or rates quoted in the Respondent's Submittal, and in accordance with the requirements, specifications, terms and conditions, and any other requirements of the RFP Documents;
3. This Submittal is a valid and irrevocable offer that will not be revoked and shall remain open for the Town's acceptance for a minimum of 120 days from the date Submittals are due to the Town, to allow for evaluation, selection, negotiation, and any unforeseen delays, and Respondent acknowledges that if its Submittal is accepted, Respondent is bound by all statements, representations, warranties, and guarantees made in its Submittal, including but not limited to, representation to price, fees, and/or rates, performance and financial terms;
4. Respondent has the necessary experience, knowledge, abilities, skills, and resources to satisfactorily perform the requirements under this RFP;
5. Respondent certifies that it meets the minimum qualification requirements set forth in the RFP.
6. Respondent is in full compliance with all applicable Federal, State, and local laws, rules, regulations and ordinances governing its business practices;
7. All statements, information and representations prepared and submitted in response to the RFP are current, complete, true, and accurate. Respondent acknowledges that the Town will rely on such statements, information, and representations in selecting a Respondent, and hereby grants the Town permission to contact any persons identified in this RFP to independently verify the information provided in the Submittal;
8. Submission of a Submittal indicates the Respondent's acceptance of the evaluation criteria and technique and the Respondent's recognition that some subjective judgments may be made by the Town as part of the evaluation process;
9. No attempt has or will be made by the Respondent to induce any other person or firm to not submit a response to this RFP;
10. No personnel currently employed by the Town participated, directly or indirectly, in any activities related to the preparation of the Respondent's Submittal;
11. Respondent has had no contact with Town personnel regarding the RFP, the Project or evaluation of Submittals in response to this RFP. If contact has occurred, except as permitted under the Cone of Silence, so state and include a statement identifying in detail the nature and extent of such contacts and personnel involved;
12. The pricing, rates or fees proposed by the Respondent have been arrived at independently, without consultation, communication, or agreement, for the purpose of restriction of competition, as to any other Respondent or competitor; and unless otherwise required by law,



the prices quoted have not been disclosed by the Respondent prior to submission of the Submittal, either directly or indirectly, to any other Respondent or competitor;

- 13. Respondent has reviewed a copy of the Contract, included as an Exhibit to the RFP; and
- 14. Respondent is not currently disqualified, de-listed or debarred from doing business with any public entity, including federal, state, county or local public entities, or if so, Respondent has provided a detailed explanation of such disqualification, de-listing or debarment, including the reasons and timeframe.

This declaration was executed in Miami-Dade County, State of Florida on June 26, 20 23 .

Signature

Felix Acosta

Print Name

Subscribed and sworn to before me this 26th day of June , 20 23 .

Signature

Ernesto Diaz

Print Name

(Notary Seal/Stamp)



Company Qualification Questionnaire

Form 2, Part 1

Additional pages may be added if necessary utilizing the same format. Some information may not be applicable apply. In such instances insert "N/A".

1. Years has your company been in business under its current name and ownership? 50 Years

a. Professional Licenses/Certifications (include name and number)*	Issuance Date
<u>MDC Business Certificate of Competency - E-184</u>	<u>02/10/1983</u>
<u>State of Florida Underground - CUC057441</u>	<u>11/30/2001</u>
<u>FDOT Certification of Qualification</u>	<u>08/19/2008</u>

(*include active certifications of small or disadvantage business & name of certifying entity)

2. Type of Company: Individual Partnership Corporation LLC Other

If other, please describe the type of company: _____

- a. FEIN/EIN Number: 59-1454861
- b. Dept. of Business Professional Regulation Category (DBPR): Underground Utility & Excavation
- i. Date Licensed by DBPR: 11/30/2001
- ii. License Number: CUC057441
- c. Date registered to conduct business in the State of Florida: 04/25/1973
- i. Date filed: 04/25/1973
- ii. Document Number: 424214
- d. Primary Office Location: 11986 NW 97th Avenue Hialeah Gardens, FL 33018
- e. What is your primary business? Engineering Contractor
(This answer should be specific)
- f. Name of Qualifier, license number, and relationship to company:
Felix Acosta, CUC057441, President

g. Names of previous Qualifiers during the past five (5) years including, license numbers, relationship to company and years as qualifier for the company:

N/A

h. Name and Licenses of any prior companies

Name of Company	License No.	Issuance Date
-----------------	-------------	---------------

N/A

3. Company Ownership

a. Identify all owners or partners of the company:

Name	Title	% of ownership
------	-------	----------------

Felix Acosta	President	100%
--------------	-----------	------

b. Is any owner identified above an owner in another company? Yes No

If yes, identify the name of the owner, other company names, and % ownership

N/A

c. Identify all individuals authorized to sign for the company, indicating the level of their authority (check applicable boxes and for other provide specific levels of authority)

Name	Title	Signatory Authority			
		All	Cost	No-Cost	Other
Felix Acosta	President	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

g. Number of Bond Claims paid out in last 5 years & value: None

7. Have any lawsuits been file against your company in the past 5 years? Yes No

If yes, identify each lawsuit and its current disposition. For each lawsuit provide the year, the basis for the claim or judgment, and the settlement unless the value of the settlement is covered by a written confidentiality agreement. If additional space is required, continue on a separate sheet.

N/A

8. To the best of your knowledge, is your company or any officers of your company currently under investigation by any law enforcement agency or public entity. Yes No

If yes, provide details on a separate sheet.

9. Key Staff or Principals (including stockholders with over 10% ownership) of the company have/ have not been convicted by a Federal, State, County or Municipal Court of or have any pending violations of law, other than traffic violations. Explain any convictions or pending action on a separate sheet.

10. Has your company been assessed liquidated damages or defaulted on a project in the past five (5) years? Yes No

If yes, provide an attachment that provides an explanation of the project and an explanation.

11. Has the Proposer or any of its principals failed to qualify as a responsible proposer, refused to enter into a contract after an award has been made, failed to complete a contract during the past five (5) years, or been declared to be in default in any contract in the last five (5) years? Yes No

If yes, provide details on a separate sheet.

12. Has the proposer or any of its principals ever been declared bankrupt or reorganized under Chapter 11 or put into receivership? Yes No

If yes, give date, court jurisdiction, action taken, and any other explanation deemed necessary.

13. Provide an attachment listing all equipment, with a value over \$3,000, owned by your company.

14. Provide an attachment listing of all equipment that your company does not own but plans to rent, lease, or borrow for the performance of the Work N/A

**Company Qualification Questionnaire
Form 2, Part 2
Safety Qualifications**

Solicitation Number: RFP No. 2023-28

Project Name: Commerce Way Drainage Improvements

Please provide the following information concerning your company's safety performance and record.

Company's Name: Acosta Tractors, Inc.

Address: 11986 NW 97th Avenue Hialeah Gardens, FL 33018

Phone No.: 305-556-0473 Email Address: fpacosta@acostatractors.com

Web Page (if existing): N/A

Name of company representative completing this form: Odalys De Armas

Title: Office Manager

Date questionnaire completed: 06/23/2023

Previous calendar year total employee hours worked: 100,653

Previous calendar year OSHA 300 logs:

- Attach latest updated annual recordable injury/illness OSHA 300 log
- Attach OSHA 300 log from the previous three (3) calendar years.

Previous calendar year OSHA Lost Work Day Incident Rate: = 19.87

Lost Work Day Incident Rate = Total number of recordable injuries or illnesses with days away from work x 200,000 divided by the total number of hours worked by all employees.

Previous Calendar Year OSHA Recordable Incident Rate: = 9.94

Recordable Incident Rate = Total number of OSHA recordable injuries and illnesses x 200,000 divided by the total number of hours worked by all employees.

Previous Calendar Year Severity Rate: = 2

Severity Rate = Total number of lost work days x 200,000 divided by the total number of hours worked by all employees.

EMR: Experience Modification Rate: List your company's EMR for the last three (3) years and attach documentation from your insurance company on their letterhead with their representative's signature and title. If your company does not have an EMR enter "N/A".

Year	EMR
<u>2020</u>	<u>1.24</u>
<u>2021</u>	<u>1.53</u>
<u>2022</u>	<u>1.02</u>

Citations: Has your company received any citations in the past three (3) years from any government agency? yes no If yes, include copy of citation(s) and abatement action(s).

Safety Program: Does your company have a written Safety and/or Health Program, including a mission statement, policies, and procedures

yes no If yes, check the following that your safety program includes:

Accident Reduction Program	<u> X </u>
Safety Committee	<u> X </u>
Asbestos Abatement Program	<u> </u>
Drug Free/Substance Abuse Program	<u> X </u>

If checked, attach a brief description of the Program (not to exceed ½ page per Program)

Please check the following that your training program includes:

Asbestos abatement	<input type="checkbox"/>	Hot Work	<input type="checkbox"/>
Asbestos awareness	<input type="checkbox"/>	Injury/Illness Record Keeping	<input checked="" type="checkbox"/>
Asbestos training	<input type="checkbox"/>	Lockout/Tagout	<input type="checkbox"/>
Company safety policy	<input checked="" type="checkbox"/>	New Hire Orientation	<input checked="" type="checkbox"/>
Company safety rules	<input checked="" type="checkbox"/>	OSHA 10 hour certification	<input checked="" type="checkbox"/>
Confined spaces	<input checked="" type="checkbox"/>	OSHA 30 hour certification	<input type="checkbox"/>
CPR/First aid training	<input checked="" type="checkbox"/>	Pre-job safety inspection	<input checked="" type="checkbox"/>
Electrical safety	<input type="checkbox"/>	Respiratory protection	<input type="checkbox"/>
Fall Protection	<input checked="" type="checkbox"/>	Scaffold training	<input type="checkbox"/>
Fire Prevention	<input type="checkbox"/>		

Is your Project Manager certified in accredited "OHS 10-hour or "30-hour construction industry federal course: yes no If yes, which course: 10 Hour OSHA

Is your Project Manager certified in CPR/First Aid? yes no

Is your Construction Superintendent certified in accredited "OHS 10-hour or "30-hour construction industry federal course: yes no If yes, which course: 30 Hour OSHA

Is your Construction Superintendent certified in CPR/First Aid? yes no

**Company Qualification Questionnaire
Form 2, Part 3
Team Member Table**

This form is to identify the Key member of the Project Team, which includes the Project Manager, Construction Manager, Estimator and similar staff. Additional Key Staff are to be added as applicable. Only employees of the Proposer are to be listed on this form.

Name of Person	Title	% of Time Devoted to Project	Years in Industry	Years with Proposer	Years in Position with Proposer	Licenses & Certifications (name)
Frank Acosta	Project Manager	100%	25	25	14	Professional Engineer, MOT, QC Man., Storm Water
Sergio Vigos	Construction Superintendent	100%	18	18	17	MOT, 30 Hour OSHA, First Aid
Roger Arguello	Estimator	100%	23	23	23	

EQUIPMENT LIST

Label	No.	Make & Model	Year	Serial Number
BOMAG				
R14	1	Bomag Model BW120AD-4 Vibratory Roller	2015	861880231169
R15	2	Bomag Model BW90AD Vibratory Roller	2015	101462011523
R18	3	Bomag Model BW120SL-5 Vibratory Roller	2016	861880291537
R19	4	Bomag Model BW211D-50 Single Drum Vibratory Roller	2018	101586081314
R20	5	Bomag Model BW120SI Tandem Vibratory Roller	2019	10188061105
R21	6	Bomag Model BW138AD-5 Tandem Vibratory Roller	2018	101650341221

Label	No.	Make & Model	Year	Serial Number
CATERPILLAR EQUIPMENT				
BH04	7	Caterpillar Model 420E 4x4 Backhoe Loader	2012	DJL 04052
MG05	8	Caterpillar Model 120M2 Motor Grader	2014	R9N00167
SS03	9	Caterpillar Model 242D Skid Steer	2014	DZT00727
BZ08	10	Caterpillar Model D3K2 Bulldozer No.1	2015	KFF00390
BZ09	11	Caterpillar Model D6K2 Bulldozer No.1	2015	RST01376
BZ10	12	Caterpillar Model D6K2 Bulldozer No.2	2015	RST01529
SS05	13	Caterpillar Model 262D Skid Steer No.1	2017	DTB06497
PL01	14	Caterpillar PC306B Cat Cold Planer XHP/24in Drum Width 73 All Purpose Bits	2017	PCT01137
EX10	15	Caterpillar Model 303.5E Mini Exc. w/Rock Bucket No.1	2017	JWY02542
SS04	16	Caterpillar Model 262D Skid Steer No.2	2017	DTB07460
R17	17	Caterpillar Model CB22B Vibratory Roller	2017	2B200247

Label	No.	Make & Model	Year	Serial Number
CATERPILLAR EQUIPMENT				
BZ11	18	Caterpillar Model D3K2XL Bulldozer No.2	2018	KF202322
EX12	19	Caterpillar 303.5E2CR Hydraulic Excavator	2020	JWY06821
SS06	20	Caterpillar 262D3 Skid Steer Loader	2020	ZB202114
SS07	21	Caterpillar 259D Track Skid Steer Loader with BKTSSL 66" GP Bucket No. 4	2018	FTL18755/EQ65836
SS08	22	Caterpillar 259D3 Compact Track Skid Steer Loader	2020	CW904230

Label	No.	Make & Model	Year	Serial Number
DYNAPAC				
R11	23	Dynapac Model CS142N Static Smooth Drum Roller #1	2009	21120279
R13	24	Dynapac Model CS142N Static Smooth Drum Roller #2	2014	10000503L0A008372

Label	No.	Make & Model	Year	Serial Number
HYSTER				
R01	25	Hyster Model 530A 9 Wheel Traffic Roller	1987	A091C4127N
R02	26	Hyster 5-8 Ton Roller	1987	23456H (RL581)

Label	No.	Make & Model	Year	Serial Number
INGERSOLL RAND EQUIPMENT				
R06	27	Ingersoll Rand Model SD-100DB Roller #1	2000	159701
R10	28	Ingersoll Rand SD-100D Vibratory Roller #2	2007	52963
R12	29	Ingersoll Rand SD-100D Vibratory Roller #3	2004	169133

Label	No.	Make & Model	Year	Serial Number
JOHN DEERE EQUIPMENT				
BH02	30	John Deere Model 310SJ Backhoe	2008	T0310SJ143560
BH03	31	John Deere Model 310JXT Backhoe	2008	T0310JX157304
BH05	32	John Deere Model 310J Backhoe	2011	1T0310JXHB0199650
MG03	33	John Deere Model 570B Moto Grader	1994	545100
MG04	34	John Deere Model 670CH Motor Grader	2003	DW670CH588106(S)
LM01	35	John Deere Model Z225 Lawn Mower	2009	XXXXX
LM02	36	John Deere Model Z245 Lawn Mower	2010	MOZ425B084401
EX09	37	John Deere Model 135G Excavator W-TWIST	2017	1FF135GXPG500139
EX11	38	John Deere Model 135G Excavator	2017	1FF135GXEHF500302
L12	39	John Deere Model 544K Loader	2018	1DW544KZPJF685957
EX14	40	John Deere 350G LC Excavator Base-DH W/30" Rock Bucket and Side Cutters	2019	1FF350GXVKF814166
L13	41	John Deere 524L Loader	2019	1DW524LZHKF695047
L14	42	John Deere 544L Loader	2021	1DW544LZAMF709295
EX15	43	John Deere 345G-RTS Excavator	2021	1FF345GXVKF020512
EX16	44	John Deere 245G Excavator	2021	1FF245GXALF801851
L15	45	John Deere 544P Loader	2023	1DW544PACPLZ18360

Label	No.	Make & Model	Year	Serial Number
KOBELCO				
EX06	46	Kobelco Model SK480 Excavator	2006	YS06U0500
EX07	47	Kobelco Model SK485LC Excavator	2009	YS07-U0752

Label	No.	Make & Model	Year	Serial Number
KOMATSU EQUIPMENT				
EX03	48	Komatsu Model PC228USLC-3Excavator NO.1	2002	21464
EX04	49	Komatsu Model PC228USLC-3 Excavator No.2	2003	30498
L06	51	Komatsu Model WA250-5L Loader No.2	2003	A73226
L07	52	Komatsu Model WA250-5L Loader No.3	2006	A74224
L08	53	Komatsu Model WA250-5L Loader No.4	2006	A74287
L09	54	Komatsu Model Loader WA320-5L Loader No1	2006	A33152
L10	55	Komatsu Model WA320-6 Wheel Loader No.2	2012	A35306

Label	No.	Make & Model	Year	Serial Number
WIRTGEN				
MM01	56	Wirtgen W200i Milling Machine	2018	14201486

Label	No.	Make & Model	Year	Serial Number
MISCELLANEOUS EQUIPMENT				
TS01	57	Anders Model 300 Hot Tack Sprayer	2007	H550570475TR
BZ3	58	Case Model 550G Bulldozer	1997	JJG0255204
MG06	59	LeeBoy Model 685B Motor Grader	2008	51067
GN01	60	Magnum Model MMG35 Generator	2005	058206
S01	61	Massey Ferguson Model MF253-2 Sweeper	1997	F12488
P02	62	Maulding 1550C Paver	2006	636F50TJH8Y2-01636
P01	63	Neal Paver Model DM5500	1994	0042-1078
CR01	64	Pegson Model 428 Trakpactor Crusher	2006	280208DD
AC01	65	Sullair Portable Model 185DPQ-JD Air Compressor	2005	004148330
FL01	67	Toyota Model 62-6FDU25 Fork Lift	2004	60384
PC01	68	Wacker Model DPU504H Vibratory Plate Compactor	2008	1878470

June 23, 2023

Acosta Tractors, Inc.
11986 NW 97th Avenue
Hialeah Gardens, FL 33018

RE: Experience Modification Rating

To Whom It May Concern:

This is to confirm that the Workers Compensation Experience Modification Factor for the above referenced insured is as follows:

YEAR	FACTOR
2023	1.08
2022	1.02
2021	1.53
2020	1.24

If you have any questions or need any additional information, do not hesitate to call our office.

Sincerely,

Suzi Niedermeyer
Account Manager

ACCIDENT REDUCTION PROGRAM

The company's accident reduction program consists of the implementation of worksite analysis and hazard prevention and control. The following is a brief description of the program:

Worksite Analysis

- All work areas, departments, and jobs needs to be inspected on a regular basis to ensure safe work practices and safe and healthy conditions. For the most part, these inspections are to be conducted by the Supervisor/superintendent or his/her qualified and designated worker. Each inspection may not be required to be formal (written) although regular written completed inspections will be expected.
- If approached by workers who appear to have a true concern regarding a safety or health issue, supervisors or managers need to act accordingly and give attention to the matter.
- Incidents that involve injury and illnesses will be evaluated and analyzed for trends, common causes, and patterns so as to prevent further incidents.

Hazard Prevention and Control

- Safe work practices will be developed and employees will be trained on using these safe work practices to avoid injury and illnesses. This may include the implementation of task or job hazard analysis.
- PPE will be provided as necessary, and its use enforced by Supervisory and Management staff.
- If feasible, administrative controls, such as reducing the duration of exposure can be implemented.
- Equipment, tools, machines, trucks, vehicles, and structures/facilities etc., need to be maintained in good working order by a continued preventative maintenance process.

DRUG FREE/SUBSTANCE ABUSE PROGRAM

The following is a brief description of the company's drug free/substance abuse program:

General Policy

- The company is committed to providing a safe, efficient, and productive work environment for all employees. Using or being under the influence of drugs or alcohol on the job may pose serious safety and health risks. While on the company's premises and while conducting business-related activities on or off premises, no employee, including but not limited to executive management, full time employees, part-time employees, contractors and applicants, may use, possess, distribute, sell, unlawfully manufacture or be under the influences of alcohol or a controlled substance/

Testing

- Each employee, as a condition of employment, may be required to participate in pre-employment, random, post-accident, reasonable suspicion, return-to-duty and follow-up testing upon selection or request of management

Discipline

- Violations of this policy or any of its provisions will result in discipline up to and including termination of employment.

SAFETY COMMITTEE PROGRAM

The following is a brief description of the company's safety committee program:

Safety Committee

- A safety committee is established as a management tool to recommend improvements to workplace safety programs and to identify corrective measures needed to eliminate or control recognized safety and health hazards.

Responsibilities

- Responsible for assisting management in evaluating the effectiveness of control measures used to protect employees from safety hazards in the workplace.
- Responsible for assisting management in reviewing and updating workplace safety rules based on accident investigation findings, any inspection findings, and employee reports of unsafe conditions or work practices.
- Responsible for assisting management in updating the workplace safety program by evaluating employee injury and accident records, identifying trends and patterns, and formulating corrective measures to prevent recurrences.
- Responsible for assisting management in monitoring workplace safety education and training to ensure that it is in place and that it is effective.

Meetings

- Safety committee meetings are held quarterly and more often if needed and each committee member will be compensated at his or her hourly wage when engaged in safety committee activities.

OSHA's Form 300 (Rev. 01/2004)

Log of Work-Related Injuries and Illnesses

Attention: This form contains information relating to employee health and must be used in a manner that protects the confidentiality of employees to the extent possible while the information is being used for occupational safety and health purposes.

Year **2023**
U.S. Department of Labor
 Occupational Safety and Health Administration

Form approved OMB no. 1218-0176

You must record information about every work-related injury or illness that involves loss of consciousness, restricted work activity or job transfer, days away from work, or medical treatment beyond first aid. You must also record significant work-related injuries and illnesses that are diagnosed by a physician or licensed health care professional. You must also record work-related injuries and illnesses that meet any of the specific recording criteria listed in 29 CFR 1904.8 through 1904.12. Feel free to use two lines for a single case if you need to. You must complete an injury and illness incident report (OSHA Form 301) or equivalent form for each injury or illness recorded on this form. If you're not sure whether a case is recordable, call your local OSHA office for help.

Establishment name

Acosta Tractors, Inc.

City

Hialeah Gardens

State

Florida

Identify the person

Describe the case

Classify the case

(A) Case No.	(B) Employee's Name	(C) Job Title (e.g., Welder)	(D) Date of injury or onset of illness (mo./day)	(E) Where the event occurred (e.g. Loading dock north end)	(F) Describe injury or illness, parts of body affected, and object/substance that directly injured or made person ill (e.g. Second degree burns on right forearm from acetylene torch)	CHECK ONLY ONE box for each case based on the most serious outcome for that case:		Enter the number of days the injured or ill worker was:	Check the "injury" column or choose one type of illness:										
						Death (G)	Days away from work (H)		Job transfer or restriction (I)	Other recordable cases (J)	Away From Work (days) (K)	On job transfer or restriction (days) (L)	(M) Injury (1)	Skin Disorder (2)	Respiratory Condition (3)	Poisoning (4)	Hearing Loss (5)	All other illnesses (6)	
1	Jose Castillo	Supervisor	1/5/2023	Our yard	Irritation of left eye caused by gasoline that sprayed into employee's eye when he was standing nearby a gasoline tank that was being filled and the hose shot back							<input checked="" type="checkbox"/>							
2	Ramon Tellez	Pipelayer	4/15/2023	Jobsite	Laceration of left elbow that occurred when the employee was using a chisel and hammer to chip away mortar and a piece of the chisel broke off, flew back and penetrated the employee's left elbow		<input checked="" type="checkbox"/>		12			<input checked="" type="checkbox"/>							
3	Felix Gonzalez	Pipelayer	5/16/2023	Jobsite	Right eye chemical keratitis that occurred when mixed cement dropped and slattered getting into the employee's right eye							<input checked="" type="checkbox"/>							
4	Mario Garcia	Mechanic	5/23/2023	Our yard	Puncture of left middle finger caused by a pressurized oil leak from a hydraulic hose		<input checked="" type="checkbox"/>		23			<input checked="" type="checkbox"/>							

Page totals 0 2 0 2 35 0 4 0 0 0 0 0 0

Be sure to transfer these totals to the Summary page (Form 300A) before you post it.

Public reporting burden for this collection of information is estimated to average 14 minutes per response, including time to review the instruction, search and gather the data needed, and complete and review the collection of information. Persons are not required to respond to the collection of information unless it displays a currently valid OMB control number. If you have any comments about these estimates or any aspects of this data collection, contact: US Department of Labor, OSHA Office of Statistics, Room N-3644, 200 Constitution Ave, NW, Washington, DC 20210. Do not send the completed forms to this office.

OSHA's Form 300 (Rev. 01/2004)

Log of Work-Related Injuries and Illnesses

Attention: This form contains information relating to employee health and must be used in a manner that protects the confidentiality of employees to the extent possible while the information is being used for occupational safety and health purposes.

Year **2022**
U.S. Department of Labor
 Occupational Safety and Health Administration

Form approved OMB no. 1218-0176

You must record information about every work-related injury or illness that involves loss of consciousness, restricted work activity or job transfer, days away from work, or medical treatment beyond first aid. You must also record significant work-related injuries and illnesses that are diagnosed by a physician or licensed health care professional. You must also record work-related injuries and illnesses that meet any of the specific recording criteria listed in 29 CFR 1904.8 through 1904.12. Feel free to use two lines for a single case if you need to. You must complete an injury and illness incident report (OSHA Form 301) or equivalent form for each injury or illness recorded on this form. If you're not sure whether a case is recordable, call your local OSHA office for help.

Establishment name

Acosta Tractors, Inc.

City

Hialeah Gardens

State

Florida

Identify the person		Describe the case		Classify the case													
(A) Case No.	(B) Employee's Name	(C) Job Title (e.g., Welder)	(D) Date of injury or onset of illness (mo./day)	(E) Where the event occurred (e.g. Loading dock north end)	(F) Describe injury or illness, parts of body affected, and object/substance that directly injured or made person ill (e.g. Second degree burns on right forearm from acetylene torch)	CHECK ONLY ONE box for each case based on the most serious outcome for that case:				Enter the number of days the injured or ill worker was:		Check the "injury" column or choose one type of illness:					
						Death	Days away from work	Remained at work		Away From Work (days)	On job transfer or restriction (days)	(M) Injury					
						(G)	(H)	Job transfer or restriction	Other record-able cases	(K)	(L)	(1)	(2)	(3)	(4)	(5)	(6)
1	Ramon Tellez	Pipelayer	3/2/2022	Jobsite	While cutting a ductile iron pipe with a saw, a small particle entered the employee's left eye causing irritation				<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>					
2	Jose Torriente Alvarez	Pipelayer	4/28/2022	Jobsite	Contusion of his right wrist caused by a plastic bored pipe that was protruding from the ground and being braced by an excavator when the pipe slipped and struck the employee				<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>					
3	Felix Gonzalez	Pipelayer	5/12/2022	Jobsite	Contusion of the mouth caused by a chain that snapped and hit the employee in the mouth		<input checked="" type="checkbox"/>			5		<input checked="" type="checkbox"/>					
4	Jose Reyes Aranda	Equipment Operator	5/27/2022	Jobsite	Contusion of right knee as a result of the employee closing the cabin door of the bulldozer against his knee as he was entering the cabin		<input checked="" type="checkbox"/>			5		<input checked="" type="checkbox"/>					
5	Manuel Perez	Equipment Operator	12/13/2022	Jobsite	Contusion of lower back resulting from a fall as he was climbing off the loader. He missed the last step and lost his balance and was able to land on his feet however he fell back onto the floor				<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>					

Page totals 0 2 0 3 10 0 5 0 0 0 0 0 0

Be sure to transfer these totals to the Summary page (Form 300A) before you post it.

Public reporting burden for this collection of information is estimated to average 14 minutes per response, including time to review the instruction, search and gather the data needed, and complete and review the collection of information. Persons are not required to respond to the collection of information unless it displays a currently valid OMB control number. If you have any comments about these estimates or any aspects of this data collection, contact: US Department of Labor, OSHA Office of Statistics, Room N-3644, 200 Constitution Ave, NW, Washington, DC 20210. Do not send the completed forms to this office.

Page 1 of 1 (1) (2) (3) (4) (5) (6)

OSHA's Form 300 (Rev. 01/2004)

Log of Work-Related Injuries and Illnesses

Attention: This form contains information relating to employee health and must be used in a manner that protects the confidentiality of employees to the extent possible while the information is being used for occupational safety and health purposes.

Year **2021**
U.S. Department of Labor
 Occupational Safety and Health Administration

Form approved OMB no. 1218-0176

You must record information about every work-related injury or illness that involves loss of consciousness, restricted work activity or job transfer, days away from work, or medical treatment beyond first aid. You must also record significant work-related injuries and illnesses that are diagnosed by a physician or licensed health care professional. You must also record work-related injuries and illnesses that meet any of the specific recording criteria listed in 29 CFR 1904.8 through 1904.12. Feel free to use two lines for a single case if you need to. You must complete an injury and illness incident report (OSHA Form 301) or equivalent form for each injury or illness recorded on this form. If you're not sure whether a case is recordable, call your local OSHA office for help.

Identify the person		Describe the case			Classify the case												
(A) Case No.	(B) Employee's Name	(C) Job Title (e.g., Welder)	(D) Date of injury or onset of illness (mo./day)	(E) Where the event occurred (e.g. Loading dock north end)	(F) Describe injury or illness, parts of body affected, and object/substance that directly injured or made person ill (e.g. Second degree burns on right forearm from acetylene torch)	CHECK ONLY ONE box for each case based on the most serious outcome for that case:											
						Enter the number of days the injured or ill worker was:											
						Check the "injury" column or choose one type of illness:											
						Death	Days away from work	Remained at work		Away From Work (days)	On job transfer or restriction (days)	(M)					
								Job transfer or restriction	Other recordable cases			Injury	Skin Disorder	Respiratory Condition	Poisoning	Hearing Loss	All other illnesses
						(G)	(H)	(I)	(J)	(K)	(L)	(1)	(2)	(3)	(4)	(5)	(6)
1	Ramon Tellez	Pipelayer	4/19/2021	Jobsite	Crushed right hand from placing hand under suspended pipe that slipped and fell		<input checked="" type="checkbox"/>			2		<input checked="" type="checkbox"/>					
Page totals						0	1	0	0	2	0	1	0	0	0	0	0

Be sure to transfer these totals to the Summary page (Form 300A) before you post it.

Public reporting burden for this collection of information is estimated to average 14 minutes per response, including time to review the instruction, search and gather the data needed, and complete and review the collection of information. Persons are not required to respond to the collection of information unless it displays a currently valid OMB control number. If you have any comments about these estimates or any aspects of this data collection, contact: US Department of Labor, OSHA Office of Statistics, Room N-3644, 200 Constitution Ave, NW, Washington, DC 20210. Do not send the completed forms to this office.

OSHA's Form 300 (Rev. 01/2004)

Log of Work-Related Injuries and Illnesses

Attention: This form contains information relating to employee health and must be used in a manner that protects the confidentiality of employees to the extent possible while the information is being used for occupational safety and health purposes.

Year **2020**
U.S. Department of Labor
 Occupational Safety and Health Administration

Form approved OMB no. 1218-0176

You must record information about every work-related injury or illness that involves loss of consciousness, restricted work activity or job transfer, days away from work, or medical treatment beyond first aid. You must also record significant work-related injuries and illnesses that are diagnosed by a physician or licensed health care professional. You must also record work-related injuries and illnesses that meet any of the specific recording criteria listed in 29 CFR 1904.8 through 1904.12. Feel free to use two lines for a single case if you need to. You must complete an injury and illness incident report (OSHA Form 301) or equivalent form for each injury or illness recorded on this form. If you're not sure whether a case is recordable, call your local OSHA office for help.

Establishment name

Acosta Tractors, Inc.

City Hialeah Gardens

State Florida

Identify the person

Describe the case

Classify the case

(A) Case No.	(B) Employee's Name	(C) Job Title (e.g., Welder)	(D) Date of injury or onset of illness (mo./day)	(E) Where the event occurred (e.g. Loading dock north end)	(F) Describe injury or illness, parts of body affected, and object/substance that directly injured or made person ill (e.g. Second degree burns on right forearm from acetylene torch)	CHECK ONLY ONE box for each case based on the most serious outcome for that case:						Enter the number of days the injured or ill worker was:					Check the "injury" column or choose one type of illness:					
						Death	Days away from work	Remained at work		Away From Work (days)	On job transfer or restriction (days)	(M)										
						(G)	(H)	Job transfer or restriction (I)	Other record-able cases (J)	(K)	(L)	Injury (1)	Skin Disorder (2)	Respiratory Condition (3)	Poisoning (4)	Hearing Loss (5)	All other illnesses: (6)					
1	Jose Castillo	Field Supervisor	5/13/2020	Jobsite	Sprained right ankle from mistepping into shallow trench				<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>									
2	Josue Reyes	Mechanic Assistant	10/9/2020	Yard	Laceration on left index finger from losing grip on a truck band				<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>									
3	Ruslan Diaz	Operator	10/10/2020	Jobsite	Sprained right ankle from losing footing and failing to the ground when climbing onto excavator				<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>									

Page totals 0 0 0 3 0 0 3 0 0 0 0 0 0

Be sure to transfer these totals to the Summary page (Form 300A) before you post it.

Public reporting burden for this collection of information is estimated to average 14 minutes per response, including time to review the instruction, search and gather the data needed, and complete and review the collection of information. Persons are not required to respond to the collection of information unless it displays a currently valid OMB control number. If you have any comments about these estimates or any aspects of this data collection, contact: US Department of Labor, OSHA Office of Statistics, Room N-3644, 200 Constitution Ave, NW, Washington, DC 20210. Do not send the completed forms to this office.



**Construction Project Staff Experience
Questionnaire**

A. Project Manager

1. Name of Project Manager: Frank Acosta

a. Attach Project Manager's resume.

b. Employed by the Company: 25 years

c. Present position/job function: Vice-President / Senior Project Manager

d. Years in present position/job function: 14 years

e. Prior position with company (if applicable) Field Supervisor

f. Years in prior position/job function: 3 years

g. The Project Manager named above was assigned to the following comparable projects:

	<u>Project Name</u>	<u>Construction Cost</u>
i.	<u>Reconstruction of NW 102nd Place</u>	<u>\$1,067,582.97</u>
ii.	<u>NW 97th Avenue Roadway Improvements</u>	<u>\$1,461,443.93</u>
iii.	<u>Caribbean Blvd Improvements</u>	<u>\$7,296,838.57</u>

h. The Project Manager named above worked on the following projects for which Project Data Sheets are submitted: (Note: If the designated Project Manager did not work in this capacity on at least two (2) comparable projects for which Project Data Sheets were submitted, provide a Project Data Sheet for two (2) of the projects listed A.1.g above.

i. Roadway Improvements to NW 7th Street

ii. 14th Avenue (Broward Mobility Hollywood)

iii. Central District Drainage

B. Construction Superintendent

1. Name of Construction Superintendent to be committed to this Project and continuously retained throughout this Project: Sergio Vigoa

a. Attach Construction Superintendent's resume.



- b. Employed by the Company: 18 years
- c. Present position/job function: Field Superintendent
- d. Years in present position/job function: 17 years
- e. Prior position with company (if applicable) Assistant Field Superintendent
- f. Years in prior position/job function: 1 years

g. The Construction Superintendent named above was assigned to the following comparable projects:

	<u>Project Name</u>	<u>Construction Cost</u>
i.	<u>SR 820 (Hollywood Blvd)</u>	<u>\$977,747.65</u>
ii.	<u>Roadway Improvements to NW 7th Street</u>	<u>\$1,716,382.94</u>
iii.	<u>West 16th Avenue</u>	<u>\$735,989.70</u>

h. The Construction Superintendent named above worked on the following projects for which Project Data Sheets are submitted: (Note: If the designated Construction Superintendent did not work in this capacity on at least two (2) comparable projects for which Project Data Sheets were submitted, provide a Project Data Sheet for two (2) of the projects listed A.1.g above.

- i. Reconstruction of NW 102nd Avenue
- ii. Central District Drainage Improvements
- iii. East Sunrise Water Main Improvements

3. Team Members:

Complete Form CQQ, Part 3, Team Member Table, with respect to all employees or members of your company that will be assigned to this Project, their planned responsibilities on the Project, the anticipated percentage of time each will devote to the Project, the person's years of experience in the industry and education experience.



EXPERIENCE

Summary of Experience

Mr. Acosta is part of the third generation of the Acosta family to enter the ATI team. Exposed to the construction industry at an early age, he has nearly 20 years of experience in the construction site and underground utility industry. During his years of education and following he has worked and been exposed to all levels of the company's infrastructure and growth and has operated equipment, personally installed and dived pipes of up to 36" diameter, supervised field personnel and assisted in the management of the day-to-day operations. Currently he serves as the company's V.P. and Senior Project Manager overseeing all company projects.

1998 – Present Acosta Tractors, Inc. Hialeah Gardens, FL

2009 – Present V.P./ Senior Project Manager

Responsible for the management of the company's most complex projects. Duties include developing and monitoring project schedules, procuring project materials, processing/pulling permits, negotiating with and coordinating subcontractors, preparing and submitting shop drawings and other submittals, sending RFI's, communicating with owners or owners' agents, tracking job progress and generating project billings. Additional responsibilities include aiding in any function required to maintain the company's daily operations.

Recent Notable Projects Include:

- SR 820 (Hollywood Blvd.) from City Hall Circle to N. Dixie Hwy. – Florida Department of Transportation
- Reconstruction of NW 102nd Avenue from 138th to 142nd Street Phase 1- City of Hialeah
- NW 92nd Avenue Roadway Construction from NW 25th Street to NW 33rd Street – City of Doral
- People's Transportation Plan Roadway Improvements along NW 87th Avenue from NW 154th Street to NW 186th Street and Installation of 36" Water Main, for Miami Dade County Public Works Dept. JPA with Miami Dade Water and Sewer
- Caribbean Boulevard Improvements GAP #1 from C-100 Bridge to Coral Sea Road, for the Town of Cutler Bay JPA with Miami Dade County
- SW 212th Street Drainage Improvements for the Town of Cutler Bay (APWA Contractor of the Year - Stormwater)
- Caribbean Boulevard Improvements from Coral Sea Road to SW 87th Avenue, for the Town of Cutler Bay JPA with Miami Dade County (APWA Contractor of the Year – Roads & Highways)
- Old Cutler Road Improvements from SW 97th Avenue to SW 87th Avenue, for the Town of Cutler Bay JPA with Miami Dade County (CAACE Category I Project of the Year; APWA Contractor of the Year - Stormwater)
- NW 97th Avenue Roadway Improvements for the City of Doral
- People's Transportation Plan Roadway Improvements Along SW 157th Ave. From SW 136th to SW 120th Street and installation of 36" Force Main, for Miami-Dade County Public Works Dept. JPA with Miami Dade Water & Sewer

2006 – 2009 Field Supervisor

Responsible for supervising approximately 5-10 employees along with monitoring and coordinating field operations for my assigned job. Keeping constant communication with project managers and inspectors. Maintaining daily work logs to ensure that job safety, job quality and job schedule goals are met.

Notable Projects Include:

- Installation of 36-inch Force Main at S.W. 157th Avenue from the North Bank of Canal C-1W to Hammocks Boulevard, for Miami-Dade Water and Sewer
- Roadway Improvements to S.W. 42nd Street from S.W. 152nd Avenue to S.W. 147th Avenue, for Miami-Dade County Public Works Dept.
- Northwest 107th Avenue Roadway Improvements from N.W. 74th Street to N.W. 66th Street, JPA Miami-Dade County Public Works and City of Doral

1998 – 2006 Project Administrator/ Executive Assistant

Duties included but were not limited to:

- Project Managing
- Estimating
- Field Work
- IT Support
- Accounts Receivables/ Payables

EDUCATION

2002 - 2006 <ul style="list-style-type: none">■ B.S., Civil Engineering	Florida International University	Miami, FL
1998 - 2002 <ul style="list-style-type: none">■ High School Diploma	Monsignor Edward Pace High School	Miami, FL

OTHER QUALIFICATIONS

- State of Florida Professional Engineer No. 79132
- CTQP Asphalt Paving Technician - Level 1
- CTQP Asphalt Paving Technician - Level 2
- CTQP QC Manager
- 10-Hour OSHA Construction Safety Training Course

REFERENCES

Alfredo Quintero Jr., EI, CFM, CGC, CCC Director of Public Works Town of Cutler Bay
Aquintero@cutlerbay-fl.gov – 305-234-4262

Gary Ratay, P.E., Kimley-Horn and Associates
Gary.Ratay@kimley-horn.com – 954-535-5112

Rudy de la Torre, Assistant Public Works Director / Chief of Construction
Rudy.DelaTorre@cityofdoral.com– 305-593-6725 Ext. 6002



Summary of Experience

Mr. Vigoa has worked with Acosta Tractors, Inc. for over 14 years as a Field Superintendent with specific emphasis on complex projects in urban environments. His dedication and experience with the installation of underground utilities including sanitary sewer, water mains and storm drainage along with his expertise in roadway reconstruction and other incidental improvements has earned Acosta Tractors, Inc. APWA Contractor of the Year award three years in a row for the Stormwater and Roads & Highways Categories. His open communication with the client and ability to manage urban environment construction has proven to be a great asset to the Acosta Team.

2006 – Present Acosta Tractors, Inc. Hialeah Gardens, FL

2006 – Present Field Superintendent

Directly manage, coordinate, and supervise work being performed on various projects. Duties include scheduling daily operations for various projects and crews. Determine logistical approaches to performing field operations and resolving issues or complications as they arise. Monitor job progress and ensure that job safety, quality, and schedule goals are met. Produce daily production reports. Meet and communicate with inspectors, clients, and client's representatives.

Recent Notable Projects Include:

- T4449 SR 820 (Hollywood Blvd.) from City Hall Circle to N. Dixie Hwy. for the Florida Department of Transportation
- NW 97th Avenue Phase 1 from NW 154th Street to NW 162nd Street for the City of Doral
- Reconstruction of NW 102nd Avenue from 138th to 142nd Street Phase 1, 2, & 3 for City of Hialeah
- Caribbean Boulevard Improvements GAP #1 from C-100 Bridge to Coral Sea Road, for the Town of Cutler Bay JPA with Miami Dade County
- SW 212th Street Drainage Improvements for the Town of Cutler Bay (APWA Contractor of the Year - Stormwater)
- Caribbean Boulevard Improvements from Coral Sea Road to SW 87th Avenue, for the Town of Cutler Bay JPA with Miami Dade County (APWA Contractor of the Year – Roads & Highways)
- Old Cutler Road Improvements from SW 97th Avenue to SW 87th Avenue, for the Town of Cutler Bay JPA with Miami Dade County (CAACE Category I Project of the Year; APWA Contractor of the Year - Stormwater)
- People's Transportation Plan Roadway Improvements Along SW 157th Ave. From SW 136th to SW 120th Street and installation of 36" Force Main, for Miami-Dade County Public Works Dept. JPA with Miami Dade Water & Sewer
- NW 112th Avenue Project for the City of Doral

2005 – 2006 Assistant Field Supervisor

Responsible for assisting the Field Superintendent in supervising the work being performed by company crew at various projects. Coordinated field operations at assigned projects. Performed job site layouts. Met and communicated with inspectors, clients, and client's representatives.

Notable Projects Include:

- East Miramar Infrastructure Improvements Phase 1 North from Miramar Parkway, North to SW 25th Street and from 441 West to SW 62nd Avenue for the City of Miramar
- Veneto Corporate Island at 3600 Red Road Miramar, FL for Remos Building & Development Corp.

2000 – 2005 Shell Lumber Miami, FL

Retailer and Wholesale Distributor of lumber and hardware products

2003 – 2005 Purchasing Manger

- Responsible for maintaining store inventory
- Ordered materials for company stock
- Communicated with over 300 vendors

2002 – 2003 Dispatch Manager

- Coordinated and managed daily deliveries to customers
- Established daily delivery routes
- Ensure timely and accurate deliveries

2000 – 2002 Sales Representative

- Assisted customers in selecting the products that met their needs
- Received and processed new materials
- Participated in inventory counts

EDUCATION

2003 - 2005	Florida International University	Miami, FL
■	Coursework in Computer Science	
2000 - 2003	Miami Dade College	Miami, FL
■	Associates Degree in Computer Science	
1996 - 2000	Killian Senior High School	Miami, FL
■	High School Diploma	

OTHER QUALIFICATIONS

- OSHA 30 Hour Construction Course
- CPR/AED Certified
- First Aid Certified

REFERENCES

Alfredo Quintero Jr., El, CFM, CGC, CCC Director of Public Works Town of Cutler Bay
Aquintero@cutlerbay-fl.gov – 305-234-4262

Gary Ratay, P.E., Kimley-Horn and Associates
Gary.Ratay@kimley-horn.com – 954-535-5112

Jose Sanchez, City of Hialeah Public Works Director
josanchez@hialeahfl.gov – 305-687-2611



Experience of Proposer Questionnaire

On the follow pages, the Proposer shall provide the information indicated for three (3), but no more than five (5) separate and verifiable project references, from organizations other than the Town of Miami Lakes, demonstrating the successful completion of at least three (3) drainage improvement projects within the last five (5) years, where the value of each project exceeded \$2,000,000 to meet the minimum requirements of this solicitation. The same reference may not be listed for more than one (1) organization and confidential references shall not be included.

References that are listed as subcontractors in the response will not be accepted as references under this solicitation. Entities having an affiliation with the Proposer (i.e. currently parent, subsidiary having common ownership, having common directors, officers or agents or sharing profits or liabilities) will not be accepted as references under this solicitation.

The Procurement Department will attempt to contact the references provided by the Proposer to complete the Evaluation Questionnaire for references. The total number of references contacted to complete an Evaluation Questionnaire for Past Performance for any response will be at least three (3), but no more than five (5). References should be available for contact during normal business hours, 9:00 AM – 5:00 PM, Eastern Time. The Department will attempt to contact each reference by telephone no less than two times. References will be given seven (7) business days to confirm Proposer’s performance in order to be considered a “verified reference.” In the event the contact person indicated cannot be reached following four attempts or is unwilling to provide the requested information, the reference will be considered “unverified” for purposes of this RFP. It is the Proposer’s responsibility to provide complete and accurate information for each reference, the Procurement Department will not correct incorrectly supplied information. No claim of lack of information or error will relieve Proposer of this responsibility.

Procurement reserves the right to contact references other than those identified by the Proposer to obtain additional information regarding past performance. Any information obtained as a result of such contact may be used to determine whether or not the Proposer is a “responsible vendor”, as defined in section 287.012(25), Florida Statutes, as may be amended from time to time.



Vendor Reference Form

Reference #1 (required)

Proposer's Name: Acosta Tractors, Inc.

Reference's Name: City of Hialeah

Address: 900 East 56th Street Hialeah, FL 33013

Primary Contact Person: Jose Sanchez

Alternate Contact Person: Augusto Morales

Primary Phone Number: 305-687-2611 Alternate Phone Number: 786-815-9860

Contract Performance Period: 12/2019 - 06/2021

Project Value: \$1,067,582.97

Location of Services: NW 102nd Avenue from 142nd Street to 145th Place Hialeah, FL

Brief description of the services performed for this reference:

Roadway Improvements including excavation, paving, drainage, concrete, striping, and electrical

FOR OFFICIAL USE ONLY

<input type="checkbox"/> Attempt 1	_____	<input type="checkbox"/>	<input type="checkbox"/>
	Time and Date	Message Left	Verified
<input type="checkbox"/> Attempt 2	_____	<input type="checkbox"/>	<input type="checkbox"/>
	Time and Date	Message Left	Verified
<input type="checkbox"/> Attempt 3	_____	<input type="checkbox"/>	<input type="checkbox"/>
	Time and Date	Message Left	Verified



Vendor Reference Form

Reference #2 (required)

Proposer's Name: Acosta Tractors, Inc.

Reference's Name: City of Florida City

Address: 404 West Palm Drive Florida City, FL 33034

Primary Contact Person: John Ward

Alternate Contact Person: _____

Primary Phone Number: 305-247-8221 **Alternate Phone Number:** _____

Contract Performance Period: Current

Project Value: \$8,503,088.23

Location of Services: Various Locations (Major Int. SW 328th Street & NW 6th Avenue) Florida City

Brief description of the services performed for this reference:

Roadway Improvements including excavation, paving, drainage, concrete, landscaping, striping,

FOR OFFICIAL USE ONLY

<input type="checkbox"/> Attempt 1	_____	<input type="checkbox"/>	<input type="checkbox"/>
	Time and Date	Message Left	Verified
<input type="checkbox"/> Attempt 2	_____	<input type="checkbox"/>	<input type="checkbox"/>
	Time and Date	Message Left	Verified
<input type="checkbox"/> Attempt 3	_____	<input type="checkbox"/>	<input type="checkbox"/>
	Time and Date	Message Left	Verified



Vendor Reference Form

Reference #3 (required)

Proposer's Name: Acosta Tractors, Inc.

Reference's Name: Miami-Dade Water & Sewer

Address: 111 NW 1st Street Miami, FL 33128

Primary Contact Person: Marcel Osorio

Alternate Contact Person: Miguel Pichardo

Primary Phone Number: 786-552-4354 **Alternate Phone Number:** 786-552-4352

Contract Performance Period: Current

Project Value: \$12,802,729.51

Location of Services: NW/NE 135th Street from NW 7th Avenue to NE 16th Avenue

Brief description of the services performed for this reference:

Furnish and Installation of 36-inch Water Main

FOR OFFICIAL USE ONLY

<input type="checkbox"/> Attempt 1	_____	<input type="checkbox"/>	<input type="checkbox"/>
	Time and Date	Message Left	Verified
<input type="checkbox"/> Attempt 2	_____	<input type="checkbox"/>	<input type="checkbox"/>
	Time and Date	Message Left	Verified
<input type="checkbox"/> Attempt 3	_____	<input type="checkbox"/>	<input type="checkbox"/>
	Time and Date	Message Left	Verified



Vendor Reference Form

Reference #1 (required)

Proposer's Name: Acosta Tractors, Inc.

Reference's Name: State of Florida Department of Transportation

Address: 605 Suwannee Street Tallahassee, FL 32399

Primary Contact Person: Erik Nemati

Alternate Contact Person: Wailiam Grey

Primary Phone Number: 954-299-6441 **Alternate Phone Number:** 954-940-7511

Contract Performance Period: 2017-2019

Project Value: \$8,240,877.18

Location of Services: SR 820 (Hollywood Blvd) from City Hall Circle Easterly .541 Miles to N. Dixie Hwy.

Brief description of the services performed for this reference:

Milling and Resurfacing, Sidewalks, Drainage Improvements including French Drain,

Signing and Pavement Markings, Lighting, Signalization with Mast Arms

FOR OFFICIAL USE ONLY

<input type="checkbox"/> Attempt 1	_____	<input type="checkbox"/>	<input type="checkbox"/>
	Time and Date	Message Left	Verified
<input type="checkbox"/> Attempt 2	_____	<input type="checkbox"/>	<input type="checkbox"/>
	Time and Date	Message Left	Verified
<input type="checkbox"/> Attempt 3	_____	<input type="checkbox"/>	<input type="checkbox"/>
	Time and Date	Message Left	Verified

4a. Project Approach and Work Plan

In today's competitive construction industry many methodologies exist; however, at Acosta Tractor's, Inc. (ATI) our approach to successfully construct a project commences early on during the bidding/estimating process. ATI specifically approaches each project with an individualized and in depth analysis of the project and its particular scope of work in order to find the best balance of cost, efficiency, constructability and function while keeping in mind the common goal of providing the Owner with a quality product in accordance with the construction drawings and specifications on time and within budget.

Upon receipt of Notice of Award and prior to the commencement of the project, Acosta will hold an in-house pre-construction meeting with Key Personnel (Project Manager, Project Supervisor, Estimator & Contracts Administrator) and Principle in charge to conduct an in-depth review of the project estimate, sequence of construction, material procurement and project buy out. This dedicated Project Team will handle the coordination and initiation of the proposed work which includes but is not limited to:

- Verification of Project Schedule
- Identification & expediting long lead items
- Expediting project purchasing & buyouts
- Setup & verify project record keeping, accounting & billing schedules

Project Supervision will be directly supervised by Mr. Sergio Vigoa has over 10 years of experience in the construction industry. Mr. Vigoa will monitor and schedule all field operations and will serve as the on-site QA/QC Supervisor who will maintain project schedules, job safety, job quality, coordinate material deliveries & schedule inspections in conjunction with his dedicated project management team.

Project Management will be directly managed by Mr. Frank Acosta, E.I. who has over 10 years of experience in the construction industry. Mr. Acosta will be responsible for the management of the project which includes developing and monitoring project schedules, procuring project materials, processing/pulling permits, negotiating with and coordinating subcontractors, preparing and submitting shop drawings and other submittals, sending RFI's, communicating with owners or owners' agents, tracking job progress and generating project billings.

ATI will create a Critical Path Method Schedule in which it will identify the various project activities along with their respective durations based on the established production rates used by ATI during the bid process. Said schedule will also be used as a tool to identify material production sequence inclusive of deliveries and installations. Weekly internal progress meetings will be held where the schedule will be discussed and any changes that are identified or arise will be updated and reflected in the schedule and reviewed against the baseline schedule to identify potential impacts. These impacts will then be discussed with the owner as required, ATI project team and subcontractors to provide possible solutions to minimize and/or eliminate the impacts in order to deliver a successful project on time and within budget.

ATI uses and employs the accounting method based on percentage of completion as identified and recognized by the Generally Accepted Accounting Principles of the USA. In conformance with this method ATI has developed and will use a series of internal spreadsheets which will track daily production on a month to month basis. Depending on the monthly billing cut-offs established by the Owner the daily production log will be modified to meet the cut-off dates provided and/or agreed with the owner and said spreadsheet will track and provide total quantities and production for each individual cut-off period. The total quantities produced for each cut-off period will be used to generate the monthly billings to the owner which will follow either the Owner provided billing format or the AIA industry standard format.

4b. Project Approach and Work Plan

Permit Required	Project Component	Permitting Entity
*Miami Dade County DERM Class II Permit	Drainage Installation	Miami Dade County DERM

***NOTE:** Permits denoted with an asterisk indicates that this permitting is to take place during the design phase in coordination with the permitting agencies which have jurisdiction over the areas being affected by the proposed scope of work. Typically construction signed and sealed plans are submitted to each agency and permits are applied on behalf of the owner by the Engineer of Record.

4c. Project Approach and Work Plan

ATI foresees that the typical difficulties or challenges may arise as a result of differing/unforeseen utility conflicts. ATI will handle each conflict on a case by case basis by identifying the conflict and providing detailed information in the form of a Request for Information (RFI) to the Town or Town's representative. ATI will need the Town's assistance and cooperation in providing a quick turn around and response on submitted RFI's within the timeframe specified.

In general, ATI will develop and implement the required maintenance of traffic (MOT) plans in order to secure and manage a safe work zone for the general public as well as the onsite construction workers. MOT plans will be prepared by a Certified Traffic Control Supervisor with particular emphasis while maintaining conformance with the applicable FDOT Design Standards Index 600, Federal Highway Administration and MUTCD Standards. Each plan will be submitted to the Town for review and approval prior to installation. Once approved, the MOT plan will be implemented and ATI will inspect every morning prior to commencement of work and every evening before leaving the work site that the site is secure and the MOT is complete and up and that no signs are disturbed. ATI will maintain an open and constant communication with the Town and its inspection staff to maintain and coordinate daily access as allowed by the scope of work and particular construction activity taking place while conforming to the construction standards mentioned herein.

4d. Project Approach and Work Plan

Why choose Acosta Tractors, Inc.?

Established in 1973, Acosta Tractors, Inc. (ATI) has over 40 plus years of experience in the construction industry. Over those years, ATI has progressed from a minor roadway construction company to a company that offers owner's and developer's complete site, roadway and underground infrastructure development. There are three major components that make ATI a successful asset and qualified contractor: 1) a dedicated and qualified upper management and project management team, 2) an experienced and safety oriented staff and 3) a heavy construction equipment asset base. When combined, Acosta Tractors, Inc. has the qualifications to perform and complete projects effectively and on time under the guidelines mandated.

At ATI, our dedicated and experienced construction team strives to provide project owner's with an uncompromising level of performance by pre-planning and pre-coordinating the different aspects of construction with the project owner and chosen subcontractors and suppliers. We believe that open and honest communication is the key to success and through our years in the construction industry ATI has established long lasting relationships with subcontractors and suppliers to guarantee just that. Our project team will communicate and deal directly with upper management of subcontractors and supplier to ensure the finest level of service and personalized attention to this project.

In addition to the above, through our level of service and expertise, ATI has completed projects with many Miami-Dade and Broward county municipalities, Miami-Dade Water and Sewer Department, and Miami-Dade DERM, FEMA and FDOT and has earned and established a bonding capacity for workloads of up to 60 million dollars. We at Acosta Tractors, Inc. are confident that our years of experience combined with our heavy construction equipment asset base and open communication approach will bring together the right team to ultimately satisfy the Town and deliver a successful and quality project.

4e. Project Approach and Work Plan

At this time, ATI has not noted any concerns in our review of the plans and specifications included as part of the RFP.

4f. Project Approach and Work Plan

Request for Information ("RFI") and Shop Drawings

ATI has established in house procedures for generating, providing and tracking RFI's and shop drawing submittals to the project owner. Our process for RFI's consist of a standardized company wide used template in which conflicts, issues and questions are submitted to the owner with detailed information along with possible recommendations for a solution. In this form ATI also indicates the timeframe in which an answer is needed in order to not affect the project schedule. Additionally, with the use of today's technology, ATI's field supervising staff is equipped with technology that provides our office with real time communication from the field back to the office. The use and incorporation of such technology allows ATI to immediately document and identify field conflicts and questions to quickly generate the RFI for submission to the Owner or its representative. The attached sample RFI log used by ATI is reviewed weekly prior to each in house progress meeting and open items are discussed and resolution is sought from the owner. Prior to each progress meeting with the Owner or its representative ATI project management staff is trained to review the log and bring up and discuss open and pending RFI responses so that all parties can address as quickly and efficiently as possible to avoid impacts to the CPM Schedule. (See attached (2) example ATI RFI Logs as requested)

Upon receipt of the Notice of Award ATI commences the procurement process which consists of gathering shop drawings submittals from suppliers and subcontractors. Through its subcontract agreements ATI provides suppliers and subcontractors a specific timeframe in which to supply shop drawings. Upon receipt, shop drawings are reviewed by ATI project management staff to verify conformance with the project plans, specifications and industry standards. Upon completion of verification, a cover sheet is created for each package which contains submittal type, submittal no., submittal description and ATI review stamp. Completed packaged are submitted to the Owner for final review and approval. Time of submittal delivery to Owner is logged for follow-up at each subsequent progress meeting.

REQUEST FOR INFORMATION (RFI) LOG



PROJECT NAME:	36-Inch DI Water Main Along NW/NE 135th Street
PROJECT NO.:	WH-947
ATI PROJECT NO.:	2020-4
ENGINEER OF RECORD:	APCTE

RFI LOG

RFI NO.	Description	Date to EOR	Date Answered	Additional Cost or Time?	Resulted in ATI CO No.	Comments
001	Additional 36" fittings required	8/21/2020	9/1/2020	No		(2) Fittings @ Directional Drill Okay but County needs more info re: other 2 fittings on P-9
001-S	Supplemental - info from American Pipe Lay Schedule	9/1/2020	-	no		Progress meeting 1/27/21 County asked me to re-send this-never received.
001-R1	Re-sent information from supplemental above never received by County.	1/27/2021		No		
002	Contamination area potentially enlarged.	10/7/2020	10/8/2020	No		No contaminants unless dewatering occurs per Erik S.
003	HASP for Contaminatd areas	11/20/2020	11/24/2020	No		Prime can hire CIH/Env Eng for HASP using Dedicated Allowance, Bid Item 36
004	Discrepancy for Dive Team Requirement from Safety	12/21/2020		Yes		WASD is requiring 5 man dive team. Mike McDonald disputes the requirement. Specs say 3 man minimum.
005	24" Butterfly Valve STA 201+29.30	1/7/2021	1/11/2021	Yes		WASD sent directive to connect with sleeve. Sent email back regarding testing against extg valves.
006	Multiple 2-inch conduit conflicts @ STA 202+08	1/22/2021	1/27/2021	Yes		Per Arnelio: Shift wm alignment 5' north from STA 202+00 to 205+50 and then follow design. Could also coordinate relocation of extg conduit (traffic signal). A plan revision will be submitted if required.
007	Message Board provided during entire project	1/25/2021	1/25/2021	No		Not necessary for MDWASD work - only FDOT work
008	Need to close northbound off-ramp from I-95 to work at night on 2nd offset NW 6 Avenue	1/27/2021	2/1/2021	No		Sent drawing
009	Prop. Deflection of Pipe @ STA 204+06 & alteration of restrained length	1/28/2021	2/1/2021	No		Sent drawing
010	Conflicts coming into NW 6 Ave not on plans and not located	2/1/2021	No Answer	Yes		Sent Notice to claim and Reservation of right to claim

REQUEST FOR INFORMATION (RFI) LOG



PROJECT NAME:	36-Inch DI Water Main Along NW/NE 135th Street
PROJECT NO.:	WH-947
ATI PROJECT NO.:	2020-4
ENGINEER OF RECORD:	APCTE

RFI LOG

RFI NO.	Description	Date to EOR	Date Answered	Additional Cost or Time?	Resulted in ATI CO No.	Comments
011	Shift BV and BO 40' west for safety purposes	2/10/2021	2/11/2021	No		We can move - won't impact design
012	MOT issues MD County PW said we not correct	2/15/2021	2/17/2021	No		
013	Sewer conflict at NW 5 Avenue - need new offset for conflicts	2/17/2021	2/19/2021	No		
014	Restraint Length Requirement	3/3/2021	3/3/2021	No		
015	10" FM in north Lane - in conflict with 36" DIP Proposed	3/10/2021	3/11/2021	No		
016	Offset NW 1st Court Mod	3/12/2021	3/17/2021	No		
017	Blind Junction Box encountered at STA 222+12	3/16/2021	3/16/2021	Yes	3	Process Drainage Structure - Change Order No. 3
018	4" Steel Pipe Conflict with MH Box	3/23/2021	3/29/2021	Yes		Delay from County giving us directive, had to remove fitting and cut back pipe
019	Off-set going over 48" FM	4/2/2021	4/5/2021	No		
020	Permanent Asphalt Restoration	4/13/2021	4/14/2021	Yes		Changed Condition. Sent notice to claim and reservation of rights
021	HDPE Low Pressure Test above ground	4/15/2021	4/15/2021	No		
022	Horizontal Off-set STA 24+00	4/30/2021	5/4/2021	No		Permitting deflection in lieu of fittings

REQUEST FOR INFORMATION (RFI) LOG



PROJECT NAME:	36-Inch DI Water Main Along NW/NE 135th Street
PROJECT NO.:	WH-947
ATI PROJECT NO.:	2020-4
ENGINEER OF RECORD:	APCTE

RFI LOG

RFI NO.	Description	Date to EOR	Date Answered	Additional Cost or Time?	Resulted in ATI CO No.	Comments
023	Deficient Road Sub Structure	5/10/2021	7/22/2021	Yes		
Suppl 1	We are experiencing same conditions on east side of canal - request direction	7/13/2021	7/22/2021	Yes		
Suppl 2	Proposed solution based on meeting in field and meeting at APCTE	8/5/2021	8/11/2021	Yes		Approved by Arnelio
024	Drainage Structure S-3 - no special details as indicated	5/11/2021	5/21/2021	No		Match extg inlet dimensions - not std size, special details Note 1, sheet 61
025	Summary of Quantities , missing concrete items	5/11/2021	5/19/2021	No		Could not find some items in Summ of Qty
026	Drainage conflict 24" RCP	5/13/2021	5/14/2021	Yes		Permission granted to temporarily remove RCP to allow us to shore properly to lay 36" DIP
027	ATI conflict in North Miami Ave Intersection - Cannot be located	5/21/2021	No Answer	Yes		No response from WASD or FDOT-We asked Lauro to locate for us and he found it 12-1/2' deep (bored)
028	Revisions to FDOT Pay Items	5/24/2021	6/4/2021	No		Levi needs to send changed quantities to Marcel and bill from Contingency
029	Clarifications -Type D NE 2 AVE does not make sense.	6/9/2021	9/30/2021	No		New plan sheet was sent
030	4" conc sidewalk and light pole too low	6/2/2021	6/28/2021	no		Keep extg elevations and pour as 4" since let prior to 2018. Use Index 515, Aplicaiton A 11 w/max conn w of 12'. Pour concrete even tho no access to wires at base!!!
031	15" RCP found-appears abandoned - not on plans	6/3/2021	6/4/2021	No		We cut it out of way, mudded up both sides and continued to lay 36" pipe.
032	Encountered buried conc slab on eastern tip of large median at NW 2 Ave and 135th Street w/void under	6/8/2021	6/23/2021	Yes		Remv 8" strip of conc for D curb, fill voids and plug and if rest does not interfere with new conc, remain in place. Sent Suppl 1 in response w/more questions.

REQUEST FOR INFORMATION (RFI) LOG



PROJECT NAME:	36-Inch DI Water Main Along NW/NE 135th Street
PROJECT NO.:	WH-947
ATI PROJECT NO.:	2020-4
ENGINEER OF RECORD:	APCTE

RFI LOG

RFI NO.	Description	Date to EOR	Date Answered	Additional Cost or Time?	Resulted in ATI CO No.	Comments
Suppl 1	See comment above - sent that as Suppl 1	6/28/2021	7/6/2021	Yes		Add Embankment and concrete CY removal in Pay App #5
033	Seeking permission to set BV and Tangential BO closer to keep in trench box due to soil conditions	6/8/2021	6/8/2021	No		Permission granted.
034	NE 3 Ct Off-set	6/24/2021	7/12/2021	No		Permission given but need to meet criteria fo DOH and get extg utilities at no extra charge to County
Suppl 1	6" WM Discovered in proposed path of 36" DIP	7/21/2021	NM moved	N/A		
Suppl 2	Sent info of distance between Drainage pipe and EOP	8/11/2021	Informational	N/A		Need new plans drawn P-15 thru P-18
035	NW corner of N Mia Ave has 2 pull boxes in HC transition ramp	6/23/2021	6/28/2021	Yes		both are new and can be moved - sending suppl because the pull box to south cannot be moved without re-wiring.
Suppl 1	See comment above - sent that as Suppl 1	6/28/2021	7/16/2021	No		Move one pull box that can be moved and leave one that can't without addl money in place
036	Installation of Section 6, push back BV on the west side farther east (+/- STA 65+00) and the BV to the east farther west.	6/25/2021	8/13/2021	No		
037	Force Majeure issues with escalating material costs due to pandemic	7/2/2021	7/15/2021	Yes		Original RFI Denied and then reconsidered when we wanted who to contact at FDOT
Pending	Send Erik infor on Force Majeure for FDOT review	7/15/2021				
038	Want to swap tangential and valve on east side of canal so we can fit them in same trench box	7/7/2021		No		Got verbal yes from Arnelio
039	Requested arrow on traffic lights at NE 6 Ave intersection be covered to help traffic flow	7/22/2021	7/27/2021	No		

REQUEST FOR INFORMATION (RFI) LOG



PROJECT NAME:	36-Inch DI Water Main Along NW/NE 135th Street
PROJECT NO.:	WH-947
ATI PROJECT NO.:	2020-4
ENGINEER OF RECORD:	APCTE

RFI LOG

RFI NO.	Description	Date to EOR	Date Answered	Additional Cost or Time?	Resulted in ATI CO No.	Comments
040	No pipe restraints shown for NE 7 Avenue	7/26/2021	7/26/2021	No		70 LF restraint each side of the 36" 22.5 bend
041	Pull Boxes in NE 1 Ave and NE Miami Court	7/28/2021	8/11/2021	No		
Suppl 1	More pull boxes in HC Ramps NE 7 Ave	8/4/2021	8/11/2021	no		
Suppl 2	More pull boxes in HC Ramps NE 9 Ave	8/11/2021	8/11/2021	No		
042	Traffic Monitoring Items.	8/11/2021	9/16/2021	No		Revised by Addendum prior to bid time and did not have the right plan sheets.
043	NE 9 Ave Conflicts-discovered 4" bore not on plans and not marked	8/24/2021	No Answer	No		
044	Are we going to need more Viton Gaskets - 6-8 week lead time	9/1/2021	9/2/2021	No		No more Viton gaskets required.
045	Verify protocol to activate dedicated allowance for CIH testing, etc.	9/3/2021	10/29/2021	Yes		no straight answer. Getting proposal from ENG and will forward to them. See S-075
045 S-1	Contamination beyond STA 90+00	9/9/2021	10/29/2021	Yes		no straight answer. Getting proposal from ENG and will forward to
045 S-2	Contamination beyond STA 90+00	11/2/2021	11/10/2021	Yes		See email 11/2/21
046	Bridge Tack vs Type H Epoxy	10/4/2021	12/3/2021	No		
047	Conduit to Ped Pole on NW 2 Ave missing	10/5/2021	11/3/2021	Yes		Bore - Add LF to R&D Contract & Pay Item
048	48" x 36" Tapping Sleeve	10/7/2021	10/12/2021	Yes		WASD Okay with our proposal but would need additional 36" BV (which is approximately 6-8 months)
049	Information required for tap	10/7/2021	10/19/2021	No		

REQUEST FOR INFORMATION (RFI) LOG



PROJECT NAME:	36-Inch DI Water Main Along NW/NE 135th Street
PROJECT NO.:	WH-947
ATI PROJECT NO.:	2020-4
ENGINEER OF RECORD:	APCTE

RFI LOG

RFI NO.	Description	Date to EOR	Date Answered	Additional Cost or Time?	Resulted in ATI CO No.	Comments
050	Utility Conflicts NE 12 Ave - 16 Ave	10/20/2021	11/3/2021	N/A		Response rejected - no direction given -
050 S-1	Additional data regarding locates	10/20/2021	11/3/2021	No		Incomplete response - WASD requested \$\$ for lighting
051	Sidewalk Conditions (NE 6 Ave - Dixie Hwy)	10/25/2021	11/3/2021	Yes		Make sure we verify add'l quantity for pay items
052	Pull Boxes - Summary of Quantities	11/2/2021	2/18/2022	No		
053	NE 9 Ave HC Ramp in Resident Driveway	11/2/2021	11/2/2021	Yes		Sergio verbally called Levi on Monday (LSR on vacation)
054	Roadway Plans difer from Signalization plans	11/4/2021	2/18/2022	No		
055	Permission to use Pay Item 36 for testing	11/9/2021	11/10/2021	Yes		email 11/10/21
056	Contamination STA 90 to 93	11/5/2021	11/10/2021	Yes		email 11/10/21
057	NE 16 Ave Soft Dig results	11/5/2021	No Response	Yes		WASD acknowledged they are working on it.
058	Pole embedded in concret	11/11/2021	11/12/2021	No		Move pole
059	100LF of Curb and Sidewalk	11/29/2021	2/2/2022	No		
060	Ramp at SE corner NE 2 Ave - Elevations don't work	11/29/2021	2/2/2022	No		Plan revision resulted
061	Pull Boxes at NE 9 Ave	12/1/2021	2/2/2022	No		Originally asked in RFI 054 with 4 different intersections
062	Scabbing at STA 17+50 to 18+50	12/7/2021	12/7/2021	No		ATI must fix-part of trench restor from 36" WM Install
063	Bus Stop Pad at NW 6 Ave	12/9/2021	2/18/2022	yes		The slope @ plan location is 3%, recommend move 80' east
064	18" RCP STA 47+00-Unknown, unmarked Dr Pipe	12/15/2021	12/16/2021	no		See below.
064R1	Corrections & additional information provided	12/16/2021	12/16/2021	no		Either install conflict MH or offset with fittings and thrust blocks on already installed pipe.
065	Guardrail end Treatment	1/18/2022	1/27/2022	NO		No end treatments, use end unit panels on each side.
066	Flush at STA 107+50	1/31/2022	2/1/2022	Yes		We can proceed with plan
067	ARV at NE 3 Court-go over 18" RCP	2/24/2022	3/10/2022	No		Did not receive until 3/10/22
068	Sewer conflict STA 110 - over San, under RCP	2/24/2022	2/24/2022	No		proceed.

REQUEST FOR INFORMATION (RFI) LOG



PROJECT NAME: Florida City Roadway Improvements

PROJECT NO.: 215614728

ATI PROJECT NO.: 2022-5

ENGINEER OF RECORD: Carlos M Herdocia

RFI LOG

RFI NO.	Description	Date to EOR	Date Answered	Additional Cost?	Resulted in ATI CO No.	Comments
001	Pipe Size between S-17 and S-18, Segment 2 conflicting - NW 4th Avenue	7/6/2022	7/25/2022	No		It should be 15" HDPE
002	Drainage profile not shown on Plan sheet C-22, Segment 2 - NW 6 Ave	7/6/2022	7/25/2022	No		Sent revised plan put in Plan Grid and Bid Set
003	Excess Fill belongs to Owner - where to take it?	7/7/2022	8/10/2022	Yes		City does not have a location to accept excess fill at this time.
004	Regular Excavation qty from cross section are incorrect.	7/7/2022	8/10/2022	Yes	Over-run pay items	Mistake made on Segment 1, 2 and 3. 4,243 CY over run
005	Drainage structure labels not shown on C-04 (Segment 4) - NW 8th Street	8/1/2022	8/1/2022	No		new revised plan sheet was sent
006	Segment 1: Drainage pipe size and length discrepancies - NW 5th Avenue	8/10/2022	8/10/2022	No		Plan view size is correct: 24" #32-#71; 18" #32 to #73 (during submittal process these pipes were both reduced to 15"!!!)
007	Segment 4: P7-T MH on NW 8 th Street not on bid form.	8/17/2022	10/7/2022	Yes	Over-run pay items	Over-run items
008	Segment 2: NW 4 Ave - Fence mentioned on plan is actually retaining wall	8/30/2022	10/7/2022	No		Moved S-24 to center of road
009	Segment 1: Manhole un-numbered C-36 & C-49, NW 5 Court	8/31/2022	10/7/2022	No		Sent revised plan sheets 36 and 49 for Segment 1
010	Segment 1: NW 5 Ave - pipe sizes revised, new plan sheets requested	9/6/2022	9/8/2022	Yes	Over-run pay items	Received revised sheets
011	Segment 2: NW 6 Ave - pipe sizes revised, new plan sheets requested	9/6/2022	9/8/2022	Yes	Over-run pay items	Received revised sheets
012	Segment 2: Retaining wall upper left hand corner of sheet C-21. Requesting details	10/21/2022	10/25/2022	No		Retaining Wall not necessary - error.

REQUEST FOR INFORMATION (RFI) LOG



PROJECT NAME: Florida City Roadway Improvements

PROJECT NO.: 215614728

ATI PROJECT NO.: 2022-5

ENGINEER OF RECORD: Carlos M Herdocia

RFI LOG

RFI NO.	Description	Date to EOR	Date Answered	Additional Cost?	Resulted in ATI CO No.	Comments
013	All Segments: Plan sheet numbering is incorrect	10/21/2022				
014	Segment 2: Poles to be removed NW 6 Ave by Contractor	10/24/2022	10/27/2022	No		Coordinate with Utility Company
015	Segment 2: Poles to be removed by FPL NW 4 Ave	10/24/2022	10/27/2022	No		Coordinate with Utility Company
016	Segment 2 Conn to Drainage Structures on NW 6th Ave to other Segments	10/26/2022	10/27/2022	Yes	1	Remove pipe from S-46 to 8th Street, Core Drill S-59 and remove pipe from S-66
017	Segment 2 - Move Extg FH 3' behind Curb	10/27/2022	10/27/2022	No		Coordinate with MD-WASD to relocate
018	All Segments - EX CB to be Removed - is there pipe and does pipe need to be removed?	10/27/2022	10/27/2022	No		Pipes need to be plugged in place
019	All Segments Utilities to be moved	11/2/2022				
020	Segment 2- S-40 on NW 6 Ave is in the middle of a driveway and sidewalk not 6"	11/7/2022	11/9/2022	No		All three structures were moved +/- 20' to the south to avoid the driveway. Revised Drainage - waiting for rev to sidewalk
021	Segment 2 Pipe run S-33 to S-34	12/6/2022	12/6/2022	No		
022	Conc Driveway and Bus Stop	12/16/2022	12/16/2022	Yes	Over-run pay items	This will increase pay items
023	Harmonization of Conc Drives	12/21/2022	12/22/2022	Yes		Use slope permissible from FDOT Index 522-003
024	Plan does not indicate driveway for resident at 1521 NW 6 Ave - P-6 already installed	1/11/2023	1/12/2023	Yes		Modify Top of S-38 to Driveway Curb Inlet (P-11)

REQUEST FOR INFORMATION (RFI) LOG



PROJECT NAME: Florida City Roadway Improvements


PROJECT NO.: 215614728

ATI PROJECT NO.: 2022-5


ENGINEER OF RECORD: Carlos M Herdocia

RFI LOG

RFI NO.	Description	Date to EOR	Date Answered	Additional Cost?	Resulted in ATI CO No.	Comments
025	San MH STA 26+70	2/2/2023	2/2/2023	Yes	CO 4	Remove corbel from Sanitary MH and Install Top slab. FG of San MH too high with corbel.
026	Segment 2, NW 6 Ave, WM and Sewer conflicts	2/6/2023	2/6/2023	No		Move S-15 5' north and delete pipe between S-13 and S-15
027	Slab covered trench discovered NW 6 Ave	2/8/2023	2/8/2023	YES	CO 7	
028	Double 60-inch Culverts on NW 6 Ave-conflict	4/13/2023	4/13/2023	Yes	CO 10	Approved
029	FE Discrepancy 10 & 12 ST and NW 6 Ave	4/14/2023	4/19/2023	No		Still pending Cross Section/Excavation updates
030	FE Discrepancy 12 St & 5th Court	4/20/2023	4/20/2023	No		Still pending Cross Section/Excavation updates
031	Slab Covered Trench discovered NW 6 Ave-S-01 inlet	4/24/2023	4/24/2023	Yes		Proceed with Change Order No. 11
032	NW 4 Ave Conflict S-13	5/12/2023	5/12/2023	Yes		Maybe exploratory? Watch Daily Reports
033	Reconcile FE on Avenues/Street Connections All segments	5/12/2023				Pending response
034	Cross Sections for NW 6 Ave Correction	5/12/2023				Pending response
035	All Segments: Stub outs to Str w/no drainage	5/18/2023	5/18/2023			
036	Interference from City of Florida City	5/22/2023	Field mtg	Yes		Repair damage to rock base
037	Seg 4 - 12th St sidewalk elevations on No side	5/25/2023	5/26/2023			
038	Segment 2 - S-19 on 4th Ave & 15th St move 7' E	6/19/2023	6/19/2023			
039	Segment 4 - 12 St Drive on S Side for church pitch	6/16/2023	6/16/2023	No		



Town of Miami Lakes Commerce Way Drainage	Task		Summary		Rolled Up Progress		Group By Summary	
	Critical Task		Rolled Up Task		Split		Deadline	
	Progress		Rolled Up Critical Task		External Tasks			
	Milestone		Rolled Up Milestone		Project Summary			



Town of Miami Lakes Commerce Way Drainage	Task		Summary		Rolled Up Progress		Group By Summary	
	Critical Task		Rolled Up Task		Split		Deadline	
	Progress		Rolled Up Critical Task		External Tasks			
	Milestone		Rolled Up Milestone		Project Summary			

Town of Miami Lakes
Commerce Way Drainage Improvement Project

CPM Project Schedule Logic

I. Pre-Construction Activities

- a. Upon receipt of the Notice of Award from the Town of Miami Lakes, Acosta Tractors, Inc. (ATI) will immediately begin to prepare for the work which will include a thorough review of all vendors and subcontractors needed for the project to ensure that their scope is inclusive and that they are qualified and available for the project.
- b. Within ten (10) days of receiving Contracts from the Town of Miami Lakes, ATI will execute, prepare, and submit the Contract and all required contract documents to the Town.
- c. Immediately upon receipt of fully executed contracts ATI will begin to assemble submittals such as shop drawings for all required materials and equipment.
- d. Additionally, ATI will determine and apply for all pertinent and required permits.

II. Construction

- a. All Residents will be notified at least (3) days, (72) hours, in advance of construction, informing them of when and where work will be taking place.
- b. Safety of both ATI workers and area Residents is a top priority and is given the utmost attention. Carefully considered and safety-conscious Maintenance of Traffic will be provided and maintained throughout the course of the project and will meet all FDOT Standards and MUTCD requirements.
- c. The intent is to begin work on Oak Lane from Montrose Road thru NW 79th Court. The whole job will be divided in sections to ensure adequate detours and ingress and egress for area Residents. ATI will minimize simultaneous road closures and/ complete road closures as much as possible.
- d. Wherever possible, it is ATI's intention to perform all clearing & grubbing, drainage installation, and concrete work in their entirety within a given work area to avoid repeatedly re-visiting work areas and to minimize disturbance to Residents.
- e. Trench restoration will be performed as soon as possible to ensure safe conditions for vehicular and pedestrian traffic.
- f. Asphalt milling and resurfacing will be performed after all utility work is completed and will be followed by painted pavement markings.
- g. Final Thermoplastic Striping will be performed 14 days after asphalt resurfacing has been completed to ensure a maximum quality product. This is considered to be a Punch List Item due to the waiting period that must be observed prior to this work taking place.

III. Project Close Out

- a. Substantial Completion will be reached within 240 days from Notice to Proceed.
- b. Final Completion will be 30 days after Substantial Completion.

ASSUMPTIONS

The following assumptions were made in developing the schedule:

- The Notice of Award will be provided on July
- The Town will process and approve permit applications and issue permits within 30 days of receipt from Contractor
- The Town and Architect/Engineer of Record will review submittals, such as Shop Drawings, RFIs, etc. within ten (10) calendar days (provided)
- The Notice to Proceed will be issued following the approval of submittals & permits.

6. Quality Control

- 1. The following describes the process and procedures that Acosta Tractors, Inc. (ATI) will utilize to maximize quality control, to ensure the work performed is done in accordance with the plans and specifications, to minimize the need for rework and to ensure that the work performed will be accepted by the permitting entity and the Town's representatives:**
 - **ATI will maintain an inspection system to continuously monitor the work being performed to insure conformance with contract specifications. Any indication of deficiencies will result in modifications to correct such deficiencies immediately.**
 - **Mr. Sergio Vigoa will be the Quality Control Manager (QCM) for this project. The QCM will manage the work in accordance with the contract requirements, inspect the work to ensure compliance with the contract requirements, identify any QC issues, and direct corrective actions to rectify any issues identified. Based on his credentials (please refer to his resume), Mr. Vigoa is extremely capable of performing these responsibilities.**
 - **There can be numerous operations occurring simultaneously on the project at a given time, therefore, Mr. Vigoa will assign quality control responsibilities to ATI's supervisory personnel specifically responsible for given operations to ensure that quality is being monitored on a continuous basis. Acosta Tractors Inc. has an experienced and highly professional staff that is accustomed to performing quality control responsibilities.**
 - **The following Quality Control Procedures will be Performed by the QCM:**
 - **Preparatory Phase**
 - a) **Review all contract requirements**
 - b) **Ensure that materials delivered are in accordance with contract requirements**
 - c) **Ensure that necessary submittals and certifications have been obtained**
 - d) **Ensure capability of equipment and personnel to comply with contract requirements**
 - e) **Coordinate underground utility locates and project surveying/layout**
 - **Start-up Phase**
 - a) **Review standards of workmanship with crew foremen**
 - b) **Provide training as deemed necessary**
 - **Production Phase**
 - a) **QCM will conduct intermittent or continuous inspection during construction to identify and correct any deficiencies**
 - b) **Ensure necessary testing is performed at the appropriate times**
 - c) **Inspect completed phases before continuing with subsequent work**
 - d) **Provide feedback and changes necessary to prevent repeated deficiencies**

7. Constructability Issues

1. Upon review of the construction plans and RFP information, ATI does not note any constructability issues in constructing the proposed design.

8. Value Engineering

1. No value engineering or cost savings opportunities have been identified at this time during the review of the plans and specifications.

Subcontractor Utilization Form

REP/ITB No.: 2023-28

Project Title: Commerce Way Drainage Improvements

This form is to be submitted with the Bidder's/Proposer's Submittal. Failure to submit this form with the Submittal may result in the Submittal being rejected as non-responsive or may adversely affect the evaluation of the Submittal. Use additional pages if required. The subcontractor's identified in this Form may not be changed without the prior written approval of the Project Manager. Both Tabs of the Exhibit must be completed. Use additional sheets if necessary.

Name of Business/Tier ¹	Scope of the Work	Years in Business Under Current Name	% of Work	Experience ²	Prior Projects ³	License Information ⁴		Business Certification ⁵
						Type	Number	
H & R Paving, Inc.	Asphalt	47 Years	11 %	No	Yes	Cert. of Comp.	E844	N/A
Jack's Concrete Serv.	Concrete	21 Years	6 %	No	Yes	Gene. License	E-0900579	DBE & SBE-C8R
MTX Highway Solutions Corp.	Striping	2 Years	1 %	No	No	Cert. of Comp.	22BS00021	N/A
			%					
			%					
			%					
			%					

¹ All tiers must be shown, including multiple sub-tiers, if permitted by the Contract. Sub-tiers must be identified with "(ST)" after their name.

² Identify if the company has ever defaulted on a contract or had a contract terminated. Answer yes or no.

³ Identify if the Proposer has previously worked with this company on any projects. Answer yes or no.

⁴ List only those relevant to this Project.


⁵ Must be certified by either Miami-Dade County, State of Florida, or the Federal Government. Identify the type as SBE, GSBE, DBE, etc.



Subcontractor Utilization Form (Qualities)

Name of Person	Title	Name of Company	% of Time Devoted to Project	Years in Industry	Years with Firm	Licenses & Certifications
	Electrical Qualifier					
	Mechanical Qualifier					
	Plumbing Qualifier					
	Roofing Qualifier					
	Low Voltage Qualifier					
Lucrecia Gonzalez	Asphalt Qualifier	H & R Paving, Inc.	100%	47	47	E844
Jack Nunes	Concrete Qualifier	Jack's Concrete Services, Inc.	100%	21	21	E-0900579
Damian Lopez	Striping Qualifier	MTX Highway Solutions Corp.	100%	2	2	22BS00021

Name: Felix Acosta

Signature: 

Note: Add additional qualifiers as applicable.



Experience of Subcontractor Questionnaire

One (1) data sheet must be completed for at least two (2) projects completed by each Subcontractor listed in Form SU, Subcontractor Utilization Form, that is demonstrative of the work type that the Subcontractor will perform for this solicitation. The project must have been completed by present employees, officers, or owners of the Subcontractor that utilized the individual listed in Form SU. Do not use a project performed for the Town of Miami Lakes.

Project Data Sheet

(A separate data sheet is to be used for each project)

- 1. Name of Subcontractor: Jack's Concrete Services, Inc.
- 2. Project Name: Reconstruction of East 6th to East 8th Avenue
- 3. Project Location: East 6th to East 8th Avenue from Hialeah Drive to 5th Street
- 4. Project Title: Reconstruction of East 6th to East 8th Avenue
- 5. Project Number, if applicable: 2011-12-3210-00-038
- 6. Type of Construction: Roadway Construction
(i.e.: New, Renovation, Addition, Repair, Sidewalk/Curb/Gutter, Roadway reconstruction, Roadway resurfacing, Drainage, etc. Use all that apply.)
- 7. Size: (i.e.: Capacity, Tonnage, linear feet, square feet, etc.): 6,338.81 LF
- 8. Scope of Work: Roadway Milling and Resurfacing, Drainage System, Storm Sewers

- 9. Business name that was the Prime Contractor for this project: Acosta Tractors, Inc.
- 10. How is this project similar to the Town's project? Concrete work being performed by subcontractor

- 11. Cost of the work performed by the Subcontractor at time of bid: \$ 176,167.00
- 12. Cost of work performed by the Subcontractor at completion: \$ 135,574.40

- 13. LEED Certification
 - a. Was this a LEED Certified Project: Yes _____ No X
 - b. Minimum LEED Certification required: _____
 - c. LEED Certification obtained: _____

- 14. Describe the sources and/or causes of the above differences in costs with reference to the following categories as determined by written change order, the public entity or the Architect/Engineer of Record (whichever had final authority):
 - a. Errors or omissions: _____ % \$ _____
 - b. Unforeseen/Hidden conditions: _____ % \$ _____
 - c. Owner generated changes: _____ % \$ _____
 - d. Regulatory agency changes: _____ % \$ _____
 - e. Contractor recommended changes: _____ % \$ _____
 - f. Other: _____ % \$ _____

Explain other: _____

15. How many RFIs did your company submit with respect to the plans and specifications for the project? 0

16. What was the primary reasons for the RFIs: N/A

17. What year did the project start construction? 2015

18. What year did the project complete construction? 2015

19. Project Timeframe for completion (number of calendar days):

- a. 30 Project timeframe for subcontract work at start of the project based on the baseline Project Schedule
- b. N/A Formally adjusted completion timeframe for subcontract work based on change orders (if none state N/A)
- c. N/A Timeframe for subcontract work not covered under approved change orders (if none state N/A)
- d. 25 Actual time between issuance of Notice to Proceed and date of completion of the Subcontract work.
- e. 5 Actual time between date for completion of the Subcontract work and actual completion of the Subcontract work
- f. 5 Total number of days between original contract timeframe for completion of the Subcontract work and actual completion of the Subcontract work

20. If completion did not occur within the contract time established for the subcontract work or within the formally adjusted time (as identified in item 17c above, explain the reason(s) for the delay:

N/A

21. Total number of task on the punch list? 0

22. If punch list items were not completed/performed explain the reason(s):

23. Name of the subcontractors Qualifier: Jack Nunes

24. Name of the subcontractors Construction manager : Jack Nunez

25. Total amount of the work self-performed: 100 % \$ 135,674.40

26. Were sub-tier contractor used? Yes: _____ No: X

a. If yes, specify the trade & tier, percentage, and value (add additional pages if necessary)

_____% \$ _____
_____% \$ _____

_____ % \$ _____
_____ % \$ _____

27. Did subcontractor or its sub-tier contractors file any Claims* or Dispute filed on the project? _____

yes _____ no

*A Claim means a demand or assertion by your firm seeking as matter of right, adjustment or interpretation of contract terms, compensation, extension of time or other relief with respect to the terms of the contract or other disputes between the owner and your firm.

28. If a Claim(s) was filed on the project, provide the following details for each Claim*:

- a. Dollar amount for Initial Claim: _____
- b. Source of Claim: (e.g. contractor, subcontractor, supplier, etc.) _____
- c. Method of resolution (e.g. negotiation, mediation, arbitration, litigation): _____
- d. Final amount of Claim settlement: _____

29. If a formal Dispute(s) was filed on the project by the subcontractor or its sub-tier contractors, provide the following details for each Dispute. Identify the reason for the Dispute and the resolution (use additional pages if necessary):

30. Did your company fail/refuse to perform or complete any of work it was obligated to complete?

_____ yes _____ no

If yes, explain what work was not performed/completed and reasons why:

31. Was your company required to perform any work under a directive to proceed pending the resolution of an interpretation of the contract or dispute?

_____ yes _____ no

32. Identify up to four (4) constructability issues encountered by your company on the project and briefly describe how your company resolve each issue:

None

33. Did your company perform any value engineering or other cost savings measures, which improved the quality of the project or saved cost? If yes, provide details and any cost savings.

No

Project Owner's Name: City of Hialeah

Is the Project Owner a public entity? X **yes** no

Contact Name for Project Owner: Jose Sanchez

Contact Name's Title: Engineering Manager

Project Owner's Address: 5601 East 8th Avenue

Project Owner's City, State, and Zip Code: Hialeah, FL 33013

Contact Name's Telephone Number: 305-687-2696

Contact Name's Email Address: josanchez@hialeahfl.gov

Architect/Engineer of Record: R.J. Behar & Company

Architect/Engineer of Record Contact Name: Robert J. Bejar

Architect/Engineer of Record Contact Name's Telephone No. 954-680-7771

Architect/Engineer of Record Contact Name Email Address: rb@rjbehar.com

Experience of Subcontractor Questionnaire

One (1) data sheet must be completed for at least two (2) projects completed by each Subcontractor listed in Form SU, Subcontractor Utilization Form, that is demonstrative of the work type that the Subcontractor will perform for this solicitation. The project must have been completed by present employees, officers, or owners of the Subcontractor that utilized the individual listed in Form SU. Do not use a project performed for the Town of Miami Lakes.

Project Data Sheet

(A separate data sheet is to be used for each project)

1. Name of Subcontractor: Jack's Concrete Services, Inc.
2. Project Name: Roadway Improvements to NW 7th Street
3. Project Location: NW 7th Street from NW 79th Avenue to SR 826
4. Project Title: Roadway Improvements to NW 7th Street
5. Project Number, if applicable: 20190315
6. Type of Construction: Roadway Reconstruction
(i.e.: New, Renovation, Addition, Repair, Sidewalk/Curb/Gutter, Roadway reconstruction, Roadway resurfacing, Drainage, etc. Use all that apply.) 3,931.36 LF Concrete Curb & Gutter
7. Size: (i.e.: Capacity, Tonnage, linear feet, square feet, etc.): 2,194 SY Concrete Sidewalks
8. Scope of Work: Concrete Curb & Gutter, Concrete Sidewalks
9. Business name that was the Prime Contractor for this project: Acosta Tractors, Inc.
10. How is this project similar to the Town's project? Roadway Improvements
11. Cost of the work performed by the Subcontractor at time of bid: \$ 133,842.30
12. Cost of work performed by the Subcontractor at completion: \$ 132,643.65
13. LEED Certification
 - a. Was this a LEED Certified Project: Yes _____ No X
 - b. Minimum LEED Certification required: _____
 - c. LEED Certification obtained: _____
14. Describe the sources and/or causes of the above differences in costs with reference to the following categories as determined by written change order, the public entity or the Architect/Engineer of Record (whichever had final authority):
 - a. Errors or omissions: _____ % \$ _____
 - b. Unforeseen/Hidden conditions: _____ % \$ _____
 - c. Owner generated changes: _____ % \$ _____
 - d. Regulatory agency changes: _____ % \$ _____
 - e. Contractor recommended changes: _____ % \$ _____
 - f. Other: _____ % \$ _____

Explain other: _____

15. How many RFIs did your company submit with respect to the plans and specifications for the project? 0

16. What was the primary reasons for the RFIs: _____

17. What year did the project start construction? 2020

18. What year did the project complete construction? 2021

19. Project Timeframe for completion (number of calendar days):

- a. 268 Project timeframe for subcontract work at start of the project based on the baseline Project Schedule
- b. N/A Formally adjusted completion timeframe for subcontract work based on change orders (if none state N/A)
- c. N/A Timeframe for subcontract work not covered under approved change orders (if none state N/A)
- d. 400 Actual time between issuance of Notice to Proceed and date of completion of the Subcontract work.
- e. _____ Actual time between date for completion of the Subcontract work and actual completion of the Subcontract work
- f. _____ Total number of days between original contract timeframe for completion of the Subcontract work and actual completion of the Subcontract work

20. If completion did not occur within the contract time established for the subcontract work or within the formally adjusted time (as identified in item 17c above, explain the reason(s) for the delay:

21. Total number of task on the punch list? 0

22. If punch list items were not completed/performed explain the reason(s):

23. Name of the subcontractors Qualifier: Jack Nunes

24. Name of the subcontractors Construction manager : Jack Nunes

25. Total amount of the work self-performed: 100 % \$ 132,643.65

26. Were sub-tier contractor used? Yes: _____ No: X

a. If yes, specify the trade & tier, percentage, and value (add additional pages if necessary)

_____% \$ _____
_____% \$ _____

_____ % \$ _____
_____ % \$ _____

27. Did subcontractor or its sub-tier contractors file any Claims* or Dispute filed on the project? _____

yes _____ no

*A Claim means a demand or assertion by your firm seeking as matter of right, adjustment or interpretation of contract terms, compensation, extension of time or other relief with respect to the terms of the contract or other disputes between the owner and your firm.

28. If a Claim(s) was filed on the project, provide the following details for each Claim*:

- a. Dollar amount for Initial Claim: _____
- b. Source of Claim: (e.g. contractor, subcontractor, supplier, etc.) _____
- c. Method of resolution (e.g. negotiation, mediation, arbitration, litigation): _____
- d. Final amount of Claim settlement: _____

29. If a formal Dispute(s) was filed on the project by the subcontractor or its sub-tier contractors, provide the following details for each Dispute. Identify the reason for the Dispute and the resolution (use additional pages if necessary):

30. Did your company fail/refuse to perform or complete any of work it was obligated to complete?

_____ yes _____ no

If yes, explain what work was not performed/completed and reasons why:

31. Was your company required to perform any work under a directive to proceed pending the resolution of an interpretation of the contract or dispute?

_____ yes _____ no

32. Identify up to four (4) constructability issues encountered by your company on the project and briefly describe how your company resolve each issue:

None

33. Did your company perform any value engineering or other cost savings measures, which improved the quality of the project or saved cost? If yes, provide details and any cost savings.

No

Project Owner's Name: Miami-Dade County Department of Transportation & Public Works

Is the Project Owner a public entity? yes no

Contact Name for Project Owner: David Andres

Contact Name's Title: Clerk

Project Owner's Address: 111 NW 1st Street Ste 1410

Project Owner's City, State, and Zip Code: Miami, FL 33128

Contact Name's Telephone Number: 305-375-5301

Contact Name's Email Address: david.andres@miamidade.gov

Architect/Engineer of Record: Goal Associates, Inc.

Architect/Engineer of Record Contact Name: Godfrey Lamptey

Architect/Engineer of Record Contact Name's Telephone No. 786-600-3350

Architect/Engineer of Record Contact Name Email Address: _____

Experience of Subcontractor Questionnaire

One (1) data sheet must be completed for at least two (2) projects completed by each Subcontractor listed in Form SU, Subcontractor Utilization Form, that is demonstrative of the work type that the Subcontractor will perform for this solicitation. The project must have been completed by present employees, officers, or owners of the Subcontractor that utilized the individual listed in Form SU. Do not use a project performed for the Town of Miami Lakes.

Project Data Sheet

(A separate data sheet is to be used for each project)

- 1. Name of Subcontractor: H & R Paving, Inc.
- 2. Project Name: Roadway Improvements to NW 7th Street
- 3. Project Location: NW 7th Street from NW 79th Avenue to SR 826
- 4. Project Title: Roadway Improvements to NW 7th Street
- 5. Project Number, if applicable: 20190315
- 6. Type of Construction: Roadway Reconstruction
(i.e.: New, Renovation, Addition, Repair, Sidewalk/Curb/Gutter, Roadway reconstruction, Roadway resurfacing, Drainage, etc. Use all that apply.)
- 7. Size: (i.e.: Capacity, Tonnage, linear feet, square feet, etc.): 295 TONS Superpave Asphaltic Concrete
554 TONS Asphaltic Concrete Friction Course
2220 SY Milling 7" Average Depth
- 8. Scope of Work: Milling and Resurfacing

- 9. Business name that was the Prime Contractor for this project: Acosta Tractors, Inc.
- 10. How is this project similar to the Town's project? Roadway Improvements

- 11. Cost of the work performed by the Subcontractor at time of bid: \$ 175,365.00
- 12. Cost of work performed by the Subcontractor at completion: \$ 119,053.99

- 13. LEED Certification
 - a. Was this a LEED Certified Project: Yes _____ No X
 - b. Minimum LEED Certification required: _____
 - c. LEED Certification obtained: _____

- 14. Describe the sources and/or causes of the above differences in costs with reference to the following categories as determined by written change order, the public entity or the Architect/Engineer of Record (whichever had final authority):
 - a. Errors or omissions: _____ % \$ _____
 - b. Unforeseen/Hidden conditions: _____ % \$ _____
 - c. Owner generated changes: _____ % \$ _____
 - d. Regulatory agency changes: _____ % \$ _____
 - e. Contractor recommended changes: _____ % \$ _____
 - f. Other: _____ % \$ _____

Explain other: _____

15. How many RFIs did your company submit with respect to the plans and specifications for the project? 0

16. What was the primary reasons for the RFIs: _____

17. What year did the project start construction? 2020

18. What year did the project complete construction? 2021

19. Project Timeframe for completion (number of calendar days):

- a. 261 Project timeframe for subcontract work at start of the project based on the baseline Project Schedule
- b. N/A Formally adjusted completion timeframe for subcontract work based on change orders (if none state N/A)
- c. N/A Timeframe for subcontract work not covered under approved change orders (if none state N/A)
- d. 548 Actual time between issuance of Notice to Proceed and date of completion of the Subcontract work.
- e. _____ Actual time between date for completion of the Subcontract work and actual completion of the Subcontract work
- f. _____ Total number of days between original contract timeframe for completion of the Subcontract work and actual completion of the Subcontract work

20. If completion did not occur within the contract time established for the subcontract work or within the formally adjusted time (as identified in item 17c above, explain the reason(s) for the delay:

21. Total number of task on the punch list? 0

22. If punch list items were not completed/performed explain the reason(s):

23. Name of the subcontractors Qualifier: Lucrecia Gonzalez

24. Name of the subcontractors Construction manager : Abe Rodriguez

25. Total amount of the work self-performed: 100 % \$ 119,053.99

26. Were sub-tier contractor used? Yes: _____ No: X

a. If yes, specify the trade & tier, percentage, and value (add additional pages if necessary)

_____% \$ _____
_____% \$ _____

_____ % \$ _____
_____ % \$ _____

27. Did subcontractor or its sub-tier contractors file any Claims* or Dispute filed on the project? _____

yes _____ no

*A Claim means a demand or assertion by your firm seeking as matter of right, adjustment or interpretation of contract terms, compensation, extension of time or other relief with respect to the terms of the contract or other disputes between the owner and your firm.

28. If a Claim(s) was filed on the project, provide the following details for each Claim*:

- a. Dollar amount for Initial Claim: _____
- b. Source of Claim: (e.g. contractor, subcontractor, supplier, etc.) _____
- c. Method of resolution (e.g. negotiation, mediation, arbitration, litigation): _____
- d. Final amount of Claim settlement: _____

29. If a formal Dispute(s) was filed on the project by the subcontractor or its sub-tier contractors, provide the following details for each Dispute. Identify the reason for the Dispute and the resolution (use additional pages if necessary):

30. Did your company fail/refuse to perform or complete any of work it was obligated to complete?

_____ yes _____ no

If yes, explain what work was not performed/completed and reasons why:

31. Was your company required to perform any work under a directive to proceed pending the resolution of an interpretation of the contract or dispute?

_____ yes _____ no

32. Identify up to four (4) constructability issues encountered by your company on the project and briefly describe how your company resolve each issue:

None

33. Did your company perform any value engineering or other cost savings measures, which improved the quality of the project or saved cost? If yes, provide details and any cost savings.

No

Project Owner's Name: Miami-Dade County Department of Transportation & Public Works

Is the Project Owner a public entity? yes no

Contact Name for Project Owner: David Andres

Contact Name's Title: Clerk

Project Owner's Address: 111 NW 1st street Ste 1410

Project Owner's City, State, and Zip Code: Miami, FL 33128

Contact Name's Telephone Number: 305-375-5301

Contact Name's Email Address: david.amdres@miamidade.gov

Architect/Engineer of Record: Goal Associates, Inc.

Architect/Engineer of Record Contact Name: Godfrey Lamptey

Architect/Engineer of Record Contact Name's Telephone No. 786-600-3350

Architect/Engineer of Record Contact Name Email Address: _____

Experience of Subcontractor Questionnaire

One (1) data sheet must be completed for at least two (2) projects completed by each Subcontractor listed in Form SU, Subcontractor Utilization Form, that is demonstrative of the work type that the Subcontractor will perform for this solicitation. The project must have been completed by present employees, officers, or owners of the Subcontractor that utilized the individual listed in Form SU. Do not use a project performed for the Town of Miami Lakes.

Project Data Sheet

(A separate data sheet is to be used for each project)

- 1. Name of Subcontractor: H & R Paving, Inc.
- 2. Project Name: Water Main Improvements NE 6th Avenue
- 3. Project Location: NE 6th Avenue and NE 137th Street
- 4. Project Title: Water Main Improvements NE 6th Avenue
- 5. Project Number, if applicable: 06-21-22
- 6. Type of Construction: Water Main Improvement
(i.e.: New, Renovation, Addition, Repair, Sidewalk/Curb/Gutter, Roadway reconstruction, Roadway resurfacing, Drainage, etc. Use all that apply.)
- 7. Size: (i.e.: Capacity, Tonnage, linear feet, square feet, etc.): 12,600 SY of Asphalt
- 8. Scope of Work: Paving

- 9. Business name that was the Prime Contractor for this project: Acosta Tractors, Inc.
- 10. How is this project similar to the Town's project? Pavement Restoration was part of the work

- 11. Cost of the work performed by the Subcontractor at time of bid: \$ 116,286.00
- 12. Cost of work performed by the Subcontractor at completion: \$ 116,286.00

- 13. LEED Certification
 - a. Was this a LEED Certified Project: Yes _____ No X
 - b. Minimum LEED Certification required: _____
 - c. LEED Certification obtained: _____

14. Describe the sources and/or causes of the above differences in costs with reference to the following categories as determined by written change order, the public entity or the Architect/Engineer of Record (whichever had final authority):

- a. Errors or omissions: _____ % \$ _____
- b. Unforeseen/Hidden conditions: _____ % \$ _____
- c. Owner generated changes: _____ % \$ _____
- d. Regulatory agency changes: _____ % \$ _____
- e. Contractor recommended changes: _____ % \$ _____
- f. Other: _____ % \$ _____

Explain other: _____

15. How many RFIs did your company submit with respect to the plans and specifications for the project? 0

16. What was the primary reasons for the RFIs: _____

17. What year did the project start construction? 2022

18. What year did the project complete construction? 2023

19. Project Timeframe for completion (number of calendar days):

- a. 1 Project timeframe for subcontract work at start of the project based on the baseline Project Schedule
- b. N/A Formally adjusted completion timeframe for subcontract work based on change orders (if none state N/A)
- c. N/A Timeframe for subcontract work not covered under approved change orders (if none state N/A)
- d. 247 Actual time between issuance of Notice to Proceed and date of completion of the Subcontract work.
- e. 1 Actual time between date for completion of the Subcontract work and actual completion of the Subcontract work
- f. 1 Total number of days between original contract timeframe for completion of the Subcontract work and actual completion of the Subcontract work

20. If completion did not occur within the contract time established for the subcontract work or within the formally adjusted time (as identified in item 17c above, explain the reason(s) for the delay:

21. Total number of task on the punch list? 0

22. If punch list items were not completed/performed explain the reason(s):

23. Name of the subcontractors Qualifier: Lucrecia Gonzalez

24. Name of the subcontractors Construction manager : Abe Rodriguez

25. Total amount of the work self-performed: 100 % \$ 116,286.00

26. Were sub-tier contractor used? Yes: _____ No: X

a. If yes, specify the trade & tier, percentage, and value (add additional pages if necessary)

_____% \$ _____
_____% \$ _____

_____ % \$ _____
_____ % \$ _____

27. Did subcontractor or its sub-tier contractors file any Claims* or Dispute filed on the project? _____
yes _____ no

*A Claim means a demand or assertion by your firm seeking as matter of right, adjustment or interpretation of contract terms, compensation, extension of time or other relief with respect to the terms of the contract or other disputes between the owner and your firm.

28. If a Claim(s) was filed on the project, provide the following details for each Claim*:
a. Dollar amount for Initial Claim: _____
b. Source of Claim: (e.g. contractor, subcontractor, supplier, etc.) _____
c. Method of resolution (e.g. negotiation, mediation, arbitration, litigation): _____
d. Final amount of Claim settlement: _____

29. If a formal Dispute(s) was filed on the project by the subcontractor or its sub-tier contractors, provide the following details for each Dispute. Identify the reason for the Dispute and the resolution (use additional pages if necessary):

30. Did your company fail/refuse to perform or complete any of work it was obligated to complete?
_____ yes _____ no
If yes, explain what work was not performed/completed and reasons why:

31. Was your company required to perform any work under a directive to proceed pending the resolution of an interpretation of the contract or dispute?
_____ yes _____ no

32. Identify up to four (4) constructability issues encountered by your company on the project and briefly describe how your company resolve each issue:

None

33. Did your company perform any value engineering or other cost savings measures, which improved the quality of the project or saved cost? If yes, provide details and any cost savings.

No

Project Owner's Name: City of North Miami

Is the Project Owner a public entity? yes no

Contact Name for Project Owner: Chuks Okereke

Contact Name's Title: City Engineer

Project Owner's Address: 1815 NE 150th Street

Project Owner's City, State, and Zip Code: North Miami, FL 33181

Contact Name's Telephone Number: 305-893-6511 EXT 15002

Contact Name's Email Address: cokereke@northmiamifl.gov

Architect/Engineer of Record: Kimley Horn

Architect/Engineer of Record Contact Name: Gary Ratay

Architect/Engineer of Record Contact Name's Telephone No. 954-535-5100

Architect/Engineer of Record Contact Name Email Address: gary.ratay@kimley-horn.com

COMPLIANCE WITH PUBLIC RECORDS LAW

The Town of Miami Lakes shall comply with the Public Records Law as provided by Chapter 119, Florida Statutes, and all applicable amendments. Applicants must invoke the exemptions to disclosure provided by law in the response to the solicitation and must identify the data or other materials to be protected by separate envelope, and must state the reasons why such exclusion from public disclosure is necessary. The submission of a response authorizes release of your firm's credit data to the Town of Miami Lakes.

If the company submits information exempt from public disclosure, the company must identify with specificity which pages/paragraphs of their submittal/proposal package are exempt from the Public Records Act, identifying the specific exemption section that applies to each. The protected information must be submitted to the Town in a separate envelope marked "EXEMPT FROM PUBLIC RECORDS LAW". Failure to identify protected material via a separately marked envelopment will cause the Town to release this information in accordance with the Public Records Law despite any markings on individual pages of your submittal/proposal.

- (a) CONTRACTOR acknowledges TOWN'S obligations under Article 1, Section 24, Florida Constitution and Chapter 119, Florida Statutes, to release public records to members of the public upon request. CONTRACTOR acknowledges that TOWN is required to comply with Article 1, Section 24, Florida Constitution and Chapter 119, Florida Statutes, in the handling of the materials created under this Agreement and that said statute controls over the terms of this Agreement.
- (b) CONTRACTOR specifically acknowledges its obligations to comply with Section 119.0701, Florida Statutes, with regard to public records, and shall:
 - 1. Keep and maintain public records that ordinarily and necessarily would be required by TOWN in order to perform the services required under this Agreement;
 - 2. Provide the public with access to public records on the same terms and conditions that TOWN would provide the records and at a cost that does not exceed the cost provided in Chapter 119, Florida Statutes, or as otherwise provided by law;
 - 3. Ensure that public records that are exempt or confidential and exempt from public records disclosure requirements are not disclosed, except as authorized by law; and
 - 4. Meet all requirements for retaining public records and transfer, at no cost to the TOWN, all public records in possession of CONTRACTOR upon termination of this Agreement and destroy any duplicate public records that are exempt or confidential and exempt from public records disclosure requirements. All records stored electronically must be provided to TOWN in a format that is compatible with the information technology system of TOWN.
- (c) Failure to comply with this Section shall be deemed a material breach of this Contract for which TOWN may terminate this Agreement immediately upon written notice to CONTRACTOR.

By submitting a response to this solicitation, the company agrees to defend the Town in the event we are forced to litigate the public records status of the company's documents.

Company Name: Acosta Tractors, Inc.

Authorized representative (print): Felix Acosta

Authorized representative (signature):  Date: 06/26/2023

SWORN STATEMENT ON PUBLIC ENTITY CRIMES

SECTION 287.133(3)(a), FLORIDA STATUTES

THIS FORM MUST BE SIGNED AND SWORN TO IN THE PRESENCE OF A NOTARY PUBLIC OR OTHER OFFICIAL AUTHORIZED TO ADMINISTER OATHS.

1. This sworn statement is submitted to the Town of Miami Lakes

by Felix Acosta, President
[print individual's name and title]

for Acosta Tractors, Inc.
[print name of entity submitting sworn statement]

whose business address is

11986 NW 97th Avenue

Hialeah Gardens, FL 33018

and (if applicable) its Federal Employer Identification Number (FEIN) is 59-1454861

(If the entity has no FEIN, include the Social Security Number of the individual

signing this sworn statement: _____)

2. I understand that a "public entity crime" as defined in Paragraph 287.133(1)9g), Florida Statutes, means a violation of any state or federal law by a person with respect to and directly related to the transaction of business with any public entity or with an agency or political subdivision of any other state or the United States, including, but not limited to, any bid or contract for goods and services to be provided to any public entity or an agency or political subdivision of any other state or of the United States involving antitrust, fraud, theft, bribery, collusion, racketeering, conspiracy, or material misrepresentation.

3. I understand that "convicted" or "conviction" as defined in Paragraph 287.133(1)(b), Florida Statutes, means a finding of guilt or a conviction or a public entity crime, with or without an adjudication of guilt, in any federal or state trial court of record relating to charges brought by indictment or information after July 1, 1989, as a result of a jury verdict, nonjury trial, or entry of a plea of guilty or nolo contendere.

4. I understand than an "affiliate" as defined in Paragraph 287.133(1)(a), Florida Statutes, means:

- a. A predecessor or successor of a person convicted of a public entity crime; or
- b. An entity under the control of any natural person who is active in the management of the entity and who has been convicted of a public entity crime.

The term "affiliate" includes those officers, directors, executives, partners, shareholders, employees, members, and agents who are active in the management of an affiliate. The ownership by one person of shares constituting a controlling interest in another person, or a pooling of equipment or income among persons when not for fair market value under an arm's length agreement, shall be a prima facie case that one person controls another person. A person who knowingly enters into a joint venture with a person who

has been convicted of a public entity crime in Florida during the preceding 36 months shall be considered an affiliate.

5. I understand that a "person" as defined in Paragraph 287.133(1)(e), Florida Statutes, means any natural person or entity organized under the laws of any state or of the United States with the legal power to enter into a binding contract and which bids or applies to bid on contracts for the provision of goods or services let by a public entity, or which otherwise transacts or applies to transact business with a public entity. The term "person" includes those officers, directors, executives, partners, shareholders, employees, members, and agents who are active in the management of an entity.

6. Based on information and belief, the statement that I have marked below is true in relation to the entity submitting this sworn statement. [Indicate which statement applies.]

Neither the entity submitting this sworn statement, nor any officers, directors, executives, partners, shareholders, employees, members, or agents who are active in the management of the entity, not any affiliate of the entity, has been charged with and convicted of a public entity crime subsequent to July 1, 1989.

This entity submitting this sworn statement, or one or more of its officers, directors, executives, partners, shareholders, employees, members, or agents who are active in the management of the entity, or an affiliate of the entity has been charged with and convicted of a public entity crime subsequent to July 1, 1989.

The entity submitting this sworn statement, or one or more of its officers, directors, executives, partners, shareholders, employees, members, or agents who are active in the management of the entity, or an affiliate of the entity has been charged with and convicted of a public entity crime subsequent to July 1, 1989. However, there has been a subsequent proceeding before a Hearing Officer of the State of Florida, Division of Administrative Hearings and the Final Order entered by the Hearing Officer determined that it was not in the public interest to place the entity submitting this sworn statement on the convicted vendor list. [attach a copy of the final order]

I UNDERSTAND THAT THE SUBMISSION OF THIS FORM TO THE CONTRACTING OFFICER FOR THE PUBLIC ENTITY IDENTIFIED IN PARAGRAPH 1 ABOVE IS FOR THAT PUBLIC ENTITY ONLY AND, THAT THIS FORM IS VALID THROUGH DECEMBER 31 OF THE CALENDAR YEAR IN WHICH IT IS FILED. I ALSO

UNDERSTAND THAT I AM REQUIRED TO INFORM THE PUBLIC ENTITY PRIOR TO ENTERING INTO A CONTRACT IN EXCESS OF THE THRESHOLD AMOUNT PROVIDED IN SECTION 287.017, FLORIDA STATUTES, FOR CATEGORY TWO OF ANY CHANGE IN THE INFORMATION CONTAINED IN THIS FORM.

BEFORE ME, the undersigned authority, personally appeared Felix Acosta to me well known and known by me to be the person described herein and who executed the foregoing Affidavit and acknowledged to and before me that Felix Acosta executed said Affidavit for the purpose therein expressed.

WITNESS, my hand and official seal this 26th day of June, 2023.

My Commission Expires:

E. Diaz
Notary Public State of Florida at Large



Form PEC

NON-COLLUSIVE AFFIDAVIT

State of Florida }
Miami- } SS:
County of Dade }

Felix Acosta being first duly sworn, deposes and says that:

- a) He/she is the Owner (Owner, Partner, Officer, Representative or Agent) of Acosta Tractors, Inc. the Bidder that has submitted the attached Proposal;
- b) He/she is fully informed respecting the preparation and contents of the attached Proposal and of all pertinent circumstances respecting such Proposal;
- c) Such Proposal is genuine and is not collusive or a sham Proposal;
- d) Neither the said Bidder nor any of its officers, partners, owners, agents, representatives, employees or parties in interest, including this affiant, have in any way colluded, conspired, connived or agreed, directly or indirectly, with any other Bidder, firm, or person to submit a collusive or sham Proposal in connection with the Work for which the attached Proposal has been submitted; or to refrain from proposing in connection with such work; or have in any manner, directly or indirectly, sought by person to fix the price or prices in the attached Proposal or of any other Bidder, or to fix any overhead, profit, or cost elements of the Proposal price or the Proposal price of any other Bidder, or to secure through any collusion, conspiracy, connivance, or unlawful agreement any advantage against (Recipient), or any person interested in the proposed work;
- e) Price or prices quoted in the attached Proposal are fair and proper and are not tainted by any collusion, conspiracy, connivance, or unlawful agreement on the part of the Bidder or any other of its agents, representatives, owners, employees or parties in interest, including this affiant.

Signed, sealed and delivered in the presence of:

Orlando Delmas
Witness

[Signature]
Witness

By: [Signature]

Felix Acosta
(Printed Name)

President
(Title)

BEFORE ME, the undersigned authority, personally appeared Felix Acosta to me well known and known by me to be the person described herein and who executed the foregoing Affidavit and acknowledged to and before me that Felix Acosta executed said Affidavit for the purpose therein expressed.

WITNESS, my hand and official seal this 26th day of June, 2023.

My Commission Expires:

[Signature]
Notary Public State of Florida at Large



CONFLICT OF INTEREST AFFIDAVIT

State of Florida }
Miami- } SS:
County of Dade }

Felix Acosta being first duly sworn, deposes and says that he/she is the (Owner, Partner, Officer, Representative or Agent) of Acosta Tractors, Inc. the Proposer that has submitted the attached Proposal and certifies the following;

Proposer certifies by submitting its Proposal that no elected official, committee member, or employee of the Town has a financial interest directly or indirectly in this Proposal or any compensation to be paid under or through the award of a contract, and that no Town employee, nor any elected or appointed official (including Town committee members) of the Town, nor any spouse, parent or child of such employee or elected or appointed official of the Town, may be a partner, officer, director or employee of Proposer, and further, that no such Town employee or elected or appointed officer, or the spouse, parent or child of any of them, alone or in combination, may have a material interest in the Proposer. Material interest means direct or indirect ownership of more than 5% of the total assets or capital stock of the Proposer. Any contract award containing an exception to these restrictions must be expressly approved by the Town Council. Further, Proposer recognizes that with respect to this solicitation, if any Proposer violates or is a party to a violation of the ethics ordinances or rules of the Town, the provisions of Miami-Dade County Code Section 2-11.1, as applicable to Town, or the provisions of Chapter 112, part III, Fla. Stat., the Code of Ethics for Public Officers and Employees, such Proposer may be disqualified from furnishing the goods or services for which the Proposal is submitted and may be further disqualified from submitting any future bids or proposals for goods or services to the Town. The terms "Proposer" as used herein, includes any person or entity making a bid or proposal to the Town to provide goods or services.

Proposer further certifies that the price or prices quoted in the Proposal are fair and proper and are not tainted by any collusion, conspiracy, connivance, or unlawful agreement on the part of the Proposer or any other of its agents, representatives, owners, employees or parties in interest, including this affiant.

Signed, sealed and delivered in the presence of:

Walter Velazquez
Witness

By: Felix Acosta

Adriano
Witness

Felix Acosta
(Printed Name)

President
(Title)

BEFORE ME, the undersigned authority, personally appeared Felix Acosta to me well known and known by me to be the person described herein and who executed the foregoing Affidavit and acknowledged to and before me that Felix Acosta executed said Affidavit for the purpose therein expressed.

WITNESS, my hand and official seal this 26th day of June, 2023.

My Commission Expires:

Ecd
Notary Public State of Florida at Large



COMPLIANCE WITH PUBLIC RECORDS LAW

The Town of Miami Lakes shall comply with the Public Records Law as provided by Chapter 119, Florida Statutes, and all applicable amendments. Applicants must invoke the exemptions to disclosure provided by law in the response to the solicitation and must identify the data or other materials to be protected by separate envelope, and must state the reasons why such exclusion from public disclosure is necessary. The submission of a response authorizes release of your firm's credit data to the Town of Miami Lakes.

If the company submits information exempt from public disclosure, the company must identify with specificity which pages/paragraphs of their submittal/proposal package are exempt from the Public Records Act, identifying the specific exemption section that applies to each. The protected information must be submitted to the Town in a separate envelope marked "EXEMPT FROM PUBLIC RECORDS LAW". Failure to identify protected material via a separately marked envelopment will cause the Town to release this information in accordance with the Public Records Law despite any markings on individual pages of your submittal/proposal.

- (a) CONTRACTOR acknowledges TOWN'S obligations under Article 1, Section 24, Florida Constitution and Chapter 119, Florida Statutes, to release public records to members of the public upon request. CONTRACTOR acknowledges that TOWN is required to comply with Article 1, Section 24, Florida Constitution and Chapter 119, Florida Statutes, in the handling of the materials created under this Agreement and that said statute controls over the terms of this Agreement.
- (b) CONTRACTOR specifically acknowledges its obligations to comply with Section 119.0701, Florida Statutes, with regard to public records, and shall:
 - 1. Keep and maintain public records that ordinarily and necessarily would be required by TOWN in order to perform the services required under this Agreement;
 - 2. Provide the public with access to public records on the same terms and conditions that TOWN would provide the records and at a cost that does not exceed the cost provided in Chapter 119, Florida Statutes, or as otherwise provided by law;
 - 3. Ensure that public records that are exempt or confidential and exempt from public records disclosure requirements are not disclosed, except as authorized by law; and
 - 4. Meet all requirements for retaining public records and transfer, at no cost to the TOWN, all public records in possession of CONTRACTOR upon termination of this Agreement and destroy any duplicate public records that are exempt or confidential and exempt from public records disclosure requirements. All records stored electronically must be provided to TOWN in a format that is compatible with the information technology system of TOWN.
- (c) Failure to comply with this Section shall be deemed a material breach of this Contract for which TOWN may terminate this Agreement immediately upon written notice to CONTRACTOR.

By submitting a response to this solicitation, the company agrees to defend the Town in the event we are forced to litigate the public records status of the company's documents.

Company Name: Acosta Tractors, Inc.

Authorized representative (print): Felix Acosta

Authorized representative (signature):  Date: 06/26/2023

CONTRACT EXECUTION FORM

This Contract 2023-28 made this ____ day of _____ in the year 20__ in the amount of \$XXX,XXX.XX by and between the Town of Miami Lakes, Florida, hereinafter called the "Town," and Name of Contractor.

IN WITNESS WHEREOF, the parties have executed this Agreement as of the day and year first above written.

Attest:

TOWN OF MIAMI LAKES

By: _____
Gina M. Inguanzo, Town Clerk

By: _____
Edward Pidermann, Town Manager

By: _____
Lorenzo Cobiella, Deputy Town Attorney

Signed, sealed, and witnessed in the presence of:

AS TO CONTRACTOR:

Contractor's Name

By: _____

By: _____

Name: _____

Title: _____

ANTI-KICKBACK AFFIDAVIT

STATE OF FLORIDA }
 } SS:
COUNTY OF MIAMI-DADE }

I, the undersigned, hereby duly sworn, depose and say that no portion of the sum herein bid will be paid to any employees of the Town of Miami Lakes, its elected officials, and _____ or its design consultants, as a commission, kickback, reward or gift, directly or indirectly by me or any member of my firm or by an officer of the corporation.

By: 

Title: President

BEFORE ME, the undersigned authority, personally appeared Felix Acosta to me well known and known by me to be the person described herein and who executed the foregoing Affidavit and acknowledged to and before me that Felix Acosta executed said Affidavit for the purpose therein expressed.

WITNESS, my hand and official seal this 26th day of June, 2023.

My Commission Expires:


Notary Public State of Florida at Large





RFP 2023-28

Commerce Way Drainage Improvement Project

Addendum #1

Due Date: 11:00 AM, June 26, 2023

This addendum is incorporated into and made a part of the Request for Proposals ("RFP"). The following may include clarifications, revisions, additions, deletions, or answers to questions received relative to the RFP, which take precedence over the RFP documents. Underlined word(s) indicate additions. Deletions are indicated by strikethrough.

Questions:

1. What is the engineer's estimate for this project?

Response: Approximately \$3 million.

Acknowledgement:

Roger Arguello
Name of Signatory

Estimator
Title

06/05/2023
Date


Signature

Acosta Tractors, Inc.
Name of Bidder



RFP 2023-28

Commerce Way Drainage Improvement Project

Addendum #2

Due Date: 11:00 AM, June 26, 2023

This addendum is incorporated into and made a part of the Request for Proposals (“RFP”). The following may include clarifications, revisions, additions, deletions, or answers to questions received relative to the RFP, which take precedence over the RFP documents. Underlined word(s) indicate additions. Deletions are indicated by strikethrough.

Clarifications:

1. This addendum is issued, in part, to provide the Geotechnical report for this project, provided as a separate attachment.
2. Form PS – Bid Form is hereby retracted and replaced with Form PS1 – Bid Form, provided as a separate attachment.
3. Exhibit B – Plans is hereby retracted and replaced with Exhibit B1 – Plans, provided as a separate attachment.
4. Section 2.04, Contract Term, of the draft contract is hereby amended to read:
“The Contractor shall obtain Substantial Completion of the Work within ~~XX (XX)~~ two hundred forty (240) days of the Notice to Proceed being issued by the Town. Final Completion must obtain Final Completion within ~~XX (XX)~~ thirty (30) days after obtaining Substantial Completion. The Contract shall remain in effect until the expiration of the Warranty period(s).”
5. Section 2.13, Liquidated Damages, of the draft contract is hereby amended to read:
“The Contractor is obligated and guarantees to obtain Substantial and Final Completions of the Project within the timeframes established in the Contract or any approved extension of time the Contractor may be granted by the Town. In the event of a delay in completion beyond the date established in the Contract, the Contractor must pay to the Town for each and every calendar day of unexcused delay, the sum of ~~XX (XX) dollars~~ one thousand dollars (\$1,000), which is hereby agreed upon not as a penalty but as liquidated damages. The Contractor will be notified of any exceptions. The total amount of liquidated damages will not exceed the value of the Contract.”

Questions:

1. Under which pay item will the contractor include removal of existing structures and pipes?
Response: The removal of existing structures and pipes should be under the revised items 117 and 118 in Form PS1 – Bid Form.



2. Take off length of exfiltration trench between MH-12 and MH-13 on Sheet C300.12 and C300.14 does not match the legend on the plans. Please clarify.

Response: The quantity for Exfiltration Trench in the plans are correct.

3. Take off length of exfiltration trench between MH-30 and MH-31 on Sheet C300.7 does not match the legend on the plans. Please clarify.

Response: The quantity for Exfiltration Trench has been updated. Please refer to Exhibit B1 – Plans.

4. Take off length of exfiltration trench between MH-17 and MH-18 on Sheet C300.4 does not match the legend on the plans. Please clarify.

Response: The quantity for Exfiltration Trench has been updated. Please refer to Exhibit B1 - Plans.

5. The Paving, Grading, and Drainage Plans (Sheets C300.3, 6, 7, 8, 9, 12, and 14) in some structures indicate 16" HDPE pipe, but in the bid form, there is no bid item for 16" HDPE solid pipe. Please clarify.

Response: Please refer to the revised bid form, Form PS1 – Bid Form.

6. Pay Item No. 121 of Form PS – Bid Form reads "Replace Existing Inlet Top, Frame & Grate." The Paving, Grading & Drainage Plans indicate "Replace Existing Inlet Top w/Type 6 Inlet Top per FDOT 425-021" and the Demolition & Erosion Control Plans have a note "Existing Catch Basin to be Replace" (Sheet C300.3). Please clarify.

Response: Please refer to revised plans, Exhibit B1 – Plans.

7. Is there a bid bond for this project?

Response: No.

8. Pay Item No. 121 of Form PS – Bid Form reads "Replace Existing Inlet Top, Frame & Grate." The Paving, Grading & Drainage Plans indicate "Replace Existing Inlet Top w/Type 6 Inlet Top per FDOT 425-021" and the Demolition & Erosion Control Plans have a note "Existing Catch Basin to be Replace" (Sheet C300.3). Please clarify.

Response: Please refer to revised plans, Exhibit B1 – Plans.



Acknowledgement:

Roger Arguello

Name of Signatory

Estimator

Title

06/16/2023

Date



Signature

Acosta Tractors, Inc.

Name of Bidder



RFP 2023-28
Commerce Way Drainage Improvement Project
Addendum #3
Due Date: 11:00 AM, June 26, 2023

This addendum is incorporated into and made a part of the Request for Proposals (“RFP”). The following may include clarifications, revisions, additions, deletions, or answers to questions received relative to the RFP, which take precedence over the RFP documents. Underlined word(s) indicate additions. Deletions are indicated by strikethrough.

Clarifications:

1. Form PS1 – Bid Form is hereby retracted and replaced with Form PS2 – Bid Form, **provided** as a separate attachment.

Acknowledgement:

Roger Arguello
Name of Signatory

Estimator
Title

06/19/2023
Date



Signature

Acosta Tractors, Inc.
Name of Bidder



RFP 2023-28

Commerce Way Drainage Improvement Project

Addendum #4

Due Date: 11:00 AM, July 6, 2023

This addendum is incorporated into and made a part of the Request for Proposals (“RFP”). The following may include clarifications, revisions, additions, deletions, or answers to questions received relative to the RFP, which take precedence over the RFP documents. Underlined word(s) indicate additions. Deletions are indicated by strikethrough.

Clarification:


1. This addendum is issued to extend the proposal due date to 11:00 AM EST, July 6, 2023.

Acknowledgement:

Roger Arguello
Name of Signatory

Estimator
Title

06/26/2023
Date


Signature

Acosta Tractors, Inc.
Name of Bidder



RFP 2023-28

Commerce Way Drainage Improvement Project

Addendum #5

Due Date: 11:00 AM, July 6, 2023

This addendum is incorporated into and made a part of the Request for Proposals ("RFP"). The following may include clarifications, revisions, additions, deletions, or answers to questions received relative to the RFP, which take precedence over the RFP documents. Underlined word(s) indicate additions. Deletions are indicated by strikethrough.

Clarifications:

1. This addendum is issued, in part, to retract Form PS2 – Bid Form and replace it with Form PS3 – Bid Form, provided as a separate attachment.
2. Exhibit B1 – Plans is hereby retracted and replaced with Exhibit B2 – Plans, provided as a separate attachment.

Questions:

3. Bid Item 114 of the Bid Form PS-2 is for 33,763 Tons of Asphalt Overlay, Type FC-9.5. Is this correct?

Response: Correct.

4. Bid Items No. 124, 125, 126, 127, 128, and 129 according to Bid Form PS-2 includes the Trench Restoration and Bid Item 112 is for Pavement Restoration (5,784 sy) which is the same quantity for Trench Restoration. Does this mean the trench restoration operation will be duplicated? Please clarify.

Response: The trench restoration quantity includes the backfill around the pipe as well as sub grade. The Pavement Restoration item includes the restoration of the pavement limerock base as well as the first lift of asphalt. The top lift of asphalt is included in the overlay quantity.

5. Our supplier has informed us that ADS does not fabricate 16" HDPE pipe. Please indicate what size the contractor will quote for Bid Item 127.

Response: All 16" HDPE pipe has been removed and replaced with 15" HDPE.

6. Please clarify the unit of measurement T for Bid Item 114.

Response: T indicates tons in this bid form.



Acknowledgement:

Roger Arguello

Name of Signatory

Estimator

Title

06/27/2023

Date



Signature

Acosta Tractors, Inc.

Name of Bidder

Certification – Trench Safety Act

The Bidder, by virtue of signing the Bid Form, affirms that the Bidder is aware of the Trench Safety Act, and will comply with all applicable trench safety standards. Such assurance shall be legally binding on all persons employed by the Bidder and Subcontractors.

The Bidder is also obligated to identify the anticipated method and cost of compliance with the applicable trench safety standards.

Bidder acknowledges that included in the various items of the proposal and in the total Bid price are costs for complying with the Florida Trench Safety Act. These items are a breakout of the respective items involving trenching and will not be paid separately. They are not to be confused with bid items in the schedule of prices, nor be considered additional Work.


The Bidder further identifies the costs and methods summarized below:

Description	Unit	Quantity	Unit Price	Extended Price	Method
Trench Box	LS	1	\$12,000.00	\$12,000.00	Trench Box

Total \$ 12,000.00

The Bidder/Proposer shall acknowledge this Bid and certifies to the above stated IV by signing and completing the spaces provided below.

Firm's Name: Acosta Tractors, Inc.

Signature: 

Printed Name/Title: Felix Acosta, President

City/State/Zip: Hialeah Gardens, FL 33018

Telephone No.: 305-556-0473

E-Mail Address: fpacosta@acostatractors.com

RFP 2023-28
Price Proposal
Commerce Way Drainage Improvement Project
Form PP

The Proposer declares that it has fully reviewed the requirements of the RFP, and informed itself fully of the Scope of Work and all other conditions and circumstances pertaining to the work to be performed; and that this Proposal is submitted voluntarily and willingly.

The Proposer had determined based on its business and profession expertise that it can perform the work in accordance with the requirements of the RFP and the Contract.

The Proposer agrees, if its Proposal is accepted, to timely execute a contract with the Town, pursuant to the terms and conditions of the RFP and the Agreement.

The cost of construction stated below includes all costs to complete the work under the RFP and Contract except for the cost of permits, which shall be paid as a reimbursable expense from an allowance account established by the Town.

Total Price Proposal Amount: \$ 2,834,437.68

Subcontractor Breakdown of the Price Proposal

The following information shall be provided for all of the Subcontractors listed under Exhibit 6, Subcontractor Utilization Form. This form is to include all tiers of Subcontractors. The Tier column is to be used to identify if they are a 1st, 2nd, 3rd etc. tier and who they are the sub-tier for if it is not the Successful Proposer. Add additional pages if required.

Name of Business	Value of the Work
H & R Paving, Inc.	\$ 318,106.25
Jack's Concrete Services, Inc.	\$ 166,902.85
MTX Highway Solutions Corp.	\$ 38,000.00
	\$
	\$
	\$
	\$
	\$
	\$
	\$
	\$
	\$
	\$
	\$
	\$
	\$
	\$

	\$
	\$
	\$
	\$
	\$
	\$
	\$
	\$
	\$
	\$
	\$
	\$
	\$
	\$
	\$
	\$



Company Name: Acosta Tractors, Inc.

Signatory's Name: Felix Acosta

Signatory's Title: President

Signatory's Signature: 

NOTE: This Form is to be submitted in a separate sealed envelope.

**Commerce Way Drainage Improvements
RFP 2023-28
Form PS (Bid Form)**

PAY ITEM NO.	DESCRIPTION	UNIT OF MEASUREMENT	QUANTITY	UNIT PRICE	TOTAL
100	Mobilization	LS	1	91,469.56	\$ 91,469.56 -
101	Maintenance of Traffic	LS	1	49,875.38	\$ 49,875.38 -
102	Storm Water Pollution Prevention Plan (Erosion Plan)	LS	1	39,125.94	\$ 39,125.94 -
103	Pavement Marking	LS	1	47,516.20	\$ 47,516.20 -
104	Swale Regrading	SY	63	68.71	\$ 4,328.98 -
105	Concrete sidewalk, driveway, and apron up to 4" thick	SY	335	92.15	\$ 30,869.92 -
106	Concrete sidewalk and driveway up to 6" thick	SY	52	176.77	\$ 9,192.14 -
107	Detectable Warning	SF	337	62.52	\$ 21,069.58 -
108	Concrete Curb and Gutter, Type "F"	LF	3,417	38.91	\$ 132,969.14 -
109	Drop Curb	LF	229	47.57	\$ 10,892.61 -
110	Concrete Curb, Type "D"	LF	89	52.39	\$ 4,662.44 -
111	Temporary Asphalt Pavement	TN	2,610	0.67	\$ 1,746.09 -
112	Pavement Restoration	SY	5,784	67.57	\$ 390,801.74 -
113	Milling existing pavement (1.0"	SY	18,925	4.06	\$ 76,911.20 -
114	Asphalt Overlay, Type FC-9.5 (1.0" min)	TN	1,360	231.33	\$ 314,607.44 -
115	Sod	SY	779	6.25	\$ 4,870.31 -
116	Removal of concrete (sidewalks, driveways, curbs and aprons	SY	1,190	34.32	\$ 40,845.68 -
117	Removal of Drainage Structures	EA	39	654.50	\$ 25,525.46 -
118	Removal of Drainage Pipe	LF	2,100	2.26	\$ 4,752.30 -
119	Root Pruning	EA	38	1,187.91	\$ 45,140.39 -
120	Manhole - Structure, Ring, Cover	EA	44	5,425.24	\$ 238,710.34 -
121	Curb Inlet, Type 6 - Structure, Frame, Grate	EA	5	6,075.46	\$ 30,377.31 -
122	Curb Inlet, Type 4 - Structure, Frame, Grate	EA	4	7,813.55	\$ 31,254.21 -
123	Replace Existing Inlet Top, Frame & Grate	EA	13	6,677.71	\$ 86,810.19 -
124	HDPE Storm Pipe, 30" including Trench Restorator	LF	541	124.13	\$ 67,153.25 -
125	Exfil. Trench, w/ 18" HDPE slotted pipe including Trench Rest	LF	4,336	192.97	\$ 836,726.59 -
126	HDPE Storm Pipe, 18" including Trench Restorator	LF	1,647	69.49	\$ 114,454.97 -
127	HDPE Storm Pipe, 15" including Trench Restorator	LF	384	68.89	\$ 26,452.99 -
128	RCP Storm Pipe, 15" including Trench Restorator	LF	25	322.95	\$ 8,073.70 -
129	Pollution Retardant Baffle	EA	30	596.20	\$ 17,885.85 -
130	Core Drill Existing Structure	EA	8	2,888.09	\$ 23,104.72 -
131	Endwall	EA	1	6,261.18	\$ 6,261.18 -
			GRAND TOTAL		\$ 2,834,437.68 -

Refer to pay item notes within contract plans for details of costs to be included within items.

The following Bid Item Notes apply to the bid items:

1. Bid Item 100 is a lump sum pay item for all mobilization costs and includes the construction of one (1) project sign that shall be displayed at approaches to the project area. The intent is that the sign will be freestanding. The sign shall display on both sides the project name, Town Logo, elected officials, and contact information. A detail of the sign is included in the plans. Shop drawings must be submitted for approval prior to ordering the project sign. Photos of the actual project sign must be submitted for approval prior to installation of the project signs.

Mobilization will be paid at the following rates:

- 10% of contract completion - 25% of Mobilization.
- 25% of contract completion - 50% of Mobilization.
- 50% of contract completion - 100% of Mobilization.

2. Bid Item 101 is a lump sum pay item for a Maintenance of Traffic and includes all pedestrian access maintenance. All crosswalks and sidewalks shall remain open and free of obstructions. Temporary painting for roadways and crosswalks shall be maintained throughout the project. Costs shall include the use of flagmen.

3. Bid Item 102 to include a complete stormwater pollution prevention plan (SWPPP). Notice of Intent fees and compliance with any SWPPP reporting. Include furnishing, installation, maintenance, and removal of items. Individual material cost to be included with other Bid Items.

4. Bid Item 103 includes all costs associated with installing signing and thermoplastic pavement markings including temporary pavement markings prior to thermoplastic. Costs associated with replacing existing signs damaged as a result of construction will be the responsibility of the contractor.

5. Bid Item 112 includes limerock base as needed and the first 2.5" lift of asphalt (FDOT type SP-9.5, Fine Mix), the second lift to be included with overlay or Temporary Asphalt Pavement. Surface treated pavement joints shall be lapped and feathered. Pavement restoration for longitudinal cuts shall include full lanes width resurfacing for each lane within which the cut extends. Base material shall have a minimum LBR of 100 and is to be placed in maximum 6" layers with each layer thoroughly rolled or tamped to 98% of maximum density (per AASHTO T-180).

6. Bid Item 114 is to include final overlay to the extents shown on the plans or lift of asphalt (minimum 1.0") to final grade. Pavement overlay to provide smooth and continuous grading through the entire asphalt overlay process to avoid areas of standing water. This item includes final lift of asphalt over all trench restoration.

7. Bid Item 115 requires contractor to place sod that will match existing conditions of project site prior to construction.

8. Bid Item 116,117,118 includes the removal and disposal of all existing concrete sidewalk, concrete driveways, asphalt aprons, drainage structures, drainage tops, drainage pipe with exfiltration trench, and base material necessary to prepare the area for the proposed construction. Any site areas impacted by the contractor outside of proposed concrete or drainage work, such as asphalt overlay, pavement markings, etc., will be restored by the contractor at no additional cost to the Town. The contractor shall include the costs associated with a preconstruction video and pictures to confirm existing conditions. Any damage not confirmed by preconstruction video or pictures will be repaired at no additional cost to the Town.

9. Bid Item 120,121,122,123 includes all costs associated with installing inlets and manholes, and pipe connections per the plans. These Bid Items shall include all associated excavation, protection of trench, management of excavated material, backfill and compaction, new fill, testing, and adjusting new manhole/utility covers per the plans and details. Trench restoration including first lift of asphalt, second lift to be included with overlay.

10. Bid Item 124, 125, 126,127,128 includes all costs associated with installing HDPE pipe, exfiltration trench, trench excavation, protection of trench, use of trench box, management of excavated material, new subbase as needed, complete trench backfill and compaction, testing, repair/replacement of site damage such as curbing, drop curb, and sidewalk impacted by construction per the plans and details.

11. Bid Item 130 is to include core drilling of existing structure, pipe connection, and grouting.